




WORLD CLASS

**Hans**®  
**Tools**



**SOCKET** mm/inch, 6PT/ 12PT  
VASOS DE HEXAGONAL / 12 CARAS  
DOUILLES 6 PANS/ 12PANS  
套筒公制/英制, 6角/12角



2400M/2400A 6 Pt

D1>D2




**DEEP SOCKET** mm/inch, 6PT /12PT  
VASOS LARGO DE HEXAGONAL / 12 CARAS  
DOUILLES LONGUES 6 PANS /12PANS  
長套筒公制/英制, 6角/12角



2300M/2300A 6 Pt

D1>D2



2402M/2402A 12 Pt



2302M/2302A 12 Pt



| 2400M<br>2402M<br>(mm) | 2400A<br>2402A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|------------|------------|-----------|-----|-------|
| NEW 3                  |                          | 5.5        | 11.8       | 25        | 10  | 50    |
|                        | 1/8                      | 5.7        | 11.8       | 25        | 9   | 50    |
| 3.5                    |                          | 6.1        | 11.8       | 25        | 10  | 50    |
| 4                      | 5/32                     | 6.8        | 11.8       | 25        | 10  | 50    |
| 4.5                    |                          | 7.4        | 11.8       | 25        | 10  | 50    |
| 5                      | 3/16                     | 8.0        | 11.8       | 25        | 10  | 50    |
| 5.5                    | 7/32                     | 8.7        | 11.8       | 25        | 11  | 50    |
| 6                      |                          | 9.2        | 11.8       | 25        | 11  | 50    |
|                        | 1/4                      | 9.5        | 11.8       | 25        | 11  | 50    |
| 7                      | 9/32                     | 10.8       | 11.8       | 25        | 11  | 50    |
| 8                      | 5/16                     | 11.4       | 12.0       | 25        | 11  | 50    |
| 9                      | 11/32                    | 13         | 12.2       | 25        | 12  | 50    |
| 10                     | 3/8                      | 14.5       | 13.0       | 25        | 16  | 50    |
|                        | 13/32                    | 14.5       | 13.0       | 25        | 16  | 50    |
| 11                     | 7/16                     | 16         | 14.2       | 25        | 20  | 50    |
| NEW 12                 | 15/32                    | 16.8       | 15.5       | 25        | 21  | 50    |
| 13                     | 1/2                      | 18         | 16.5       | 25        | 24  | 50    |
| 14                     | 9/16                     | 19.5       | 17.5       | 25        | 29  | 50    |
| NEW 15                 |                          | 20.9       | 19.3       | 25        | 29  | 10    |

| 2300M<br>2302M<br>(mm) | 2300A<br>2302A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|------------|------------|-----------|-----|-------|
| 4                      |                          | 6.8        | 11.8       | 50        | 19  | 20    |
|                        | 5/32                     | 7.0        | 11.8       | 50        | 20  | 20    |
| 4.5                    |                          | 7.4        | 11.8       | 50        | 19  | 20    |
|                        | 3/16                     | 7.9        | 11.8       | 50        | 20  | 20    |
| 5                      |                          | 8.0        | 11.8       | 50        | 19  | 20    |
| 5.5                    |                          | 8.7        | 11.8       | 50        | 19  | 20    |
|                        | 7/32                     | 8.9        | 11.8       | 50        | 20  | 20    |
| 6                      |                          | 9.2        | 11.8       | 50        | 22  | 20    |
|                        | 1/4                      | 10.0       | 11.8       | 50        | 20  | 20    |
| 7                      |                          | 10.8       | 11.8       | 50        | 23  | 20    |
|                        | 9/32                     | 11.0       | 11.8       | 50        | 23  | 20    |
| 8                      | 5/16                     | 11.4       | 12         | 50        | 23  | 20    |
| 9                      | 11/32                    | 13         | 12.2       | 50        | 26  | 20    |
| 10                     | 3/8                      | 14.5       | 13.0       | 50        | 30  | 20    |
| 11                     | 7/16                     | 16         | 14.2       | 50        | 35  | 20    |
| NEW 12                 | 15/32                    | 16.8       | 15.5       | 50        | 41  | 20    |
| 13                     | 1/2                      | 18         | 16.5       | 50        | 45  | 20    |
| 14                     | 9/16                     | 19.5       | 17.5       | 50        | 58  | 20    |
| NEW 15                 |                          | 20.9       | 20.9       | 50        | 58  | 20    |



The power deliver to whole structure of socket wrench and clearly ,strength is a evolution long life with efficiency. Streamline body made weight and power in core position without runout, power deliver efficiency.



※ RECYCLABLE SOCKET HOLDERS  
ARE AVAILABLE BY INQUIRED.  
SIZE:1/4DR. 3/8DR. 1/2DR. 3/4DR.

“An-Lo”An-Lock Socket wrench




## SURFACE DRIVE SOCKET

VASOS DE SURFACE DRIVE

DOUILLES 6 PANS SURFACE DRIVE

大R角套筒

 **24R0M**



D1<D2



D1>D2




## SPLINE DRIVE SOCKET

VASOS DE SPLINE DRIVE

DOUILLES SPLINE DRIVE

史普來 多用途套筒

 **24P0M**



D1<D2



D1>D2



| 24R0M<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| 4             | 6.7        | 11.85      | 25        | 9   | 50    |
| 4.5           | 7.3        | 11.85      | 25        | 9   | 50    |
| 5             | 8          | 11.85      | 25        | 9   | 50    |
| 6             | 9.1        | 11.85      | 25        | 11  | 50    |
| 7             | 10.8       | 11.85      | 25        | 10  | 50    |
| 8             | 11.85      | 11.85      | 25        | 13  | 50    |
| 9             | 12.85      | 11.85      | 25        | 18  | 50    |
| 10            | 14.4       | 14.4       | 25        | 25  | 50    |
| 11            | 15.8       | 15.8       | 25        | 25  | 50    |
| 12            | 16.85      | 16.85      | 25        | 28  | 50    |
| 13            | 17.85      | 17.85      | 25        | 37  | 50    |
| 14            | 19.4       | 19.4       | 25        | 45  | 50    |

| 24P0M<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| 5             | 8          | 11.85      | 25        | 10  | 50    |
| 6             | 9.6        | 11.85      | 25        | 10  | 50    |
| 7             | 10.6       | 11.85      | 25        | 10  | 50    |
| 8             | 11.85      | 11.85      | 25        | 10  | 50    |
| 9             | 13         | 13         | 25        | 12  | 50    |
| 10            | 14.5       | 14.5       | 25        | 15  | 50    |
| 11            | 16         | 16         | 25        | 18  | 50    |
| 12            | 17         | 17         | 25        | 20  | 50    |
| 13            | 18         | 18         | 25        | 22  | 50    |
| 14            | 19.5       | 19.5       | 25        | 26  | 50    |
| 15            | 21         | 21         | 25        | 26  | 50    |

## PROFILE OF SURFACE DRIVE SOCKET



The SURFACE DRIVE SOCKET is designed to improve fastener face with flat sides of nut. To distribute superb torque and protect weaker corner nuts.

Sizes are including Mertic and Inch, suitable for polished nuts, aluminum nuts and any hexagon nuts, even rounded heads nuts can be tightened or loosened by the SURFACE DRIVE SOCKET.

## PROFILE OF SURFACE DRIVE SOCKET




The SPLINE DRIVE SOCKET is designed by standard of MS-33787 and MIL-W-8982.

In the beginning, SPLINE SHAFT is designed in professional parts of vehicle,equipment and military.


And recently years widely used in safety nut and multi-shape nuts such as 6-points, 12points, square, SPLINE, XZN and E-STAR...etc.

## Can Be Used In:



## E-STAR SOCKET

VASOS E-STAR 1/4"DR.  
DOUILLES ÉTOILE 1/4"  
星型E套筒 1/4"DR



D1 < D2

★ 2410



"FOR EXTERNAL STAR SCREW"




D1 > D2



| 2410 | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------|------------|------------|-----------|-----|-------|
| E4   | 6          | 12         | 25        | 10  | 50    |
| E5   | 7.0        | 12         | 25        | 11  | 50    |
| E6   | 8.0        | 12         | 25        | 11  | 50    |
| E7   | 9.0        | 12         | 25        | 12  | 50    |
| E8   | 10         | 12         | 25        | 12  | 50    |
| E10  | 12         | 14         | 25        | 17  | 50    |
| E11  | 14         | 12         | 25        | 17  | 50    |
| E12  | 14.5       | 12         | 25        | 17  | 50    |

## E-STAR DEEP SOCKET

VASOS LARGO E-STAR  
DOUILLES LONGUES ÉTOILE  
星型長E套筒




D1 < D2

★ 2310



"FOR EXTERNAL STAR SCREW"



D1 > D2



| 2310 | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------|------------|------------|-----------|-----|-------|
| E4   | 6          | 12         | 50        | 23  | 20    |
| E5   | 7.5        | 12         | 50        | 23  | 20    |
| E6   | 8.5        | 12         | 50        | 25  | 20    |
| E7   | 9.5        | 12         | 50        | 25  | 20    |
| E8   | 10.5       | 12         | 50        | 25  | 20    |
| E10  | 12         | 12         | 50        | 41  | 20    |
| E11  | 14         | 12         | 50        | 46  | 20    |
| E12  | 14.5       | 12         | 50        | 50  | 20    |

## 8PCS E-STAR SOCKET SET

星型E套筒組

★ 26410-8



| 8PCS | 26410-8                           | 1/4" |
|------|-----------------------------------|------|
| 2410 | E4, E5, E6, E7, E8, E10, E11, E12 |      |

## DOUBLE SQUARE SOCKET

VASOS DOUBLE SQUARE DRIVE  
DOUILLES 8PANS  
八角套筒

★ 2403M/A



| 2403M<br>2403A | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|----------------|------------|------------|-----------|-----|-------|
| 6              | 11         | 11.7       | 24        | 14  | 50    |
| 8              | 14.3       | 13         | 24        | 14  | 50    |
| 10             | 17.6       | 16.5       | 24        | 14  | 50    |
| 1/4            | 11         | 11.7       | 24        | 14  | 50    |
| 5/16           | 14.3       | 13.0       | 24        | 14  | 50    |
| 3/8            | 17.6       | 16.5       | 24        | 14  | 50    |

## UNIVERSAL JOINT SOCKET -12Pt

VASOS CARDÁN UNIVERSAL DE 12Pt  
DOUILLES CARDAN UNIVERSEL  
12角萬向套筒

★ 2422M/A



| 2422M<br>2422A |         | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|----------------|---------|------------|------------|-----------|-----|-------|
| M(mm)          | A(inch) |            |            |           |     |       |
| 6              | 1/4     | 9.2        | 14         | 40        | 20  | 10    |
| 7              |         | 10.5       | 14         | 40        | 20  | 10    |
| 8              | 5/16    | 11.7       | 14         | 40        | 20  | 10    |
| 9              |         | 13         | 14         | 40        | 25  | 10    |
| 10             | 3/8     | 14         | 14         | 40        | 25  | 10    |
| 11             |         | 15.5       | 14         | 40        | 30  | 10    |
| 12             | 7/16    | 16.7       | 14         | 40        | 30  | 10    |
| 13             | 1/2     | 18         | 14         | 40        | 30  | 10    |
| 14             | 9/16    | 20         | 14         | 40        | 35  | 10    |


## 9PCS UNIVERSAL JOINT SOCKET SET

12角萬向套筒組

262209MB

| 9PCS  | 262209MB                         |
|-------|----------------------------------|
| 2422M | 6, 7, 8, 9, 10, 11, 12, 13, 14mm |





## BIT SOCKET

VASOS DESTORNILLADORES

DOUILLES TOURNEVIS PARA TORNILLOS

套筒起子

**2021M/2021A SLOTTED**


DIN ISO 2380-1

| 2021M<br>(mm) | 2021A<br>(inch) | T×W<br>(mm) | Length<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-------------|----------------|-----|-------|
| 2             |                 | 0.5x3       | 32             | 12  | 50    |
| 3             | 1/8             | 0.5x3.5     | 32             | 12  | 50    |
| 4             | 5/32            | 0.8x4       | 32             | 12  | 50    |
| NEW 4.5       |                 | 1.0x4.5     | 32             | 13  | 50    |
| 5             | 3/16            | 1.0x5.5     | 32             | 13  | 50    |
| 6             | 1/4             | 1.0x6       | 32             | 13  | 50    |
| NEW 6.5       |                 | 1.2x6.5     | 32             | 13  | 50    |
| 7             | 9/32            | 1.2x7       | 32             | 13  | 50    |
| 8             | 5/16            | 1.2x8       | 32             | 13  | 50    |

**2022 PHILLIPS**


DIN ISO 8764-1

| 2022<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|---------------|----------------|-----|-------|
| PH0           | 32             | 12  | 50    |
| PH1           | 32             | 12  | 50    |
| PH2           | 32             | 13  | 50    |
| PH3           | 32             | 14  | 50    |
| PH4           | 32             | 14  | 50    |

**2024 STAR**

**2023 POZIDRIV**


DIN ISO 8764-1PZ

| 2023<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|---------------|----------------|-----|-------|
| PZ0           | 32             | 12  | 50    |
| PZ1           | 32             | 12  | 50    |
| PZ2           | 32             | 13  | 50    |
| PZ3           | 32             | 14  | 50    |
| PZ4           | 32             | 14  | 50    |

**2025 HOLEY STAR**



| 2025<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|---------------|----------------|-----|-------|
| TH8           | 32             | 12  | 50    |
| TH9           | 32             | 12  | 50    |
| NEW TH10      | 32             | 12  | 50    |
| TH15          | 32             | 12  | 50    |
| TH20          | 32             | 13  | 50    |
| TH25          | 32             | 13  | 50    |
| TH27          | 32             | 14  | 50    |
| TH30          | 32             | 14  | 50    |
| TH40          | 32             | 14  | 50    |

**2026M  
2026A HEX**


DIN 7422

| 2026M<br>(mm) | 2026A<br>(inch) | 2026M<br>(L: 32mm) | 2026-2M<br>(L: 55mm) | 2026-4M<br>(L: 100mm) | (pcs) |
|---------------|-----------------|--------------------|----------------------|-----------------------|-------|
| NEW 1.3       |                 | 12(g)              |                      |                       | 50    |
| NEW 1.5       |                 | 12(g)              |                      |                       | 50    |
| NEW 2.5       |                 | 12(g)              |                      |                       | 50    |
| 3             | 1/8             | 12(g)              | 20(g)                | 38(g)                 | 50    |
| 4             | 5/32            | 12(g)              | 20(g)                | 38(g)                 | 50    |
| 5             | 3/16            | 14(g)              | 24(g)                | 40(g)                 | 50    |
| 6             | 1/4             | 14(g)              | 24(g)                | 40(g)                 | 50    |
| 7             | 9/32            | 16(g)              | 28(g)                | 50(g)                 | 50    |
| 8             | 5/16            | 16(g)              | 28(g)                | 50(g)                 | 50    |
| 10            | 3/8             | 20(g)              | 50(g)                | 50(g)                 | 50    |



**BIT SOCKET**

VASOS DESTORNILLADORES

DOUILLES TOURNEVIS PARA TORNILLOS

套筒起子

**2024TB WOBBLE STAR**

| 2024TB | Length<br>(mm) | (g) | (pcs) |
|--------|----------------|-----|-------|
| TB10   | 37             | 15  | 50    |
| TB15   | 37             | 15  | 50    |
| TB20   | 37             | 15  | 50    |
| TB25   | 37             | 15  | 50    |
| TB27   | 37             | 15  | 50    |
| TB30   | 37             | 15  | 50    |
| TB40   | 37             | 25  | 50    |

**2027 WOBBLE HEX**

| 2027M | 2027M<br>L= 32mm | 2027-4M<br>L=100mm | (pcs) |
|-------|------------------|--------------------|-------|
| 3     | 10(g)            | 22(g)              | 50    |
| 4     | 10(g)            | 22(g)              | 50    |
| 5     | 10(g)            | 22(g)              | 50    |
| 6     | 13(g)            | 25(g)              | 50    |

**20255 PENTA-STAR (PLUS)**



| 20255 | Length<br>(mm) | (g) | (pcs) |
|-------|----------------|-----|-------|
| TS10  | 32             | 12  | 50    |
| TS15  | 32             | 12  | 50    |
| TS20  | 32             | 13  | 50    |
| TS25  | 32             | 13  | 50    |
| TS27  | 32             | 14  | 50    |
| TS30  | 32             | 14  | 50    |
| TS40  | 32             | 14  | 50    |

**2030 STAR PLUS**

| 2030 | Length<br>(mm) | (g) | (pcs) |
|------|----------------|-----|-------|
| 8IP  | 28             | 10  | 50    |
| 9IP  | 28             | 10  | 50    |
| 10IP | 28             | 10  | 50    |
| 15IP | 28             | 10  | 50    |
| 20IP | 28             | 11  | 50    |
| 25IP | 28             | 11  | 50    |
| 27IP | 28             | 12  | 50    |
| 30IP | 28             | 12  | 50    |
| 40IP | 28             | 13  | 50    |

|  | Slotted      | Phillips     | PZ   | HEX          | WOBBLE HEX | XZN  | STAR         | HOLEY STAR | STAR PLUS | PENTA STAR PLUS | Ribe | WOBBLE STAR |
|--|--------------|--------------|------|--------------|------------|------|--------------|------------|-----------|-----------------|------|-------------|
|  | 2021         | 2022         | 2023 | 2026         | 2027       | —    | 2024         | 2025       | 2030      | 20255           | —    | 2024TB      |
|  | 3011<br>3021 | 3012<br>3022 | 3023 | 3016<br>3026 | 3027       | 3028 | 3014<br>3024 | 3025       | 3030      | 30255           | 3029 | —           |
|  | 4011<br>4021 | 4012<br>4022 | 4023 | 4016<br>4026 | 4027       | 4028 | 4014<br>4024 | 4025       | 4030      | 40255           | 4029 | —           |
|  | —            | —            | —    | 6016         | —          | —    | 6024         | —          | —         | —               | —    | —           |
|  | —            | —            | —    | 8016         | —          | —    | —            | —          | —         | —               | —    | —           |





**RATCHET HANDLE**  
CARRCA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手



L=125mm/5" =160g =10pcs



**2100N**

L=130mm/5" =160g =10pcs





**2100P**

| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 2100 | 36    | 26    | 21    | 62         |

L=155mm/6" =170g =10pcs



**2100G**



**RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手



L=140mm/5" =160g =10pcs



**2120N**

L=140mm/5" =160g =10pcs





**2120P**

| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 2120 | 24    | 28    | 19    | 62         |

L=155mm/6" =170g =10pcs



**2120G**



**RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手



L=150mm/6" =170g =10pcs




**2130N**

L=150mm/6" =170g =10pcs



**2130G**

| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 2130 | 39    | 26    | 22    | 62         |



## QUICK RELEASE RATCHET HANDLE

CARRACA REVERSIBLE

CLIQUET RÉVERSIBLE

快放棘輪扳手



2100QSP



**2100NQ**



L=125mm/5" (9) =160g =10pcs

**2100PQ**





L=130mm/5" (9) =160g =10pcs

**2100GQ**



L=155mm/5" (9) =170g =10pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 2100 | 36    | 26    | 21    | 62      |

## QUICK RELEASE RATCHET HANDLE


CARRACA REVERSIBLE

CLIQUET RÉVERSIBLE

快放棘輪扳手



2120QSP



**2120NQ**



L=140mm/5" (9) =160g =10pcs

**2120PQ**





L=140mm/5" (9) =160g =10pcs

**2120GQ**



L=155mm/5" (9) =170g =10pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 2120 | 24    | 28    | 19    | 62      |

## QUICK RELEASE RATCHET HANDLE

CARRACA REVERSIBLE

CLIQUET RÉVERSIBLE

快放棘輪扳手



2160SP

**2160NQ**



L=128mm/5" (9) =140g =10pcs

**2160PQ**




L=128mm/5" (9) =140g =10pcs


**2160GQ**




L=145mm/5-3/4" (9) =150g =10pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 2160 | 48    | 25    | 20    | 62      |





### QUICK RELEASE RATCHET HANDLE

CARRACA REVERSIBLE

CLIQUET RÉVERSIBLE

快放棘輪扳手

L=120mm/5" [9] = 80g = 10pcs



2150GQ

| TYPE   | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|--------|-------|-------|-------|------------|
| 2150GQ | 36    | 22    | 19.8  | 62         |

L=160mm/6-2/5" [9] = 150g = 10pcs



2162GQ


| TYPE   | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|--------|-------|-------|-------|------------|
| 2162GQ | 72    | 25    | 25    | 62         |

### REVERSIBLE RATCHET WITH ROTATABLE HANDLE

CARRACA REVERSIBLE CON MANGO GIRATORIO

CLIQUET RÉVERSIBLE AVEC MANCHE ROTATIF

棘輪扳手, 旋轉手柄



L=180mm/7" [9] = 184g = 5pcs



2138G

| TYPE  | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|-------|-------|-------|-------|------------|
| 2138G | 60    | 27.3  | 23.5  | 62         |

### QUICK RELEASE RATCHET HANDLE


CARRACA REVERSIBLE

CLIQUET RÉVERSIBLE

快放棘輪扳手




2130QSP



L=150mm/6" [9] = 170g = 10pcs



2130NQ



L=150mm/6" [9] = 170g = 10pcs



2130GQ

| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 2130 | 39    | 26    | 25    | 62         |

L=145mm/5-7/8" [9] = 120g = 10pcs



2131GQ


| TYPE   | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|--------|-------|-------|-------|------------|
| 2131GQ | 72    | 25    | 25    | 62         |

| TYPE   | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|--------|-------|-------|-------|------------|
| 2132GQ | 72    | 25    | 25    | 62         |

L=145mm/5-7/8" [9] = 130g = 10pcs



2132GQ



**2101NQ-90**

**NEW**



2101-90sp



L=130mm/5" [9] =100g [ ] =10pcs




**2101PQ-90**

**NEW**



L=125mm/5" [9] =100g [ ] =10pcs




**2101GQ-90**

**NEW**



L=150mm/5" [9] =170g [ ] =10pcs



| TYPE    | TEETH | D(mm) | T(mm) | DIN N.m |
|---------|-------|-------|-------|---------|
| 2101-90 | 90    | 26    | 21    | 62      |


**2101NQ-72**



2101-72sp




L=130mm/5" [9] =100g [ ] =10pcs



**2101PQ-72**




L=125mm/5" [9] =100g [ ] =10pcs



**2101GQ-72**




L=150mm/5" [9] =170g [ ] =10pcs




| TYPE    | TEETH | D(mm) | T(mm) | DIN N.m |
|---------|-------|-------|-------|---------|
| 2101-72 | 72    | 26    | 21    | 62      |

**2133SPQ**

**NEW**



L= 145mm/6" [9] =120g [ ] =10pcs




**2133SGQ**


**NEW**




L= 165mm/6.6" [9] =130g [ ] =10pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 2133 | 72    | 31.4  | 24.8  | 62      |



# 108 TOOTH RATCHET SYSTEM TECHNOLOGY




**QUICK RELEASE RATCHET HANDLE 108T.**  
CARRACA REVERSIBLE 108T.  
CLIQUET RÉVERSIBLE 108T.  
快放棘輪扳手

## 2101PQ-108




L=125mm/5"  $\overline{[g]}$ =100g =10pcs



## 2101GQ-108



L=150mm/6"  $\overline{[g]}$ =170g =10pcs





| TYPE       | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------------|-------|-------|-------|------------|
| 2101PQ-108 | 108   | 21.6  | 18.2  | 62         |

## 2100G-90




**RATCHET HANDLE 90 T**  
CARRACA REVERSIBLE 90T.  
CLIQUET RÉVERSIBLE 90T.  
棘輪扳手

L=155mm/6"  $\overline{[g]}$ =185g =10pcs




| TYPE     | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------|-------|-------|-------|------------|
| 2100G-90 | 90    | 22    | 20    | 62         |




## 2144PQ (QUICK RELEASE)

**FLEX-STOP™ RATCHET HANDLE**  
CARRACA ARTICULADA DE FLEX-STOP™  
CLIQUET RÉVERSIBLE À CARDAN  
可固定活頭的棘輪扳手



PUSH THIS BUTTON FOR TOTAL SIX "FLEX-STOP™"  
AROUND THE 180° FLEXURE.

L=125mm/5" [9]=170g [9]=10pcs



## 2144FPQ

**FLEX-RATCHET HANDLE**  
CARRACA REVERSIBLE ARTICULADA  
CLIQUET RÉVERSIBLE À CARDAN  
可固定活頭的棘輪扳手



L=145mm/5" [9]=160g [9]=10pcs

| TYPE    | TEETH | D(mm) | T(mm) | DIN N.m |
|---------|-------|-------|-------|---------|
| 2144PQ  | 45    | 27    | 21    | 62      |
| 2144FPQ | 72    | 27    | 21    | 62      |


## 2102-08GQ

**EXTENDABLE RATCHET HANDLE 72 TEETH**  
EXTENSIBLE CARRACA REVERSIBLE CON BLOQUEO-72 TEETH  
WXTENSIBLE CLIQUETS RÉVERSIBLE-72 TEETH  
72齒可伸縮快放棘輪扳手

EXTENDABLE



L=150~200mm [9]=170g [9]=5pcs



| TYPE      | TEETH | D(mm) | T(mm) | DIN N.m |
|-----------|-------|-------|-------|---------|
| 2102-08GQ | 72    | 25.4  | 21    | 62      |

## 2183

**QUICK RELEASE RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



L=145mm/5" [9]=114g

| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 2183 | 72    | 25.5  | 21    | 62      |

## 2101SG

**BIT RATCHET HANDLE**  
CARRACA REVERSIBLE PARA PUNTAS DE BITS  
CLIQUET RÉVERSIBLE POUR EMBOUTS BITS  
棘輪扳手式起子接頭



L=115mm/5-7/8" [9]=106g [9]=10pcs



2101SG



2103SG


## 2103SG

**2IN1 BIT HOLDER & 1/4" SQUARE RATCHET HANDLE**  
2 IN 1 CARRACA REVERSIBLE CON CUADRADO  
1/4" Y PUNTAS DE BITS  
2 IN 1 CLIQUET RÉVERSIBLE CARRÈ MÂLE  
1/4" AVEC EMBOUTS BITS  
2合1 1/4"棘四角頭與起子接頭



L=115mm/5-7/8" [9]=106g [9]=10pcs

| TYPE   | TEETH | D(mm) | T(mm) |
|--------|-------|-------|-------|
| 2101SG | 72    | 26    | 21.5  |
| 2103SG | 72    | 26    | 24.5  |



**UNIVERSAL JOINT**  
CARDÁN UNIVERSAL  
CARDAN UNIVERSEL  
萬向接座

**2200**

L=40mm  =20g  =10pcs



**ADAPTOR**  
ADAPTADOR  
AUGMENTATEUR  
接頭


**2804**

$\square 1/4" \times \square 3/8"$  L=22mm  =16g  =10pcs



**MAGNET EXTENSION BAR**  
ALARGADERAS CON MAGNÉTICO  
RALLONGE AVEC MAGNÉTIQUE  
磁性接桿

**2800MG**



$\square 1/4" \times \square 1/4"$  L=37mm(1-1/2")  =16g  =10pcs

**FLEXIBLE EXTENSION BAR**  
ALARGADERAS FLEXIBLE  
RALLONGE FLEXIBLE  
接桿

**2801**

$\square 1/4" \times \square 1/4"$



| mm                                                                                  | 150 | 200 | 250 | 300  |
|-------------------------------------------------------------------------------------|-----|-----|-----|------|
| inch                                                                                | 6"  | 8"  | 10" | 12"  |
|  | 60g | 76g | 87g | 102g |
|  | 20  | 20  | 10  | 10   |

**SOCKET ADAPTOR BIT**


**04631**



$\square 1/4"$  C6.3 L=25mm

**RATCHET ADAPTOR**  
TRINQUETE  
CLIQUET  
棘輪套筒接頭

**21804**



$\square 1/4" \times \square 1/4" \times \square 13mm$  L=42mm  =52g  =10pcs

**BIT HOLDER**  
VASO PORTAPUNTAS  
DOUILLES PORTE-EMBOUS  
起子接頭

**2000**

L=22mm  =16g  =10pcs



**SPINNER HANDLE**  
MANGO PROLONGADOR  
PORTE-DOUILLE À MANCHE  
方桿

**2830/2831**

$\square 1/4"$  **2830**

L:150mm/6"



$\square 1/4"$  **2831**

L:150mm/6"



**SOCKET ADAPTOR BIT FOR ELECTRIC TOOLS**  
ADAPTADORES DE VASOS PARA ATORNILLADORES  
PORTE-DOUILLE POUR VISSEUSES  
電動工具用套筒接頭



$\square 1/4"$  E6.3

**04662B**



$\square 1/4"$  E6.3

**04662**

L=50mm



E6.3

**04662BW**

L=65mm



SDS-plus

**04SDS2**

L=57mm

|               |  |  |  |          |                |  |
|---------------|--|--|--|----------|----------------|--|
| <b>2400M</b>  |  |  |  | C6.3     | $\square 1/4"$ |  |
| <b>2300M</b>  |  |  |  | E6.3     | $\square 1/4"$ |  |
| <b>82400M</b> |  |  |  | SDS-plus | $\square 10$   |  |
| <b>82300M</b> |  |  |  | SDS-plus | $\square 10$   |  |



## NEW PANEL TYPE FLEX HANDLE WITH "I" SHAPE PANEL

### FLEXIBLE HANDLE

MANGO ARTICULADO

POIGNÉE ARTICULÉE

活頭扳桿

**2700C**



L=150mm/6" (g)=99g =10pcs



### FLEXIBLE HANDLE

MANGO ARTICULADO

POIGNÉE ARTICULÉE

活頭扳桿



2700SP

**2700N**



**2700P**



**2700G**



L=150mm/6" (g)=190g =10pcs

The traditional flex handle cannot keep the socket in place and cannot prevent it from drooping down. Whereas the Cobra flex handle can keep the socket in place at 30°, 60°, 90°, 120° angle.

### SLIDING "T" HANDLE

**2770**

MANGO CORREDIZO

POIGNÉE COULISSANTÉ

滑桿



L=115mm/4-1/2" (g)=40g =10pcs

### MULTI-EXTENSION T HANDLE

EXTENSION MANGO MACHO 1/4" EN "T"

POIGNÉE À BÉQUILLE À CARRÉ MÂLE 1/4"

多功能超長T型接桿

**10286**




### MULTI-EXTENSION T HANDLE

EXTENSION MANGO MACHO 1/4" EN "T"

POIGNÉE À BÉQUILLE À CARRÉ MÂLE 1/4"

多功能超長T型接桿

**12380**



| ITEM NO.<br>(mm) |  | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|------------------|--|-----------|------------|-----------|------------|-----|-------|
| 10286            |  | 14        | 8          | 500       | 200        | 260 | 25    |

| ITEM NO.<br>(mm) |  | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|------------------|--|------------|-----------|------------|-----|-------|
| 12380            |  | 8          | 250       | 200        | 180 | 25    |

### EXTENSION BAR

ALARGADERAS

RALLONGE

接桿

**2800**



### DUAL-DRIVE EXTENSION BAR

ALARGADERAS ANGULARES

RALLONGE ANGULAIRE

雙、定位接桿

**2802**



| mm   | 50  | 75  | 100 | 150 | 250  | 300  |
|------|-----|-----|-----|-----|------|------|
| inch | 2"  | 3"  | 4"  | 6"  | 10"  | 12"  |
| (g)  | 20g | 30g | 40g | 60g | 100g | 120g |
|      | 30  | 30  | 20  | 20  | 10   | 10   |

| mm   | 50  | 75  | 100 | 150 |
|------|-----|-----|-----|-----|
| inch | 2"  | 3"  | 4"  | 6"  |
| (g)  | 20g | 30g | 40g | 60g |
|      | 30  | 30  | 20  | 20  |

RECOMMENDED TORQUE: BELOW 46.7Nm/34.4 Ft-LB



## SOCKET/DEEP SOCKET WRENCH SET

JUEGO DE VASO LARGO

JEU DE DOUILLES

長、短套筒扳手組

○ 2609M/A

⊗ 2609-2M/-2A

| 9PCS                                                    | 2609M/-2M mm         | 2609A/-2A inch                             |
|---------------------------------------------------------|----------------------|--------------------------------------------|
| 2400/2402                                               | 4,5,6,7,8,9,10,11,12 | 5/32,3/16,7/32,1/4,5/16,11/32,3/8,7/16,1/2 |
| BLISTER CARD: GW:15.8KGS ☞= 48 SETS/1.5' <b>M260900</b> |                      |                                            |

○ 2610M/A

⊗ 2610-2M/-2A



| 10PCS                                                   | 2610M/-2M mm            | 2610A/-2A inch                                  |
|---------------------------------------------------------|-------------------------|-------------------------------------------------|
| 2400/2402                                               | 4,5,6,7,8,9,10,11,13,14 | 3/16,7/32,1/4,9/32,5/16,11/32,3/8,7/16,1/2,9/16 |
| BLISTER CARD: GW:12.5KGS ☞= 48 SETS/1.5' <b>M261000</b> |                         |                                                 |

○ 2611M/A

⊗ 2611-2M/-2A

| 11PCS                                                   | 2611M/-2M mm               | 26011/-2A inch                                       |
|---------------------------------------------------------|----------------------------|------------------------------------------------------|
| 2400/2402                                               | 4,5,6,7,8,9,10,11,12,13,14 | 5/32,3/16,7/32,1/4,9/32,5/16,11/32,3/8,7/16,1/2,9/16 |
| BLISTER CARD: GW:13.5KGS ☞= 48 SETS/1.5' <b>M261100</b> |                            |                                                      |

○ 2613MC

⊗ 2613-2MC

| 13PCS                                                 | 2613MC/ 2613-2MC mm                       |
|-------------------------------------------------------|-------------------------------------------|
| 2400/2402                                             | 4, 4.5, 5, 5.5, 6, 7, 8, 9,10,11,12,13,14 |
| BLISTER CARD: GW:15KGS ☞= 48 SETS/1.5' <b>M261300</b> |                                           |

○ 26213



| 13PCS                                   | 26213                        |
|-----------------------------------------|------------------------------|
| 2400M                                   | 4,5,6,7,8,9,10,11,12,13,14mm |
| 2100PQ                                  | RATCHET HANDLE               |
| 2800-4                                  | EXTENSION BAR 4"/100mm       |
| BLISTER CARD: GW:10KGS ☞= 20 SETS/0.74' |                              |

○ 2609MD/AD

⊗ 2609-2MD/-2AD

| 9PCS                                                    | 2609MD/-2MD mm       | 2609AD/-2AD inch                           |
|---------------------------------------------------------|----------------------|--------------------------------------------|
| 2300/2302                                               | 4,5,6,7,8,9,10,11,12 | 5/32,3/16,7/32,1/4,5/16,11/32,3/8,7/16,1/2 |
| BLISTER CARD: GW:15.8KGS ☞= 48 SETS/1.5' <b>M260900</b> |                      |                                            |

○ 2610MD/AD

⊗ 2610-2MD/-2AD

| 10PCS                                                   | 2610MD/-2MD mm          | 2610AD/-2AD inch                                |
|---------------------------------------------------------|-------------------------|-------------------------------------------------|
| 2300/2302                                               | 4,5,6,7,8,9,10,11,13,14 | 3/16,7/32,1/4,9/32,5/16,11/32,3/8,7/16,1/2,9/16 |
| BLISTER CARD: GW:19.5KGS ☞= 48 SETS/1.5' <b>M261000</b> |                         |                                                 |

○ 2611MD/AD

⊗ 2611-2MD/-2AD

| 11PCS                                                 | 2611MD/-2MD mm             | 2611AD/-2AD inch                                     |
|-------------------------------------------------------|----------------------------|------------------------------------------------------|
| 2300/2302                                             | 4,5,6,7,8,9,10,11,12,13,14 | 5/32,3/16,7/32,1/4,9/32,5/16,11/32,3/8,7/16,1/2,9/16 |
| BLISTER CARD: GW:21KGS ☞= 48 SETS/1.5' <b>M261100</b> |                            |                                                      |

○ 2613MDC

⊗ 2613-2MDC

| 13PCS                                                 | 2613MDC/ 2613-2MDC mm                     |
|-------------------------------------------------------|-------------------------------------------|
| 2300/2302                                             | 4, 4.5, 5, 5.5, 6, 7, 8, 9,10,11,12,13,14 |
| BLISTER CARD: GW:24KGS ☞= 48 SETS/1.5' <b>M261300</b> |                                           |

## SOCKET RAIL WITH CLAMP FOR 1/4"Dr.


VACIO, CON BRIDAS DE SUJECIÓN PARA VASO 1/4"Dr.

VIDE, AVEC ÉTRIERS DE RETENUE À GAMIR

DES DOUILLES 1/4"Dr.

套筒夾 1/4"Dr.

| ITEM    | SIZE            |
|---------|-----------------|
| M260250 | 1/4X6PCSX150mm  |
| M260260 | 1/4X7PCSX150mm  |
| M260900 | 1/4X9PCSX215mm  |
| M261000 | 1/4X10PCSX215mm |
| M261100 | 1/4X11PCSX215mm |
| M261300 | 1/4X13PCSX215mm |
| M0800   | 1/4DR.          |



## BIT SOCKET SET

JUEGO DE VASO DESTORILLADORES

JEU DE DOUILLES TOURNEVIS

起子套筒組

### ★ 26024-7TC STAR



| 7PCS          | 26024-7TC                                 |
|---------------|-------------------------------------------|
| 2024T         | T10,T15,T20,T25,T27,T30,T40               |
| BLISTER CARD: | GW:8.5KGS  = 48 SETS/0.73' <b>M260260</b> |

### ○ 26026-7C/ 7AC HEX



| 7PCS          | 26026-7C mm                | 26026-7AC inch                  |
|---------------|----------------------------|---------------------------------|
| 2026M/A       | 3,4,5,6,7,8,10             | 1/8,5/32,3/16,1/4,9/32,5/16,3/8 |
| BLISTER CARD: | GW:8.5KGS  = 48 SETS/0.73' | <b>M260260</b>                  |

### ★ 260230-7C STAR PLUS



| 7PCS          | 260230-7C                                 |
|---------------|-------------------------------------------|
| 2030          | 10IP,15IP,20IP,25IP,27IP,30IP,40IP        |
| BLISTER CARD: | GW:8.5KGS  = 48 SETS/0.73' <b>M260260</b> |

### ★ 26025-6C HOLEY STAR



| 6PCS          | 26025-6C                                  |
|---------------|-------------------------------------------|
| 2025TH        | TH10,TH15,TH20,TH25,TH27,TH30             |
| BLISTER CARD: | GW:7.2KGS  = 48 SETS/0.73' <b>M260250</b> |

### ★ 26025-9C HOLEY STAR



| 9PCS          | 26025-9C                                   |
|---------------|--------------------------------------------|
| 2025          | TH8,TH9,TH10,TH15,TH20,TH25,TH27,TH30,TH40 |
| BLISTER CARD: | GW:16.5KGS  = 48 SETS/1.5' <b>M260900</b>  |

### ★ 260255-7C PENTA-STAR(PLUS)



| 7PCS          | 260255-7C                                 |
|---------------|-------------------------------------------|
| 20255         | TS10,TS15,TS20,TS25,TS27,TS30,TS40        |
| BLISTER CARD: | GW:8.5KGS  = 48 SETS/0.73' <b>M260260</b> |

## SOCKET RAIL WITH CLAMP FOR 1/4" Dr.

VACIO,CON BRIDAS DE SUJECIÓN PARA VASO 1/4"Dr.

VIDE,AVEC ÉTRIERS DE RETENUE À GAMIR DES DOUILLES 1/4"Dr.

套筒夾1/4"Dr.



| ITEM    | SIZE            |
|---------|-----------------|
| M260250 | 1/4X6PCSX150mm  |
| M260260 | 1/4X7PCSX150mm  |
| M260900 | 1/4X9PCSX215mm  |
| M261000 | 1/4X10PCSX215mm |
| M261100 | 1/4X11PCSX215mm |
| M261300 | 1/4X13PCSX215mm |
| M0800   | 1/4DR.          |





**SOCKET WRENCH SET**  
JUEGO DE LLAVES VASO  
COFFRET DOUILLES OUTILLES  
套筒扳手組

| 13PCS                                                          | 2613M                                            |
|----------------------------------------------------------------|--------------------------------------------------|
| 2300                                                           | 4,5,5.5,6,7,8,9,10,11,12,13mm 11PCS DEEP SOCKETS |
| 2144PQ                                                         | FLEX-STOP RATCHET HANDLE 125mm                   |
| 2800-4                                                         | EXTENSION BAR 100mm                              |
| METAL CASE 195x105x33mm 1 SET=0.75KGS, GW=19KGS/20SETS  =0.65' |                                                  |

**2613M**



**2618M/A**



| 18PCS                                                          | 2618M<br>2618-2M                    | 2618MP<br>2618-2MP                                        | 2618A<br>2618-2A | 2618AP<br>2618-2AP |
|----------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------|------------------|--------------------|
| 2400<br>(2402)                                                 | 4,4.5,5,6,7,8,9,10,11,12mm<br>10PCS | 5/32,3/16,7/32,1/4,9/32,5/16,<br>11/32,3/8,7/16,1/2 10PCS |                  |                    |
| 2403                                                           | 8,10mm-8POINT 2PCS                  | 5/16, 3/8" -8POINT 2PCS                                   |                  |                    |
| 2100NQ<br>(2100PQ)                                             | RATCHET HANEDLE 125mm/5"            |                                                           |                  |                    |
| 2700N<br>(2700P)                                               | FLEXIBLE HANDLE 150 mm/6"           |                                                           |                  |                    |
| 2800-2                                                         | EXTENSION BAR 50mm/2"               |                                                           |                  |                    |
| 2800-6                                                         | EXTENSION BAR 150mm/6"              |                                                           |                  |                    |
| 2770                                                           | SLIDING " T " HANDLE 115mm/4-1/2"   |                                                           |                  |                    |
| 2200                                                           | UNIVERSAL JOINT 40mm/1-1/2"         |                                                           |                  |                    |
| METAL CASE 195x105x33mm 1 SET=0.75KGS, GW=16KGS/20SETS  =0.65' |                                     |                                                           |                  |                    |

**2618MP/AP**



**2619M**



| 19PCS                                                          | 2619M<br>2619-2M                              | 2619MP<br>2619-2MP |
|----------------------------------------------------------------|-----------------------------------------------|--------------------|
| 2400<br>(2402)                                                 | 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm<br>13PCS |                    |
| 2120NQ<br>2700N                                                | QUICK RELEASE RATCHET HANEDLE 125mm/5"        | 2120PQ 2700P       |
| 2800-2                                                         | FLEXIBLE HANDLE 150 mm/6"                     |                    |
| 2800-4                                                         | EXTENSION BAR 50mm/2"                         |                    |
| 2770                                                           | EXTENSION BAR 100mm/4"                        |                    |
| 2200                                                           | SLIDING " T " HANDLE 115mm/4-1/2"             |                    |
|                                                                | UNIVERSAL JOINT 40mm/1-1/2"                   |                    |
| METAL CASE 195x105x33mm 1 SET=0.75KGS, GW=16KGS/20SETS  =0.65' |                                               |                    |

**2619MP**



**2616M/A**



| 16PCS                                                         | 2616M<br>2616-2M                         | 2616MP<br>2616-2MP | 2616MG<br>2616-2MG | 2616A<br>2616-2A                                                | 2616AP<br>2616-2AP | 2616AG<br>2616-2AG |
|---------------------------------------------------------------|------------------------------------------|--------------------|--------------------|-----------------------------------------------------------------|--------------------|--------------------|
| 2400<br>(2402)                                                | 4,4.5,5,5.5,6,7,8,9,10,11,<br>12mm 11PCS |                    |                    | 5/32,3/16,7/32,1/4,9/32,5/16,<br>11/32,3/8,13/32,7/16,1/2 11PCS |                    |                    |
| 2100NQ                                                        | REVERSIBLE RATCHET 125mm                 |                    |                    | 2120P 2100GQ                                                    |                    |                    |
| 2830                                                          | SPINNER HANDLE 150mm                     |                    |                    |                                                                 |                    |                    |
| 2800-4                                                        | EXTENSION BAR 100mm                      |                    |                    |                                                                 |                    |                    |
| 2770                                                          | SLIDING " T " HANDLE 115mm               |                    |                    |                                                                 |                    |                    |
| 2200                                                          | UNIVERSAL JOINT                          |                    |                    |                                                                 |                    |                    |
| METAL CASE 195x105x33mm 1 SET=0.7KGS, GW=15KGS/20SETS  =0.65' |                                          |                    |                    |                                                                 |                    |                    |


**2616MG/AG**



**2616MP/AP**



**SOCKET WRENCH SET**  
**JUEGO DE LLAVES VASO**  
**COFFRET DOUILLES OUTILLES**  
**套筒扳手組**

**2633MB/AB****2633M/A****2633MBG****2633MG****2626M****2626MP****2660MB****2646MB**

|                                                                                                                                                       |                                                 |           |           |                                                                 |               |           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-----------|-----------|-----------------------------------------------------------------|---------------|-----------|
| 33PCS                                                                                                                                                 | 2633M                                           | 2633MP    | 2633MG    | 2633A                                                           | 2633AP        | 2633AG    |
|                                                                                                                                                       | 2633-2M                                         | 2633-2MP  | 2633-2MG  | 2633-2A                                                         | 2633-2AP      | 2633-2AG  |
|                                                                                                                                                       | 2633MB                                          | 2633MBP   | 2633MBG   | 2633AB                                                          | 2633ABP       | 2633ABG   |
|                                                                                                                                                       | 2633-2MB                                        | 2633-2MBP | 2633-2MBG | 2633-2AB                                                        | 2633-2ABP     | 2633-2ABG |
| 2400M/A<br>(2402M/A)                                                                                                                                  | 4,4.5,5,5.5,6,7,8,9,10,11,12mm<br>11PCS SOCKETS |           |           | 5/32,3/16,7/32,1/4,9/32,5/16,<br>11/32,3/8,13/32,7/16,1/2 11PCS |               |           |
| 2022                                                                                                                                                  | PH1,PH2 ⊕                                       | 2023      | PZ1,PZ2 ⊕ |                                                                 |               |           |
| 2021                                                                                                                                                  | 4,5,5,7mm ⊖                                     |           |           | 5/32,1/4,5/16                                                   |               |           |
| 2026                                                                                                                                                  | 3,4,5,6,8,10mm ○                                |           |           | 1/8,5/32,3/16,1/4,5/16,3/8                                      |               |           |
| 2100NQ                                                                                                                                                | RATCHT HANDLE 125mm                             |           |           | 5"                                                              | 2100PQ 2100GQ |           |
| 2830                                                                                                                                                  | SPINNER HANDLE 150mm                            |           |           | 6"                                                              |               |           |
| 2800-2                                                                                                                                                | EXTENSION BAR 50mm                              |           |           | 2"                                                              |               |           |
| 2800-4                                                                                                                                                | EXTENSION BAR 100mm                             |           |           | 4"                                                              |               |           |
| 2770                                                                                                                                                  | SLIDING" T "HANDLE 115mm                        |           |           | 4-1/2"                                                          |               |           |
| 2200                                                                                                                                                  | UNIVERSAL JOINT 40mm                            |           |           | 1-1/2"                                                          |               |           |
| 1764                                                                                                                                                  | 3PCS HEX KEY WRENCH 1.5,2,2.5                   |           |           | 1/16",5/16",3/32"                                               |               |           |
| METAL CASE:253×130×32 1SET=0.9KGS, GW=19KGS/20SET  =1'             |                                                 |           |           |                                                                 |               |           |
| BLOW MOLD PE CASE:240×160×40 1SET=1.15KGS, GW=23.6KGS/20SET  =1.8' |                                                 |           |           |                                                                 |               |           |

| 26PCS                                                                                                                                         | 2626M                                  | 2626MP   | 2626MG   | 2626A                                                           | 2626AP   | 2626AG   |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|----------|----------|-----------------------------------------------------------------|----------|----------|
|                                                                                                                                               | 2626-2M                                | 2626-2MP | 2626-2MG | 2626-2A                                                         | 2626-2AP | 2626-2AG |
| 2400M/A<br>(2402M/A)                                                                                                                          | 4,4.5,5.5,6,7,8,9,10,11,<br>13mm 11PCS |          |          | 5/32,3/16,7/32,1/4,9/32,5/16,<br>11/32,3/8,13/32,7/16,1/2 11PCS |          |          |
| 2300M/A<br>(2302M/A)                                                                                                                          | 4,5,6,7,8,9,10,11,12,13mm<br>10PCS     |          |          | 5/32,3/16,7/32,1/4,9/32,5/16,<br>11/32,3/8,7/16,1/2 10PCS       |          |          |
| 2120NQ                                                                                                                                        | RATCHET HANDLE 125mm                   |          |          | 2120PQ                                                          | 2120GQ   | OPTIONAL |
| 2200                                                                                                                                          | UNIVERSAL JOINT 40mm                   |          |          |                                                                 |          |          |
| 2800-2/-4                                                                                                                                     | EXTENSION BAR 50/100mm                 |          |          |                                                                 |          |          |
| 2804                                                                                                                                          | 1/4 F x 3/8 M ADAPTOR                  |          |          |                                                                 |          |          |
| METAL CASE:253×130×32 1SET=1.4KGS, GW=28.5KGS/20SET  =1' |                                        |          |          |                                                                 |          |          |

| 46PCS                                                                                                                                                       | 2646MB                                     |                     | 2646-2MB                  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------|---------------------------|--|
| 2400M<br>2402M                                                                                                                                              | 4,4.5,5.5,5.6,7,8,9,10,11,12,13,14mm 13PCS |                     |                           |  |
| 2021                                                                                                                                                        | 4,5.5,7mm ⊖                                | 2022                | PH1,PH2,PH3 ⊕             |  |
| 2023                                                                                                                                                        | PZ1,PZ2,PZ3 ⊕                              | 2024                | T10,T15,T20,T25,T30,T40 ⊕ |  |
| 2026                                                                                                                                                        | 3,4,5,6,7,8mm ○                            | BELOW MOLD CASE×1PC |                           |  |
| 2100NQ                                                                                                                                                      | RATCHT HANDLE 125mm                        |                     |                           |  |
| 2830                                                                                                                                                        | SPINNER HANDLE 150mm                       |                     |                           |  |
| 2800-2/-4                                                                                                                                                   | EXTENSION BAR 50mm 100mm                   |                     |                           |  |
| 2801-6R                                                                                                                                                     | FLEXIBLE EXTENSION BAR 150mm               |                     |                           |  |
| 2770                                                                                                                                                        | SLIDING "T"HANDLE 115mm                    |                     |                           |  |
| 2200                                                                                                                                                        | UNIVERSAL JOINT 40mm                       |                     |                           |  |
| 1764                                                                                                                                                        | 3PCS HEX KEY WRENCH 1.5,2,2.5              |                     |                           |  |
| BLOW MOLD PE CASE: 230×120×50mm 1SET=1.25 KGS,GW=15.5KGS/12SET  =0.81' |                                            |                     |                           |  |

| 60PCS                                                                                                                                                     | 2660MB                                     | 2660-2MB           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------|
| 2300M/<br>2302M                                                                                                                                           | 6,7,8,9,10,11,12,13mm 8PCS                 |                    |
| 2400M/<br>2402M                                                                                                                                           | 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm 13PCS |                    |
| 2021M                                                                                                                                                     | 4,5,5,6,5mm 3PCS                           | 2022PH PH1,PH2,PH3 |
| 2023PZ                                                                                                                                                    | PZ1,PZ2,PZ3                                | 2026M 3,4,5,6,8mm  |
| 2024T                                                                                                                                                     | T6,T8,T10,T15,T20,T25,T27,T30,T40          |                    |
| 16764-29M                                                                                                                                                 | 1764M1.5,2,2.5,3,4,5,6,8,10 9PCS           |                    |
| 2101PQ-72                                                                                                                                                 | RATCHET HANDLE 125mm                       |                    |
| 2800-02/-04                                                                                                                                               | EXTENSION BAR 50mm/100mm                   |                    |
| 2200                                                                                                                                                      | UNIVERSAL JOINT 40mm                       |                    |
| 2770                                                                                                                                                      | SLIDING " T " HANDLE 115mm                 |                    |
| 2801-06                                                                                                                                                   | FELEXIBLE EXTENSION BAR                    |                    |
| 2831                                                                                                                                                      | SPINNER HANDLE                             |                    |
| BLOW MOLD PE CASE: 300×190×60mm 1SET=2.1 KGS,GW=13.2KGS/6SET  =1.08' |                                            |                    |



| 29PCS  | 2629M                                 |
|--------|---------------------------------------|
| 2400M  | 4,4.5,5.5,6,7,8,9,10,11,12,13mm 12PCS |
| 011-3  | 4,5,6mm 021-3 PH1,PH2,PH3             |
| 041-3  | T10,T15,T20,T25,T30,T40 061-3 5,6 mm  |
| 2000   | BIT HOLDER 2800-4 EXTENSION BAR 100mm |
| 2101SG | RATCHT HANDLE                         |

METAL CASE: 195x105x33mm

| 16PCS  | 2616RM                             |
|--------|------------------------------------|
| 24R0M  | 4,4.5,5.5,6,7,8,9,10,11,12mm 11PCS |
| 2100PQ | RATCHT HANDLE 125mm 5"             |
| 2830   | SPINNER HANDLE 150mm 6"            |
| 2800-4 | EXTENSION BAR 100mm 4"             |
| 2770   | SLIDING "T" HANDLE 115mm 4-1/2"    |
| 2200   | UNIVERSAL JOINT                    |

METAL CASE: 195x105x33mm 1SET=0.7KGS, GW=15KGS/20SETS =0.65'

| 16PCS  | 2616PM                             |
|--------|------------------------------------|
| 24P0M  | 4,4.5,5.5,6,7,8,9,10,11,12mm 11PCS |
| 2100PQ | RATCHT HANDLE 125mm 5"             |
| 2830   | SPINNER HANDLE 150mm 6"            |
| 2800-4 | EXTENSION BAR 100mm 4"             |
| 2770   | SLIDING "T" HANDLE 115mm 4-1/2"    |
| 2200   | UNIVERSAL JOINT                    |

METAL CASE: 195x105x33mm 1SET=0.7KGS, GW=15KGS/20SETS =0.65'

| 33PCS  | 2633RM                                              |
|--------|-----------------------------------------------------|
| 24R0M  | 4,4.5,5.5,6,7,8,9,10,11,12mm 11PCS                  |
| 2022/3 | PH.1,2, ⊕ PZ.1,2 ⊗                                  |
| 2021   | 4,5,5,7mm ⊖ 2026 3,4,5,6,8,10mm ○                   |
| 2100PQ | RATCHT HANDLE 125mm 5"                              |
| 2830   | SPINNER HANDLE 150mm 6"                             |
| 2800-2 | EXTENSION BAR 50mm 2"                               |
| 2800-4 | EXTENSION BAR 100mm 4"                              |
| 2770   | SLIDING "T" HANDLE 115mm 4-1/2"                     |
| 2200   | UNIVERSAL JOINT 40mm 1-1/2"                         |
| 1764   | 3PCS HEX KEY WRENCH 1.5,2,2.5 (1/16", 5/64", 3/32") |

METAL CASE: 253x130x32mm 1SET=0.9KGS, GW=19KGS/20SETS =1'

| 33PCS  | 2633PM                                              |
|--------|-----------------------------------------------------|
| 24P0M  | 4,4.5,5.5,6,7,8,9,10,11,12mm 11PCS                  |
| 2022/3 | PH.1,2, ⊕ PZ.1,2 ⊗                                  |
| 2021   | 4,5,5,7mm ⊖ 2026 3,4,5,6,8,10mm ○                   |
| 2100PQ | RATCHT HANDLE 125mm 5"                              |
| 2830   | SPINNER HANDLE 150mm 6"                             |
| 2800-2 | EXTENSION BAR 50mm 2"                               |
| 2800-4 | EXTENSION BAR 100mm 4"                              |
| 2770   | SLIDING "T" HANDLE 115mm 4-1/2"                     |
| 2200   | UNIVERSAL JOINT 40mm 1-1/2"                         |
| 1764   | 3PCS HEX KEY WRENCH 1.5,2,2.5 (1/16", 5/64", 3/32") |

METAL CASE: 253x130x32mm 1SET=0.9KGS, GW=19KGS/20SETS =1'

| 48PCS     | 2648M                                    |
|-----------|------------------------------------------|
| 2300M     | 4,4.5,5.5,6,7,8,9,10,11,12,13,14mm 13PCS |
| 2400M     | 4,4.5,5.5,6,7,8,9,10,11,12,13,14mm 13PCS |
| 011-3     | 3,3.5,4,5.5,6,5,8mm 021-3 PH1,PH2,PH3    |
| 061-3     | 3,4,5,6,8,10mm 04662B SOCKET ADAPTOR     |
| 2000      | BIT HOLDER 2200 UNIVERSAL JOINT 40mm     |
| 2800-2/-4 | EXTENSION BAR 50mm, 100mm                |
| 2830      | SPINNER HANDLE 150mm                     |
| 2133SGQ   | RATCHT HANDLE 165mm                      |

BLOW MOLD PE CASE: 253x130x32mm

**SOCKET WRENCH SET**  
JUEGO DE LLAVES VASO  
COFFRET DOUILLES OUTILS  
套筒扳手組

**2629M** ○



2616RM

2616PM



2633RM



2633PM



2648M



**HAND SOCKET mm/inch, 6Pt / 12Pt**  
VASOS DE HEXAGONAL/ 12 CARAS  
DOUILLES 6 PANS/ 12 PANS  
套筒 公制/英制, 6角/12角

**DEEP SOCKET mm/inch, 6Pt / 12Pt**  
VASOS LARGO DE HEXAGONAL/ 12 CARAS  
DOUILLES LONGUES 6 PANS/ 12 PANS  
長套筒 公制/英制, 6角/12角

## 3400M/3400A 6Pt



## 3300M/3300A 6Pt



## 3402M/3402A 12Pt



## 3302M/3302A 12Pt




| 3400M<br>3402M<br>(mm) | 3400A<br>3402A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|------------|------------|-----------|-----|-------|
| 5.5                    |                          | 9          | 17         | 28        | 19  | 10    |
| 6                      | 1/4                      | 10         | 17         | 28        | 19  | 10    |
| 7                      |                          | 11         | 17         | 28        | 19  | 10    |
| 8                      | 5/16                     | 12         | 17         | 28        | 20  | 10    |
|                        | 11/32                    | 12.8       | 17         | 28        | 20  | 10    |
| 9                      |                          | 13.2       | 17         | 28        | 20  | 10    |
|                        | 3/8                      | 13.7       | 17         | 28        | 20  | 10    |
| 10                     |                          | 14.5       | 17         | 28        | 20  | 10    |
| 11                     | 7/16                     | 15.7       | 17         | 28        | 20  | 10    |
| 12                     | 15/32                    | 16.8       | 17         | 28        | 20  | 10    |
| 13                     | 1/2                      | 18         | 17         | 28        | 20  | 10    |
| 14                     | 9/16                     | 20         | 18         | 28        | 40  | 10    |
| 15                     | 19/32                    | 22         | 20         | 28        | 40  | 10    |
| 16                     | 5/8                      | 22         | 20         | 28        | 40  | 10    |
| 17                     |                          | 24         | 22         | 30        | 60  | 10    |
|                        | 11/16                    | 24         | 22         | 30        | 60  | 10    |
| 18                     |                          | 24         | 22         | 30        | 60  | 10    |
| 19                     | 3/4                      | 25.8       | 24         | 30        | 65  | 10    |
| 20                     | 25/32                    | 28         | 26         | 30        | 75  | 10    |
| 21                     | 13/16                    | 28         | 26         | 32        | 75  | 10    |
| 22                     | 7/8                      | 29.5       | 26         | 32        | 80  | 10    |
| 23                     |                          | 31.7       | 27         | 32        | 98  | 10    |
| 24                     | 15/16                    | 31.7       | 28         | 33        | 100 | 10    |
|                        | 1"                       | 31.7       | 28         | 33        | 100 | 10    |

| 3300M<br>3302M<br>(mm) | 3300A<br>3302A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|------------|------------|-----------|-----|-------|
| 6                      | 1/4                      | 10         | 17         | 63        | 40  | 10    |
| 7                      |                          | 10.6       | 17         | 63        | 40  | 10    |
| 8                      | 5/16                     | 12         | 17         | 63        | 40  | 10    |
| 9                      |                          | 13         | 17         | 63        | 40  | 10    |
|                        | 3/8                      | 14         | 17         | 63        | 60  | 10    |
| 10                     |                          | 14.5       | 17         | 63        | 60  | 10    |
| 11                     | 7/16                     | 16         | 17         | 63        | 60  | 10    |
| 12                     |                          | 17         | 18         | 63        | 60  | 10    |
| 13                     | 1/2                      | 18         | 17         | 63        | 60  | 10    |
| 14                     | 9/16                     | 20         | 18         | 63        | 80  | 10    |
| 15                     |                          | 22         | 20         | 63        | 100 | 10    |
| 16                     | 5/8                      | 22         | 20         | 63        | 100 | 10    |
| 17                     | 11/16                    | 24         | 22         | 63        | 100 | 10    |
| 18                     |                          | 24         | 22         | 63        | 100 | 10    |
| 19                     | 3/4                      | 26         | 24         | 63        | 110 | 10    |
| 20                     |                          | 28         | 26         | 63        | 150 | 10    |
| 21                     | 13/16                    | 28         | 26         | 63        | 150 | 10    |
| 22                     | 7/8                      | 30         | 27         | 63        | 160 | 10    |
| 23                     |                          | 31         | 27         | 63        | 185 | 10    |
| 24                     | 15/16                    | 32         | 28         | 63        | 190 | 10    |
|                        | 1"                       | 32         | 28         | 63        | 190 | 10    |



## "An-Lo" An-LocK Socket wrench



The power deliver to whole structure of socket wrench and clearly ,strength is a evolution long life with efficiency. Streamline body made weight and power in core position without runout, power deliver efficiency.

※ RECYCLABLE SOCKET HOLDERS ARE AVAILABLE BY INQUIRED.  
SIZE:1/4DR. 3/8DR. 1/2DR. 3/4DR.




## SURFACE DRIVE SOCKET

VASOS DE SURFACE DRIVE

DOUILLES 6 PANS SURFACE DRIVE

大R角套筒

**34R0M**



D1<D2



D1>D2




## SPLINE DRIVER SOCKET

VASOS DE SPLINE DRIVE

DOUILLES SPLINE DRIVE

史普來 多用途套筒

**34P0M**



D1<D2



D1>D2



| 34R0M<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| 6             | 9.8        | 17         | 28        | 50  | 10    |
| 7             | 10.7       | 17         | 28        | 50  | 10    |
| 8             | 11.9       | 17         | 28        | 50  | 10    |
| 9             | 13.2       | 17         | 28        | 50  | 10    |
| 10            | 14.4       | 17         | 28        | 50  | 10    |
| 11            | 15.7       | 17         | 28        | 53  | 10    |
| 12            | 17         | 17         | 28        | 54  | 10    |
| 13            | 17.8       | 17.8       | 28        | 55  | 10    |
| 14            | 19.5       | 19.5       | 28        | 60  | 10    |
| 15            | 21         | 21         | 28        | 65  | 10    |
| 16            | 22         | 22         | 28        | 70  | 10    |
| 17            | 23.3       | 23.3       | 28        | 80  | 10    |
| 18            | 24.5       | 21.4       | 28        | 84  | 10    |
| 19            | 25.7       | 22.4       | 28        | 90  | 10    |
| 20            | 27.2       | 24         | 28        | 100 | 10    |
| 21            | 28         | 24.9       | 28        | 120 | 10    |
| 22            | 30         | 25.9       | 28        | 135 | 10    |
| 23            | 31.7       | 24         | 28        | 180 | 10    |
| 24            | 32         | 27.9       | 28        | 200 | 10    |

| 34P0M<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| 8             | 11.9       | 17         | 28        | 22  | 10    |
| 9             | 13.2       | 17         | 28        | 22  | 10    |
| 10            | 14.8       | 17         | 28        | 22  | 10    |
| 11            | 16.6       | 17         | 28        | 26  | 10    |
| 12            | 17.6       | 17.6       | 28        | 28  | 10    |
| 13            | 18.5       | 18.5       | 28        | 35  | 10    |
| 14            | 19.8       | 19.8       | 30        | 35  | 10    |
| 15            | 21.8       | 21.8       | 30        | 40  | 10    |
| 16            | 22.3       | 22.3       | 30        | 45  | 10    |
| 17            | 23.6       | 23.6       | 30        | 48  | 10    |
| 18            | 24.4       | 24.4       | 30        | 50  | 10    |
| 19            | 25.5       | 25.5       | 30        | 55  | 10    |

## PROFILE OF SURFACE DRIVE SOCKET



The SURFACE DRIVE SOCKET is designed to improve fastener face with flat sides of nut.

To distribute superb torque and protect weaker corner nuts.

Sizes are including Metric and Inch, suitable for polished nuts, aluminum nuts and any hexagon nuts, even rounded heads nuts can be tightened or loosened by the SURFACE DRIVE SOCKET.

## PROFILE OF SURFACE DRIVE SOCKET




The SPLINE DRIVE SOCKET is designed by standard of MS-33787 and MIL-W-8982.

In the beginning, SPLINE SHAFT is designed in professional parts of vehicle, equipment and military.

And recently years widely used in safety nut and multi-shape nuts such as 6-points, 12points, square, SPLINE, XZN and E-STAR...etc.

Can Be Used In:




**E-STAR SOCKET**

VASOS E-STAR

DOUILLES ÉTOILE

星型E套筒

 $D1 < D2$ 
 **3410**


"FOR EXTERNAL STAR SCREW"

 $D1 > D2$ 


| 3410 | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------|------------|------------|-----------|-----|-------|
| E4   | 6          | 17         | 28        | 19  | 10    |
| E5   | 7          | 17         | 28        | 20  | 10    |
| E6   | 8          | 17         | 28        | 21  | 10    |
| E7   | 9          | 17         | 28        | 22  | 10    |
| E8   | 10         | 17         | 28        | 23  | 10    |
| E10  | 12         | 17         | 28        | 24  | 10    |
| E11  | 13         | 17         | 28        | 25  | 10    |
| E12  | 14.5       | 17         | 28        | 26  | 10    |
| E14  | 18         | 17         | 28        | 28  | 10    |
| E16  | 20         | 18         | 28        | 30  | 10    |
| E18  | 22         | 20         | 28        | 32  | 10    |
| E20  | 24         | 21         | 28        | 35  | 10    |

**E-STAR DEEP SOCKET**

VASOS LARGO E-STAR

DOUILLES LONGUES ÉTOILE

星型長E套筒

 $D1 < D2$ 
 **3310**


"FOR EXTERNAL STAR SCREW"

 $D1 > D2$ 


| 3310 | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------|------------|------------|-----------|-----|-------|
| E4   | 6          | 17         | 63        | 40  | 10    |
| E5   | 7          | 17         | 63        | 40  | 10    |
| E6   | 8          | 17         | 63        | 40  | 10    |
| E7   | 9          | 17         | 63        | 45  | 10    |
| E8   | 10         | 17         | 63        | 45  | 10    |
| E10  | 12         | 17         | 63        | 45  | 10    |
| E11  | 13         | 17         | 63        | 50  | 10    |
| E12  | 14.5       | 17         | 63        | 50  | 10    |
| E14  | 16.2       | 17         | 63        | 60  | 10    |
| E16  | 20         | 18         | 63        | 65  | 10    |
| E18  | 22         | 20         | 63        | 65  | 10    |
| E20  | 24         | 21         | 63        | 80  | 10    |

**DISPLAY STAND WITH SOCKET**

JUEGO DE 114 VASOS

COFFET DOUILLES 114 OUTILS

114件長短套筒組展示架



| 114PCS                      | 9983H114                                                                                        |
|-----------------------------|-------------------------------------------------------------------------------------------------|
| 3400M                       | 8,9,10,11,12,13,14,15,16,17,18,19mm(4PCS PER SIZE)<br>21,22,23,24mm(2PCS PER SIZE) Total:56 PCS |
| 3300M                       | 7,8,9,10,11,12,13,14,15,16,17,18,19mm(4PCS PER SIZE)<br>21,22,24mm(2PCS PER SIZE) Total:58 PCS  |
| METAL STAND : 420x315x314mm |                                                                                                 |

**UNIVERSAL JOINT SOCKET -12PT**

VASOS CARDÁN UNIVERSAL DE 12PT

DOUILLES CARDAN UNIVERSEL

12角萬向套筒

 **3422M/A**


| 3422M<br>3422A |         | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|----------------|---------|------------|------------|-----------|-----|-------|
| M(mm)          | A(inch) |            |            |           |     |       |
| 10             | 3/8     | 14.5       | 19         | 49.5      | 60  | 10    |
| 11             | 7/16    | 15.8       | 19         | 50.5      | 60  | 10    |
| 12             | 1/2     | 17         | 19         | 51        | 60  | 10    |
| 13             |         | 18.3       | 19         | 52        | 60  | 10    |
| 14             | 9/16    | 20         | 19         | 52        | 60  | 10    |
| 15             |         | 22         | 19         | 54.5      | 65  | 10    |
| 16             | 5/8     | 22         | 19         | 54.5      | 65  | 10    |
|                | 11/16   | 24         | 19         | 55.5      | 70  | 10    |
| 17             |         | 24         | 19         | 55.5      | 70  | 10    |
| 18             |         | 26         | 19         | 55.5      | 70  | 10    |
| 19             | 3/4     | 26         | 19         | 57.5      | 75  | 10    |





## SPARK PLUG SOCKET-6PT

VASOS PARA BUJIAS-6PT

DOUILLE À BOUGIE-6PT

火星塞套筒


 **3305M14** ECONOMIC  
6-POINT

 **3305** ECONOMIC  
6-POINT


RUBBER



RUBBER



| 3305M<br>(mm) | 3305A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-----------|-----------|-----|-------|
| 16            | 5/8             | 22        | 65        | 85  | 10    |
| 18            |                 | 24        | 65        | 110 | 10    |
| 20.8          | 13/16           | 28        | 65        | 138 | 10    |

| 3305M<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------|-----------|-----|-------|
| 14            | 18.9      | 64        | 66  | 10    |

FOR BMW, RENAULT, PEUGEOT, CITROEN, KIA,  
MERCEDES-BENE, NISSAN, MINI, FORD, ALFA.

## MAGNETIC SPARK PLUG SOCKET

磁吸火星塞套筒

 **3335**  
6-POINT


MAGNET



| 3335M<br>(mm) | 3335A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-----------|-----------|-----|-------|
| 16            | 5/8             | 20.9      | 70        | 100 | 12    |
| 18            |                 | 23.9      | 70        | 120 | 12    |
| 20.8          | 13/16           | 26.9      | 70        | 160 | 12    |

## MAGNETIC SPARK PLUG SOCKET

磁吸火星塞套筒

 **3335M14**  
**3335MK16**  
6-POINT


MAGNET



| 3335M<br>(mm)  | 3335A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|----------------|-----------------|-----------|-----------|-----|-------|
| 14             |                 | 18.9      | 64        | 66  | 12    |
| 16<br>(3335MK) | 5/8             | 19.9      | 64        | 75  | 12    |

3335MK 16 IS FOR MITSUBISHI-K CAR/ MARCH/ BMW

## SPRING SPARK PLUG SOCKET

彈簧火星塞套筒

 **3355**  
6-POINT


CLIP



| 3355M<br>(mm) | 3355A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-----------|-----------|-----|-------|
| 16            | 5/8             | 20.9      | 70        | 100 | 10    |
| 18            |                 | 23.9      | 70        | 120 | 10    |
| 20.8          | 13/16           | 26.9      | 70        | 160 | 10    |

## SPRING SPARK PLUG SOCKET

彈簧火星塞套筒

 **3355M14**  
6-POINT


CLIP





| 3355M<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------|-----------|-----|-------|
| 14            | 18.9      | 64        | 66  | 10    |

FOR BMW, RENAULT, PEUGEOT, CITROEN, KIA,  
MERCEDES-BENE, NISSAN, MINI, FORD, ALFA.
 **3305MS/AS** GREAT !


RUBBER



PAT.



: BLISTER CARD

| 3305MS<br>(mm) | 3305AS<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|----------------|------------------|-----------|-----------|-----|-------|
| 16             | 5/8              | 20.9      | 70        | 85  | 12    |
| 20.8           | 13/16            | 26.9      | 70        | 130 | 12    |


 **3335MS/AS** GREAT !

PAT.



MAGNET

: BLISTER CARD

| 3335MS<br>(mm) | 3335AS<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|----------------|------------------|-----------|-----------|-----|-------|
| 16             | 5/8              | 20.9      | 70        | 90  | 12    |
| 20.8           | 13/16            | 26.9      | 70        | 138 | 12    |

# 3/8"

DR.


dura-chr v.



DIN3120 - ISO1174  
12 POINT  
MULTI-SPARK PLUG SOCKETS  
MAGNETIC SPARK PLUG SOCKET

## SPARK PLUG SOCKET-12PT

VASOS PARA BUJIAS-12PT  
DOUILLE À BOUGIE-12PT  
火星塞套筒



**3306** ECONOMIC  
12-POINT



RUBBER



| 3306M<br>(mm) | 3306A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-----------|-----------|-----|-------|
| 16            | 5/8             | 22        | 65        | 85  | 10    |
| 18            |                 | 24        | 65        | 110 | 10    |
| 20.8          | 13/16           | 28        | 65        | 138 | 10    |

## MAGNETIC SPARK PLUG SOCKET

磁吸火星塞套筒



**3336**  
12-POINT



MAGNET



| 3336M<br>(mm) | 3336A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-----------|-----------|-----|-------|
| 16            | 5/8             | 20.9      | 70        | 100 | 12    |
| 18            |                 | 23.9      | 70        | 120 | 12    |
| 20.8          | 13/16           | 26.9      | 70        | 160 | 12    |

## SPRING SPARK PLUG SOCKET

彈簧火星塞套筒



**3356**  
12-POINT



CLIP



| 3356M<br>(mm) | 3356A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-----------|-----------|-----|-------|
| 16            | 5/8             | 20.9      | 70        | 100 | 10    |
| 18            |                 | 23.9      | 70        | 120 | 10    |
| 20.8          | 13/16           | 26.9      | 70        | 160 | 10    |


## 5PCS MAGNETIC SPARK PLUG SOCKET SET

5件磁吸火星塞套筒組

| 5PCS                             | 36335-5      |
|----------------------------------|--------------|
| 3335M                            | 14, 16, 20.8 |
| 3335MK                           | 16           |
| 900                              | FEELER GAUGE |
| BLOW CASE: GW:15KGS :20SET/1.13' |              |



**3306M14**  
**3306-10M14**  
**3306M18**  
12-POINT



RUBBER



| 3306M<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------|-----------|-----|-------|
| 14            | 18.9      | 64        | 66  | 10    |
| 3306-4M14     |           | 90        | 150 | 10    |
| 3306-10M14    | 21.4      | 250       | 216 | 5     |
| 3306M18S      | 24        | 65        | 110 | 10    |

## MAGNETIC SPARK PLUG SOCKET

磁吸火星塞套筒



**3336M14**  
**3336MK16**  
12-POINT



MAGNET



|            | 3336M<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------|---------------|-----------|-----------|-----|-------|
| SUPER THIN | 14            | 18.9      | 64        | 66  | 12    |
| EXTRA THIN | 16            | 19.9      | 64        | 75  | 12    |
|            | (3335MK)      |           |           |     |       |

3335MK 16 IS FOR MITSUBISHI - K CAR/ MARCH/ BMW

## SPRING SPARK PLUG SOCKET

彈簧火星塞套筒



**3356M14**  
12-POINT



CLIP




|            | 3356M<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------|---------------|-----------|-----------|-----|-------|
| SUPER THIN | 14            | 18.9      | 64        | 66  | 10    |



**36335-5**







## BIT SOCKET

VASOS DESTORNILLADORES PARA TORNILLOS  
DOUILLES TOURNEVIS  
套筒起子



**3012-2B** PHILLIPS

**3011-2MB** SLOTTED




DIN ISO 2380-1

| 3011-2MB<br>(mm) | T×W<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------|-------------|-----------|-----------|-----|-------|
| 5                | 1.0×5.5     | 18        | 52        | 35  | 10    |
| 8                | 1.2×8       | 18        | 52        | 42  | 10    |
| 10               | 1.6×10      | 18        | 52        | 50  | 10    |


DIN ISO 8764-1

| 3012-2B<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|-----------------|-----------|-----------|-----|-------|
| PH2             | 18        | 52        | 38  | 10    |
| PH3             | 18        | 52        | 45  | 10    |
| PH4             | 18        | 52        | 52  | 10    |

**3014-2B** STAR



**3016-2MB / AB** HEX



DIN 7422

| 3014B | D<br>(mm) | 3014-2<br>L52(mm) | (pcs) |
|-------|-----------|-------------------|-------|
| T15   | 18        | 40 (g)            | 10    |
| T20   | 18        | 40 (g)            | 10    |
| T25   | 18        | 42 (g)            | 10    |
| T27   | 18        | 43 (g)            | 10    |
| T30   | 18        | 45 (g)            | 10    |
| T40   | 18        | 47 (g)            | 10    |
| T45   | 18        | 50 (g)            | 10    |
| T47   | 18        | 53 (g)            | 10    |
| T50   | 18        | 55 (g)            | 10    |
| T55   | 20        | 76 (g)            | 10    |
| T60   | 20        | 86 (g)            | 10    |

| 3016MB<br>(mm) | 3016AB<br>(inch) | D<br>(mm) | 3016-2<br>L52(mm) | (pcs) |
|----------------|------------------|-----------|-------------------|-------|
| 3              | 1/8              | 18        | 36 (g)            | 10    |
| 4              | 5/32             | 18        | 38 (g)            | 10    |
| 5              | 3/16             | 18        | 40 (g)            | 10    |
| 6              | 7/32             | 18        | 43 (g)            | 10    |
|                | 1/4              | 18        | 45 (g)            | 10    |
| 7              | 9/32             | 18        | 47 (g)            | 10    |
| 8              | 5/16             | 18        | 50 (g)            | 10    |
| 9              | 11/32            | 18        | 55 (g)            | 10    |
| 10             | 3/8              | 20        | 66 (g)            | 10    |
| 11             | 7/16             | 20        | 74 (g)            | 10    |
| 12             |                  | 20        | 79 (g)            | 10    |
| 13             | 1/2              | 20        | 84 (g)            | 10    |
| 14             | 9/16             | 20        | 91 (g)            | 10    |

## DRAIN PLUG KEY

油底殼起子

| ITEM   |   | SPECIFICATION           | L<br>(mm) |
|--------|---|-------------------------|-----------|
| 3016DP | ○ | 8,9,10,12,13,14,17mm    | 38        |
| 301ADP | ▲ | 10mm                    | 38        |
| 301QDP | ● | 7,8,9.5,10,10.5,11,12mm | 38        |
| 34QDP  | ⊙ | 10mm                    | 38        |
| 3018DP | ⊗ | MH16                    | 38        |




## 18PCS DRAIN PLUG KEY SET

18件油底殼起子套組

**DPK-18**





## BIT SOCKET

VASOS DESTORNILLADORES PARA TORNILLOS  
DOUILLES TOURNEVIS  
套筒起子

### 3022 PHILLIPS



DIN ISO 8764-1

| 3022<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|---------------|----------------|-----|-------|
| PH1           | 48             | 50  | 10    |
| PH2           | 48             | 50  | 10    |
| PH3           | 48             | 55  | 10    |
| PH4           | 48             | 60  | 10    |


### 3023 POZIDRIV



DIN ISO 8764-1PZ

| 3023<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|---------------|----------------|-----|-------|
| PZ1           | 48             | 50  | 10    |
| PZ2           | 48             | 50  | 10    |
| PZ3           | 48             | 52  | 10    |
| PZ4           | 48             | 52  | 10    |

### 3024 STAR



| 3024 | 3024<br>(L: 48mm) | 3024<br>(L: 50mm) | 3024-4<br>(L: 100mm) | 3024-6<br>(L: 140mm) | (pcs) |
|------|-------------------|-------------------|----------------------|----------------------|-------|
| T8   | 48                | 50                | 60(g)                | 70(g)                | 10    |
| T9   | 48                | 50                | 60(g)                | 70(g)                | 10    |
| T10  | 48                | 50                | 60(g)                | 70(g)                | 10    |
| T15  | 48                | 50                | 60(g)                | 70(g)                | 10    |
| T20  | 48                | 50                | 60(g)                | 70(g)                | 10    |
| T25  | 48                | 51                | 61(g)                | 72(g)                | 10    |
| T27  | 48                | 51                | 61(g)                | 72(g)                | 10    |
| T30  | 48                | 52                | 62(g)                | 78(g)                | 10    |
| T35  | 48                | 52                | 62(g)                | 78(g)                | 10    |
| T40  | 48                | 52                | 62(g)                | 78(g)                | 10    |
| T45  | 50                | 54                | 64(g)                | 84(g)                | 10    |
| T50  | 50                | 54                | 62(g)                | 84(g)                | 10    |
| T55  | 50                | 62                | 72(g)                | 90(g)                | 10    |
| T60  | 50                | 72                | 82(g)                | 100(g)               | 10    |


### 3021M 3021A SLOTTED



DIN ISO 2380-1

| 3021M<br>(mm) | 3021A<br>(inch) | TxW<br>(mm) | Length<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-------------|----------------|-----|-------|
| 3             | 1/8             | 0.8x4       | 48             | 50  | 10    |
| 4             | 5/32            | 1.0x5       | 48             | 50  | 10    |
| 5             | 3/16            | 1.0x5.5     | 48             | 50  | 10    |
| 6             | 1/4             | 1.0x6       | 48             | 50  | 10    |
| 6.5           |                 | 1.2x6.5     | 48             | 50  | 10    |
| 7             | 9/32            | 1.2x7       | 48             | 51  | 10    |
| 8             | 5/16            | 1.2x8       | 48             | 51  | 10    |
| 10            | 3/8             | 1.6x10      | 50             | 55  | 10    |
| 12            |                 | 2.0x12      | 50             | 57  | 10    |

### 3026M 3026A HEX



DIN 7422


| 3026M<br>(mm) | 3026A<br>(inch) | 3026<br>(L: 48mm) | 3026<br>(L: 50mm) | 3026-4<br>(L: 100mm) | 3026-6<br>(L: 140mm) | (pcs) |
|---------------|-----------------|-------------------|-------------------|----------------------|----------------------|-------|
| 3             | 1/8             | 48                | 48                | 60(g)                | 68(g)                | 10    |
| 4             | 5/32            | 48                | 50                | 62(g)                | 70(g)                | 10    |
| 5             | 3/16            | 48                | 50                | 62(g)                | 70(g)                | 10    |
| 5.5           | 7/32            | 48                | 52                | 64(g)                | 70(g)                | 10    |
| 6             | 1/4             | 48                | 54                | 66(g)                | 74(g)                | 10    |
| 7             | 9/32            | 48                | 56                | 68(g)                | 76(g)                | 10    |
| 8             | 5/16            | 48                | 56                | 70(g)                | 76(g)                | 10    |
| 9             | 11/32           | 50                | 64                | 76(g)                | 84(g)                | 10    |
| 10            | 3/8             | 50                | 66                | 78(g)                | 86(g)                | 10    |
| 11            |                 | 50                | 70                | 80(g)                | 88(g)                | 10    |
| 12            | 7/16            | 50                | 75                | 88(g)                | 100(g)               | 10    |

### 3030 STAR PLUS



| 3030 | Length<br>(mm) | (g) | (pcs) |
|------|----------------|-----|-------|
| 10IP | 50             | 38  | 10    |
| 15IP | 50             | 38  | 10    |
| 20IP | 50             | 38  | 10    |
| 25IP | 50             | 38  | 10    |
| 27IP | 50             | 40  | 10    |
| 30IP | 50             | 40  | 10    |
| 40IP | 50             | 41  | 10    |
| 45IP | 50             | 41  | 10    |
| 50IP | 50             | 61  | 10    |
| 55IP | 50             | 61  | 10    |





## BIT SOCKET


VASOS DESTORNILLADORES PARA TORNILLOS

DOUILLES TOURNEVIS

套筒起子




## 3027 WOBBLE HEX BIT



| 3027 | 3027   |                | 3027-5 |                | (pcs) |
|------|--------|----------------|--------|----------------|-------|
|      | (L:mm) | $\frac{5}{16}$ | (L:mm) | $\frac{5}{16}$ |       |
| 3    | 65     | 40             | 120    | 74             | 10    |
| 4    | 65     | 40             | 120    | 74             | 10    |
| 5    | 65     | 40             | 120    | 74             | 10    |
| 6    | 65     | 40             | 120    | 74             | 10    |
| 7    | 65     | 42             | 120    | 78             | 10    |
| 8    | 65     | 42             | 120    | 78             | 10    |
| 10   | 65     | 48             | 120    | 88             | 10    |



## 3028 XZN 12PT




DIN2324/2325

| 3028 | 3028   |                | 3028-5 |                | (pcs) |
|------|--------|----------------|--------|----------------|-------|
|      | (L:mm) | $\frac{5}{16}$ | (L:mm) | $\frac{5}{16}$ |       |
| M3   | 48     | 50             | 120    | 62             | 10    |
| M4   | 48     | 50             | 120    | 62             | 10    |
| M5   | 48     | 50             | 120    | 62             | 10    |
| M6   | 48     | 50             | 120    | 62             | 10    |
| M7   | 48     | 52             | 120    | 70             | 10    |
| M8   | 48     | 52             | 120    | 70             | 10    |
| M9   | 48     | 54             | 120    | 80             | 10    |
| M10  | 48     | 54             | 120    | 80             | 10    |
| M11  | 50     | 54             | 120    | 80             | 10    |
| M12  | 50     | 56             | 120    | 90             | 10    |




## 3029 -3/-4 RIBE



| 3029 | 3029     |  | 3029-3    |            | (pcs) |
|------|----------|--|-----------|------------|-------|
|      | (L:60mm) |  | (L: 90mm) | (L: 100mm) |       |
| M4   | 65(g)    |  | (g)       | 110(g)     | 10    |
| M5   | 65(g)    |  | (g)       | 110(g)     | 10    |
| M6   | 70(g)    |  | (g)       | 115(g)     | 10    |
| M7   | 70(g)    |  | (g)       | 115(g)     | 10    |
| M8   | 70(g)    |  | (g)       | 115(g)     | 10    |
| M9   | 85(g)    |  | (g)       | 118(g)     | 10    |
| M10  | 92(g)    |  | (g)       | 120(g)     | 10    |




## 3025 HOLEY STAR



| 3025 | 3025   |                | 3025-6     |                | (pcs) |
|------|--------|----------------|------------|----------------|-------|
|      | (L:mm) | $\frac{5}{16}$ | (L: 140mm) | $\frac{5}{16}$ |       |
| TH8  | 48     | 50             | 70(g)      |                | 10    |
| TH9  | 48     | 50             | 70(g)      |                | 10    |
| TH10 | 48     | 50             | 70(g)      |                | 10    |
| TH15 | 48     | 50             | 70(g)      |                | 10    |
| TH20 | 48     | 50             | 70(g)      |                | 10    |
| TH25 | 48     | 51             | 74(g)      |                | 10    |
| TH27 | 48     | 51             | 74(g)      |                | 10    |
| TH30 | 48     | 52             | 78(g)      |                | 10    |
| TH35 | 48     | 52             | 78(g)      |                | 10    |
| TH40 | 48     | 52             | 78(g)      |                | 10    |
| TH45 | 50     | 54             | 82(g)      |                | 10    |
| TH50 | 50     | 54             | 82(g)      |                | 10    |
| TH55 | 50     | 62             | 90(g)      |                | 10    |
| TH60 | 50     | 72             | 100(g)     |                | 10    |



## 30255 PENTA-STAR(PLUS)



| 30255      | 30255  |                | 30255-4 |                | (pcs) |
|------------|--------|----------------|---------|----------------|-------|
|            | (L:mm) | $\frac{5}{16}$ | (L:mm)  | $\frac{5}{16}$ |       |
| (IPR) TS10 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS15 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS20 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS25 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS27 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS30 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS40 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS45 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS50 | 50     | 55             | 100     | 110            | 10    |
| (IPR) TS55 | 50     | 55             | 100     | 110            | 10    |

PENTA-STAR (PLUS) "TS" THE SAME WITH "IPR" STANDARD



## 3100N



3100sp

### RATCHET HANDLE CARRACA REVERSIBLE CLIQUET RÉVERSIBLE 棘輪扳手



L=180mm/7"  $\overline{(9)}$ =320g = 5pcs

## 3100P





L=180mm/7"  $\overline{(9)}$ =310g = 5pcs

## 3100G



L=200mm/8"  $\overline{(9)}$ = 340g = 5pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 3100 | 36    | 32    | 30    | 202        |

## 3120N



3120sp

### RATCHET HANDLE CARRACA REVERSIBLE CLIQUET RÉVERSIBLE 棘輪扳手



L=175mm/7"  $\overline{(9)}$ =300g = 5pcs

## 3120P





L=175mm/7"  $\overline{(9)}$ =290g = 5pcs

## 3120G



L=200mm/8"  $\overline{(9)}$ =320g =5pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 3120 | 24    | 37    | 26    | 202        |

## 3130N



3130SP

### RATCHET HANDLE CARRACA REVERSIBLE CLIQUET RÉVERSIBLE 棘輪扳手





L=200mm/8"  $\overline{(9)}$ =340g = 5pcs

## 3130G



L=200mm/8"  $\overline{(9)}$ =340g = 5pcs




| TYPE           | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------------|-------|-------|-------|------------|
| 3130N<br>3130G | 41    | 35    | 31    | 202        |




### QUICK RELEASE RATCHET HANDLE

CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手




L=180mm/7" [9] =320g =5pcs




L=180mm/7" [9] =310g =5pcs


| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 3100 | 36    | 32    | 30    | 202        |



L=200mm/8" [9] =340g = 5pcs




L=175mm/7" [9] =300g =5pcs




L=175mm/7" [9] =290g =10pcs

| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 3120 | 24    | 37    | 26    | 202        |

L=200mm/8" [9] =320g = 5pcs



L=190mm/7-1/2" [9] =300g =5pcs



L=190mm/7-1/2" [9] =300g =5pcs

| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 3160 | 48    | 30    | 26    | 202        |

L=195mm/7-3/4" [9] =320g = 5pcs



3100QSP

3100NQ



3100PQ



3100GQ



3120QSP

3120NQ



3120PQ



3120GQ



3160SP


3160NQ



3160PQ



3160GQ



**3150GQ**





cuboid



L=200mm/8" [9] = 260g = 5pcs

## QUICK RELEASE RATCHET HANDLE

CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



| TYPE   | TEETH | D(mm) | T(mm) | DIN N.m |
|--------|-------|-------|-------|---------|
| 3150GQ | 36    | 22    | 26.4  | 202     |

**3181**



L=190mm/7-1/2" [9] = 300g = 5pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 3181 | 30    | 33.6  | 27    | 202     |

**3162GQ**



L=220mm/8-4/5" [9] = 300g

| TYPE   | TEETH | D(mm) | T(mm) | DIN N.m |
|--------|-------|-------|-------|---------|
| 3162GQ | 72    | 35    | 33    | 202     |



## REVERSIBLE RATCHET WITH ROTATABLE HANDLE

CARRACA REVERSIBLE CON MANGO GIRATORIO  
CLIQUET RÉVERSIBLE AVEC MANCHE ROTATIF  
棘輪扳手, 旋轉手柄

**3138G**



L=243mm/10" [9] = 418g = 5pcs

| TYPE  | TEETH | D(mm) | T(mm) | DIN N.m |
|-------|-------|-------|-------|---------|
| 3138G | 60    | 31.4  | 30.8  | 202     |

## QUICK RELEASE RATCHET HANDLE

CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



**3130NQ**



3130QSP



L=200mm/8" [9] = 370g = 5pcs



| TYPE             | TEETH | D(mm) | T(mm) | DIN N.m |
|------------------|-------|-------|-------|---------|
| 3130NQ<br>3130GQ | 41    | 35    | 34    | 202     |

**3130GQ**



L=200mm/8" [9] = 370g = 5pcs



**3131GQ**



3131SP



L=200mm/8" [9] = 300g = 10pcs



| TYPE   | TEETH | D(mm) | T(mm) | DIN N.m |
|--------|-------|-------|-------|---------|
| 3131GQ | 72    | 35    | 33    | 202     |

**3132GQ**




3132SP



L=200mm/8" [9] = 280g = 10pcs

| TYPE   | TEETH | D(mm) | T(mm) | DIN N.m |
|--------|-------|-------|-------|---------|
| 3132GQ | 72    | 35    | 33    | 202     |



### QUICK RELEASE RATCHET HANDLE 90T.


CARRACA REVERSIBLE 90T.  
CLIQUET RÉVERSIBLE 90T.  
90齒快放棘輪扳手



3101NQ-90




L=180mm/7" [9] = 300g = 5pcs



L=180mm/7" [9] = 300g = 5pcs



3101PQ-90



| TYPE    | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------|-------|-------|-------|------------|
| 3101-90 | 90    | 32    | 30    | 202        |

L=200mm/8" [9] = 340g = 5pcs




3101GQ-90

### QUICK RELEASE RATCHET HANDLE 72T.

CARRACA REVERSIBLE 72T.  
CLIQUET RÉVERSIBLE 72T.  
72齒快放棘輪扳手




3101NQ-72



L=180mm/7" [9] = 300g = 5pcs




3101PQ-72



L=180mm/7" [9] = 300g = 5pcs



3101GQ-72



L=200mm/8" [9] = 340g = 5pcs




### QUICK RELEASE SWIVEL RATCHET HANDLE


CARRACA REVERSIBLE DE GIRATORIO  
CLIQUET RÉVERSIBLE AVEC ROTATIF  
360°快放棘輪扳手




3133SPQ



L=225mm/9" [9] = 392g = 5pcs




3133SGQ



L=250mm/10" [9] = 392g = 5pcs



| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 3133 | 72    | 43.3  | 33.3  | 202        |



# 108 TOOTH RATCHET SYSTEM TECHNOLOGY




## 3101PQ-108



### QUICK RELEASE RATCHET HANDLE 108 T

CARRCA REVERSIBLE 108T  
CLIQUET RÉVERSIBLE RAPIDE 108T  
快放棘輪扳手


L=180mm/7"  $\overline{[g]}$ =300g  $\square$  = 5pcs



## 3101GQ-108



L= 200mm/8"  $\overline{[g]}$  =340g  $\square$  = 5pcs



| TYPE       | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------------|-------|-------|-------|------------|
| 3101PQ-108 | 108   | 32    | 30    | 202        |



## 3100G-90



### RATCHET HANDLE 90T

CARRACA REVERSIBLE 90T  
CLIQUET RÉVERSIBLE 90T  
棘輪扳手


L= 240mm  $\overline{[g]}$  = 278g  $\square$  = 5pcs




| TYPE     | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------|-------|-------|-------|------------|
| 3100G-90 | 90    | 30    | 25    | 202        |




CLOSED BOX ANTI-DUST DESIGN






L=160mm/6-1/4" [9] = 330g = 5pcs



**FLEX-STOP™ RATCHET HANDLE**  
CARRACA ARTICULADA DE FLEX-STOP™  
CLIQUET RÉVERSIBLE À CARDAN  
可固定活頭的棘輪扳手

**3144PQ** PAT.  
(QUICK RELEASE)



PUSH THIS BUTTON FOR TOTAL SIX "FLEX-STOP™"  
AROUND THE 180° FLEXURE.


L=270mm/11" [9] = 400g = 5pcs

| TYPE    | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------|-------|-------|-------|------------|
| 3140    | 45    | 34    | 28    | 202        |
| 3144    | 45    | 34    | 28    | 202        |
| 3144FPQ | 72    | 32.7  | 29.7  | 202        |



FLEX-STOP™ BUTTON

**3140P** PAT.  
**3140PQ**  
(QUICK RELEASE)



L= 285mm/11" [9] = 472g = 5pcs

**FLEX-RATCHET HANDLE**  
CARRACA REVERSIBLE ARTICULADA  
CLIQUET RÉVERSIBLE À CARDAN  
可固定活頭的棘輪扳手

**3144FPQ**





| TYPE | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------|-------|-------|-------|------------|
| 3124 | 24    | 38    | 28    | 202        |

**STUBBY REVERSIBLE HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
短巧掌中型棘輪扳手

**3124P**  
**3124PQ**  
(QUICK RELEASE)

L=110mm/4-3/8" [9] = 180g




**EXTENDABLE RATCHET HANDLE 72 TEETH**  
EXTENSIBLE CARRACA REVERSIBLE CON BLOQUEO-72 EETH  
WXTENSIBLE CLIQUETS RÉVERSIBLE-72 EETH  
72齒可伸縮快放棘輪扳手

**3102-12GQ**



L= 220~320mm [9] = 444g = 5pcs


| TYPE    | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------|-------|-------|-------|------------|
| 3102-12 | 72    | 32.5  | 29.6  | 202        |



## UNIVERSAL JOINT

CARDÁN UNIVERSAL  
CARDAN UNIVERSEL  
萬向接座

**3200**



L=50mm/2" (9) =60g =10pcs

## UNIVERSAL JOINT-BALL TYPE

CARDÁN UNIVERSAL  
CARDAN UNIVERSEL  
球型萬向接頭座

**3202**



L=59mm/2" (9) =80g =10pcs

## BIT HOLDER

VASO PORTAPUNTAS  
DOUILLES PORTE-EMBOUS  
起子接頭

**3000/ 3001/ 3002**




(1/4") (6.35) (5/16") (8) (10)

L= 28 mm (9) = 36g =10pcs

## RATCHET ADAPTOR

TRINQUETE  
CLIQUET  
棘輪套筒接頭

**31804**



3/8" x 3/8" x 19mm L=42mm (9) =110g =10pcs

## ADAPTOR

ADAPTADOR  
AUGMENTATEUR  
接頭

**3804**

3/8" x 1/2"  
L=36mm/1-3/8" (9) = 50g = 10pcs



**3805**


3/8" x 1/4"  
L=26mm/1" (9) = 30g = 10pcs



## MAGNET EXTENSION BAR

ALARGADERAS CON MAGNÉTICO  
RALLONGE AVEC MAGNÉTIQUE  
磁性接桿

**3800MG**



3/8" x 3/8"  
L = 44mm(1-3/4")


## EXTENSION BAR

ALARGADERAS  
RALLONGE  
接桿

| mm   | 40     | 75 | 125 | 150 | 200 | 250 | 300 | 400 | 500 | 600 | 700 | 1000 |
|------|--------|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| inch | 1-5/8" | 3" | 5"  | 6"  | 8"  | 10" | 12" | 16" | 20" | 24" | 28" | 40"  |
| (9)  | 35     | 70 | 110 | 120 | 180 | 230 | 280 | 380 | 480 | 580 | 680 | 980  |
|      | 20     | 20 | 12  | 12  | 5   | 5   | 5   | 5   | 5   | 5   | 5   | 5    |

**3800**

3/8" x 3/8"



## DUAL-DRIVE EXTENSION BAR

ALARGADERAS ANGULARES  
RALLONGE ANGULAIRE  
雙定位接桿




| mm   | 40     | 75 | 125 | 150 | 250 | 300 | 400 | 600 |
|------|--------|----|-----|-----|-----|-----|-----|-----|
| inch | 1-5/8" | 3" | 5"  | 6"  | 10" | 12" | 16" | 24" |
| (9)  | 35     | 70 | 110 | 120 | 230 | 280 | 380 | 580 |
|      | 20     | 20 | 12  | 12  | 5   | 5   | 5   | 5   |

3/8" x 3/8"

RECOMMENDED TORQUE: BELOW 62 N.m/ 45.5 FT-LB

**3802**



## SOCKET ADAPTOR BIT FOR ELECTRIC TOOLS

ADAPTADORES DE VASOS PARA ATORNILLADORES  
PORTE-DOUILLE POUR VISSEUSES  
電動工具用套筒接頭



**04663**



E6.3

L=50mm

**04663B**



E6.3

L=50mm

**04663BW**



E6.3

L=65mm

**04SDS3**



SDS-PLUS L=60mm



E6.3


1/4"




SDS-plus

10

SDS-plus





L=200mm/8" (9) =253g = 5 pcs



**FLEXIBLE HANDLE**  
MANGO ARTICULADO  
POIGNÉE ARTICULÉE  
活頭扳桿

WITH "I" SHAPE PANEL



**3700C**

**FLEXIBLE HANDLE**  
MANGO ARTICULADO  
POIGNÉE ARTICULÉE  
活頭扳桿



3700SP

L=250mm/10" (9) =280g =10pcs



**3700N**

L=250mm/10" (9) =280g =10pcs



**3700P**

L=250mm/10" (9) =300g = 5pcs



**3700G**

**SLIDING "T" HANDLE**  
MANGO CORREDIZO  
POIGNÉE COULISSANTÉ  
滑桿

L=200mm/8" (9) =180g =10pcs




**3770**

**SPEED HANDLE**  
BERBIQUÍ  
VILEBREQUIN  
加速桿

**3850**

L =410mm/16"  
(9) =440g  
=20pcs



**SPINNER HANDLE**  
MANGO PROLONGADOR  
PORTE-DOUILLE A MANCHE  
方桿

L=250mm/10"



**3830**

**L TYPE OIL PLUG WRENCH**  
L型油底殼螺絲扳手

**3777**

8mmx10mm / 5/16" x 3/8"  
L : 230mm / 9"



**FLEXIBLE EXTENSION BAR**  
ALARGADERAS FLEXIBLE  
RALLONGE FLEXIBLE  
接桿

**3801**

3/8" x 3/8"

| mm   | 200 | 250 | 300 |
|------|-----|-----|-----|
| inch | 8"  | 10" | 12" |
| (9)  | 76  | 87  | 102 |
|      | 20  | 10  | 10  |



**MULTI-EXTENSION T HANDLE & UNIV-JOINT**



EXTENSION MANGO MACHO 3/8" EN. "T"  
POIGNÉE À BÉQUILLE À CARRÉ MÂLE 3/8"  
多功能超長T型接桿

**10386**




UNIVERSAL

**13380**



**1386**



UNIVERSAL

**1380**



| ITEM No.<br>(mm) | □           | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (9) | (PCS) |
|------------------|-------------|------------|-----------|------------|-----|-------|
| 10386            | 3/8" x 3/8" | 10         | 500       | 200        | 480 | 10    |
| 13380            | 3/8" x 3/8" | 10         | 300       | 200        | 350 | 10    |
| 1386-28          | 3/8" x 3/8" | 10         | 700       | 200        | 660 | 10    |
| 1386-40          | 3/8" x 3/8" | 10         | 1000      | 200        | 760 | 10    |
| 1380-10          | 3/8"        | 10         | 250       | 180        | 280 | 10    |



**SOCKET WRENCH SET**JUEGO DE VASO  
JEU DE DOUILLES  
套筒組
○ 3609M/A
⊗ 3609-2M/-2A

| 9 PCS                                          | 3609M/-2M                    | 3609A/-2A                                       |
|------------------------------------------------|------------------------------|-------------------------------------------------|
| 3400/3402                                      | 8,10,11,12,13,14,15,17,19 mm | 5/16,3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16 Inch |
| BLISTER CARD:  =6SET GW:10.6Kg/ 24SETS  =1.15' |                              |                                                 |

M360900


○ 3609MD/AD
⊗ 3609-2MD/-2AD

| 9 PCS                                          | 3609MD/-2MD                  | 3609AD/3609-2AD                                 |
|------------------------------------------------|------------------------------|-------------------------------------------------|
| 3300/3302                                      | 8,10,11,12,13,14,15,17,19 mm | 5/16,3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16 Inch |
| BLISTER CARD:  = 6 SET GW: 22Kg/ 24SETS  =1.4' |                              |                                                 |

M360900


○ 3611M/A
⊗ 3611-2M/-2A

| 11 PCS                                        | 3611M/-2M                         | 3611A/-2A                                               |
|-----------------------------------------------|-----------------------------------|---------------------------------------------------------|
| 3400/3402                                     | 6,8,10,11,13,14,16,17,19,21,22 mm | 1/4,5/16,3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16,7/8 Inch |
| BLISTER CARD:  =6SET GW: 12Kg/ 24SETS  =1.76' |                                   |                                                         |

M361101


○ 3611MD/AD
⊗ 3611-2MD/-2AD

| 11 PCS                                            | 3611MD/-2MD                       | 3611AD/-2AD                                             |
|---------------------------------------------------|-----------------------------------|---------------------------------------------------------|
| 3300/3302                                         | 6,8,10,11,13,14,16,17,19,21,22 mm | 1/4,5/16,3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16,7/8 Inch |
| BLISTER CARD:  = 6 SET GW: 26.5Kg/ 24SETS  =1.17' |                                   |                                                         |

M080106


○ 3612M/A
⊗ 3612-2M/-2A

| 12 PCS                                         | 3612M/2M                             | 3612A/-2A                                                       |
|------------------------------------------------|--------------------------------------|-----------------------------------------------------------------|
| 3400/3402                                      | 8,9,10,11,12,13,14,15,16,17,18,19 mm | 1/4,5/16,11/32,3/8,7/16,1/2,9/16,19/32,5/8,11/16,3/4,25/32 Inch |
| BLISTER CARD:  =6SET GW:14.7Kg/ 24SETS  =1.76' |                                      |                                                                 |

M361201


○ 3612MD/AD
⊗ 3612-2MD/-2AD

| 12 PCS                                        | 3612MD/2MD                           | 3612AD/-2AD                                                     |
|-----------------------------------------------|--------------------------------------|-----------------------------------------------------------------|
| 3300/3302                                     | 8,9,10,11,12,13,14,15,16,17,18,19 mm | 1/4,5/16,11/32,3/8,7/16,1/2,9/16,19/32,5/8,11/16,3/4,25/32 Inch |
| BLISTER CARD:  = 6SET GW:14Kg/ 12SETS  =0.89' |                                      |                                                                 |

M361200


○ 3613M/A
⊗ 3613-2M/-2A

| 13 PCS                                          | 3613M/-2M                               | 3613A/-2A                                                           |
|-------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------|
| 3400/3402                                       | 8,9,10,11,12,13,14,15,16,17,19,21,22 mm | 1/4,5/16,11/32,3/8,7/16,1/2,9/16,19/32,5/8,11/16,3/4,25/32,7/8 Inch |
| BLISTER CARD:  = 6SET GW:23.3Kg/ 24SETS  =1.76' |                                         |                                                                     |

M361301


○ 3613MD/AD
⊗ 3613-2MD/-2AD

| 13 PCS                                           | 3613MD/-2MD                             | 3613AD/-2AD                                                         |
|--------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------|
| 3300/3302                                        | 8,9,10,11,12,13,14,15,16,17,19,21,22 mm | 1/4,5/16,11/32,3/8,7/16,1/2,9/16,19/32,5/8,11/16,3/4,25/32,7/8 Inch |
| BLISTER CARD:  = 6SET GW:15.5Kg/ 12SETS  = 0.89' |                                         |                                                                     |

M361300

○ 36213
NEW


| 13 PCS                       | 36213                                  |
|------------------------------|----------------------------------------|
| 3400M                        | 8,9,10,11,12,13,14,15,16,17,19mm 11PCS |
| 3100PQ                       | RATCHET HANDLE                         |
| 3800-6                       | EXTENSION BAR 6"/150mm                 |
| BLISTER CARD: 1SET/ 0.92KGS. |                                        |

1/4"
3/8"
★ 5610E


| 10 PCS                                | 5610E                       |      |
|---------------------------------------|-----------------------------|------|
| 2410                                  | 1/4" Dr.E4,E5,E6,E7,E8      | 5PCS |
| 3410                                  | 3/8" Dr.E10,E12,E14,E16,E18 | 5PCS |
| 1SET= 0.3KGS, GW=10.5/ 36SETS  =1.15' |                             |      |

M561000



# BIT SOCKET SET

JUEGO DE VASO DESTORILLADORES

JUE DE DOUILLES TOURNEVIS

起子套筒組

1/4" 3/8"

## 56025-11



| 11 PCS | 56025-11                          |
|--------|-----------------------------------|
| 2025   | TH10,TH15,TH20,TH25,TH27,TH30 6PC |
| 3025   | TH40,TH45,TH55,TH60 4PC           |
| 3805   | 3/8"(M)x 1/4"(F) 1PC              |

Blister Card 1SET=0.35KGS GW=13.5/36SETS, 1.15'

M560250

3/8"

## 36024-8C



| 8 PCS | 36024-8C                               |
|-------|----------------------------------------|
| 3024T | T10,T15,T20,T25,T27,T30,T40,T45 L=50mm |

BLISTER CARD : 6SET G.W. :16.5KGS 36SETS/1.15'

M360248

3/8"

## 36026-7C 36026-8C



| 8 PCS | 36026-8C                   | 7 PCS | 36026-7C                 |
|-------|----------------------------|-------|--------------------------|
| 3026  | 3,4,5,6,7,8,10,12mm L=50mm | 3026  | 4,5,6,7,8,10,12mm L=50mm |

BLISTER CARD: 6 SETS G.W.:17KGS 36SETS/1.15'

M360248

M360260

3/8"



NEW

## 36024-9C



| 9 PCS | 36024-9C                          |
|-------|-----------------------------------|
| 3024  | T8,T9,T10,T15,T20,T25,T27,T30,T40 |

BLISTER CARD : 6SET G.W: 18 KGS 36SETS/1.15'

M360259

3/8"



## 360255-7



| 7 PCS | 360255-7                                 |
|-------|------------------------------------------|
| 30255 | TS10,TS15,TS20,TS25,TS27,TS30,TS40 50mmL |

BLISTER CARD: 6SET GW: 17.3Kg 48SETS/1.5'

M361301

## 56024-10



| 10 PCS | 56024-10                                   |
|--------|--------------------------------------------|
| 2024   | T10,T15,T20,T25,T27,T30 6PC 1/4" Dr. 32mmL |
| 3024   | T40,T45,T50,T55 4PC 3/8" Dr. 50mmL         |

1SET=0.35KGS,GW=14/36SETS, 1.15'

M560241

## 560255-11C



| 11 PCS | 560255-11C                             |
|--------|----------------------------------------|
| 20255  | TS8,TS10,TS15,TS20,TS25,TS27,TS30 7PCS |
| 30255  | TS40,TS45,TS50,TS55 4PCS               |

BLISTER CARD : 6 SET 1SET= 0.35KGS,GW= 13.5/36SETS 1.15'

M560241

## 36025-9C



| 9 PCS  | 36025-9C                                     |
|--------|----------------------------------------------|
| 3025TH | TH15,TH20,TH25,TH27,TH30,TH40,TH45,TH50,TH55 |

BLISTER CARD : 6SET G.W. :17KGS 36SETS/1.15'

M360259

## 36027-7C 36027-57C



| 7 PCS | 36027-7C                | 36027-57C                |
|-------|-------------------------|--------------------------|
| 3027  | 3,4,5,6,7,8,10mm L=65mm | 3,4,5,6,7,8,10mm L=120mm |

BLISTER CARD: 6 SET GW:17KGS/36SETS 36SETS/1.15'

M360260

M080057

## 36028-4C



| 4 PCS | 36028-4C               |
|-------|------------------------|
| 3028  | M5,M6,M8,M10 48~50mmL. |

BLISTER CARD : 6SET G.W: 12 KGS 48SETS/ 1.5'

M080081

# SOCKET RAIL WITH CLAMP FOR 1/4"Dr., 3/8"Dr.

VACIO,CON BRIDAS DE SUJECIÓN PARA VASO 1/4"Dr., 3/8"Dr.

VIDE, AVEC ÈTRIERS DE RETENUE À GAMER DES DOUILLES 1/4"Dr., 3/8"Dr.

套筒夾1/4" Dr., 3/8" Dr.



NEW

| ITEM    | SIZE                 |
|---------|----------------------|
| M360248 | 3/8"x8x215mm         |
| M360260 | 3/8"x7x215mm         |
| M360259 | 3/8"x9x215mm         |
| M080057 | 3/8"x7x170mm         |
| M080109 | 3/8"x6PCSx200mm      |
| M080081 | 3/8"x4PCSx170mm      |
| M560242 | 1/4"x7, 3/8"x4x215mm |
| M080074 | 3/8DR.               |

## BIT SOCKET SET

JUEGO DE VASO DESTORNILLADORES

JEU DE DOUILLES TOURNEVIS

套筒起子組

### 36030-8C



| 8 PCS | 36030-8C |
|-------|----------|
|-------|----------|

|      |                                         |
|------|-----------------------------------------|
| 3030 | 20IP,25IP,27IP,30IP,40IP,45IP,50IP,55IP |
|------|-----------------------------------------|

BLISTER CARD : 6SET G.W.= 17 KGS 36 SETS/1.15'

M360248

### 36028-6C



| 6 PCS | 36028-6C |
|-------|----------|
|-------|----------|

|      |                      |
|------|----------------------|
| 3028 | M5,M6,M8,M10,M12,M14 |
|------|----------------------|

BLISTER CARD : 6SET G.W.: 14 KGS 48 SETS/1.5'

M080109

### 36026-48C



| 8 PCS | 36026-48C |
|-------|-----------|
|-------|-----------|

|        |                     |        |
|--------|---------------------|--------|
| 3026-4 | 3,4,5,6,7,9,10,12mm | 100mmL |
|--------|---------------------|--------|

BLISTER CARD : 6SET G.W.: 17 KGS 36 SETS/1.15'

M080081

### 36024-48C



| 8 PCS | 36024-48C |
|-------|-----------|
|-------|-----------|

|        |                                 |        |
|--------|---------------------------------|--------|
| 3024-4 | T20,T25,T27,T30,T40,T45,T50,T55 | 100mmL |
|--------|---------------------------------|--------|

BLISTER CARD : 6SET G.W.: 17 KGS 36 SETS/1.15'

M080081


## 3PCS EXTENSION BAR SET

JUEGO DE 3 ALARGADERAS

JEU DE 3 RALLONGES

雙定位接桿組

### 3853-11



THESE EFFICIENT EXTENSION BARS FEATURES BOTH OF WOBBLE AND VERTICAL DRIVES, ONCE OPERATING FOR SOCKETS TO MOVE THE BOLTS, NUTS, IN ANY DEEP AND NARROW CORNER THAT OFFERS TOP CONVENIENCE AND SIMPLNESS AT WORK.



### 3863-11



| 3 PCS | 3853-11 |
|-------|---------|
|-------|---------|

|         |                                      |     |
|---------|--------------------------------------|-----|
| 3802    | DUAL-DRIVE EXTENSION BAR 1-5/8(40mm) | 1PC |
| 3802-03 | DUAL-DRIVE EXTENSION BAR 3"(75mm)    | 1PC |
| 3802-05 | DUAL-DRIVE EXTENSION BAR 6"(150mm)   | 1PC |

BLISTER CARD: 6 SET G.W.: 15 KGS 72 SETS/1.42'

| 3 PCS | 3863-11 |
|-------|---------|
|-------|---------|

|         |                           |     |
|---------|---------------------------|-----|
| 3800    | EXTENSION BAR 1-5/8(40mm) | 1PC |
| 3800-03 | EXTENSION BAR 3"(75mm)    | 1PC |
| 3800-05 | EXTENSION BAR 6"(150mm)   | 1PC |

BLISTER CARD: 6 SET G.W.: 15 KGS 72 SETS/1.42'



"EXTRA DESIGNED FOR MOTORCYCLE'S NARROW SPACE"

| 3 PCS                                     | 3603M                                    |
|-------------------------------------------|------------------------------------------|
| 3335MS-16                                 | SPARK PLUG SOCKET 16mm(5/8")W/MAGNET     |
| 3335MS-21                                 | SPARK PLUG SOCKET 20.8mm(13/16")W/MAGNET |
| 1165FM17                                  | FLEXIBLE GEAR RING WRENCH 17mm           |
| 1 SET=48OG, GW=12.5/24SETS, CUFT=1' 6 SET |                                          |

| 5 PCS                               | 3605                            | 3605M                |
|-------------------------------------|---------------------------------|----------------------|
| 3140P                               | FLEX RATCHET 250mm/10"          | 3140PQ QUICK RELEASE |
| 3800-3                              | EXTENSION BAR 75mm/3"           |                      |
| 3800-6                              | EXTENSION BAR 150mm/6"          |                      |
| 3305-16                             | SPARK PLUG SOCKET 16mm/5/8"     | 3335 W/MAGNET        |
| 3305-21                             | SPARK PLUG SOCKET 20.8mm/13/16" | 3335 W/MAGNET        |
| 1 SET=85OG, GW=20.5/24SETS, CUFT=1' |                                 |                      |


## SPECIAL-3 PCS TUNE UP KIT

JUEGO DE 3 LLAVE VASOS PARA BUJIA'S MULTI


SPÉCIAL ACCORDEZ VERS LE HAUT LE KIK

機車氣車狹小空間專用火星塞套筒扳手組

### 3603MF



PAT.



## 5 PCS TUNE UP KIT

JUEGO DE 5 LLAVE VASOS PARA BUJÍAS

SPÉCIAL ACCORDEZ VERS HAUT LE KIK-5 OUTILS

5件式, 火星塞套筒扳手組

### 3605 3605M



## E-STAR SOCKET SET

JUEGO DE VASO E-STAR

COFFRET DE DOUILLES ÉTOILÉ 9 OUTILS

星型E套筒組

### 3609E

| 9 PCS                                                    | 3609E                                        |
|----------------------------------------------------------|----------------------------------------------|
| 3410                                                     | 3/8" Dr. E5,E6,E7,E8,E10,<br>E11,E12,E14,E16 |
| 1SET=0.42KGS, GW=18/40SETS, $\frac{1}{\text{box}}=0.68'$ |                                              |



## 10PCS UNIVERSAL JOINT SOCKET SET

JUEGO DE 10 VASOS POLIGONALES UNIVERSAL

COFFRET DE DOUILLES CARDAN UNIVERSAL

10件内外星型螺絲專用的3/8"頭套筒扳手組

### 362210MB

| 10PCS                                                            | 362210MB                                    |
|------------------------------------------------------------------|---------------------------------------------|
| 3422M                                                            | 10, 11, 12, 13, 14,<br>15, 16, 17, 18, 19mm |
| BLOW CASE: GW=13kG<br>$\frac{1}{\text{box}}=20\text{SETS}=0.82'$ |                                             |



## BIT SOCKET SET

JUEGO DE 8 VASO DESTORNILLADORES

COFFRET DE DOUILLES TOURNEVIS

8件星型套筒起子組3/8"方窩

### 36024-8

| 8 PCS                                                               | 36024-8                                    |
|---------------------------------------------------------------------|--------------------------------------------|
| 3024                                                                | T10,T15,T20,T25,T27,<br>T30,T40,T45 L=50mm |
| BLOW CASE:<br>G.W.:13KGS $\frac{1}{\text{box}}=20\text{SETS}/0.95'$ |                                            |



### 36026-7 36026-8

| 7 PCS                                                                 | 36026-7                         |
|-----------------------------------------------------------------------|---------------------------------|
| 3026                                                                  | 4,5,6,7,8,10,12mm<br>L=50mm     |
| 8 PCS                                                                 | 36026-8                         |
| 3026                                                                  | 3,4,5,6,7,8,10,12mm<br>L=(50mm) |
| BLOW CASE:<br>G.W.:13.5KGS $\frac{1}{\text{box}}=20\text{SETS}/0.95'$ |                                 |



### 36026-47 36026-48

| 7 PCS                                                                                                      | 36026-47                       |
|------------------------------------------------------------------------------------------------------------|--------------------------------|
| 3026-4                                                                                                     | 4,5,6,7,8,10,12mm<br>L=100mm   |
| 8 PCS                                                                                                      | 36026-48                       |
| 3026-4                                                                                                     | 3,4,5,6,7,8,10,12mm<br>(100mm) |
| BLISTER CARD: $\frac{1}{\text{box}}=6\text{SETS}$<br>G.W.:17KGS $\frac{1}{\text{box}}=36\text{SETS}/1.11'$ |                                |



### 36014-9

| 9 PCS                                                                        | 36014-9                                        |
|------------------------------------------------------------------------------|------------------------------------------------|
| 3014-2B                                                                      | T15,T20,T25,T27,T30,T40,<br>T45,T50,T55 L=52mm |
| BLOW MOLD PE CASE 1 SET=5KGS<br>G.W.: 16/20SETS $\frac{1}{\text{box}}=0.95'$ |                                                |



### 36025-9

| 9 PCS                                                                 | 36025-9                                                       |
|-----------------------------------------------------------------------|---------------------------------------------------------------|
| 3025                                                                  | TH15, TH20, TH25, TH27, TH30<br>TH40, TH45, TH50, TH55 L=50mm |
| BLOW CASE:<br>G.W.:13.5KGS $\frac{1}{\text{box}}=20\text{SETS}/0.95'$ |                                                               |



### 36027-7

| 7 PCS                                                                 | 36027-7                     |
|-----------------------------------------------------------------------|-----------------------------|
| 3027                                                                  | 3,4,5,6,7,8,10mm<br>L= 65mm |
| BLOW CASE:<br>G.W.:13.5KGS $\frac{1}{\text{box}}=20\text{SETS}/0.95'$ |                             |



### 36016-7M/A 36016-9M

| 7 PCS                                                                                                                                    | 36016-7M               | 36016-7A                        |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------------------------|
| 3016-2                                                                                                                                   | 4,5,6,7,8,10,12mm      | 3/16,7/32,1/4,5/16,3/8,7/16,1/2 |
| BLOW MOLD PE CASE 1SET=0.56KGS GW=18/20SETS  =0.95' |                        |                                 |
| 9 PCS                                                                                                                                    | 36016-9M               |                                 |
| 3016-2                                                                                                                                   | 4,5,6,7,8,9,10,11,12mm |                                 |
| BLOW MOLD PE CASE 1SET=0.7KGS GW=22/20SETS  =0.95'  |                        |                                 |



### 56025-11C



| 11 PCS                                                            | 56025-11C                                |
|-------------------------------------------------------------------|------------------------------------------|
| 2025                                                              | TH10, TH15, TH20, TH25, TH27, TH30 6 PCS |
| 3025                                                              | TH40, TH45, TH55, TH60 4 PCS             |
| 3805                                                              | 3/8"(M) x 1/4"(F) 1 PC                   |
| Metal Case 1SET=0.5KGS GW=20.5/40SETS $\frac{1}{\text{box}}=1.1'$ |                                          |



# 1/4", 3/8" DR.



OPTIONAL  
HANDLE

N/NQ  
P/PQ  
G/GQ

## SOCKET WRENCH SETS

### 1/4" AND 3/8" DR. SOCKET WRENCH SET

JUEGO DE LLAVES VASO

COFFRET DOUILLES OUTILLES


套筒扳手組



**3/8" 3623T/ TF**

3623T

3623TF



**3/8" 3613/3613F**

3613



3613F



**3/8" 3640T**

3640T

3640TP



**3/8" 5620M**

5620MP

5620M



5620MG

5640MA



**3/8" 5640MAP**

5640MAG

5640MAP



| 23PCS                                                                                                                                             | 3623T                                          | 3623TF |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|--------|
| 3024                                                                                                                                              | T20,T25,T27,T30,T40,T45,T50,T55,T60 9PCS 50mmL |        |
| 16754-6                                                                                                                                           | TH6,TH7,TH8,TH9,TH10,TH15,TH20 7PCS            |        |
| 3410                                                                                                                                              | E6, E8, E10, E12, E14 5PCS                     |        |
| 3800-3                                                                                                                                            | EXTENSION BAR 75mm/3"                          |        |
| 3120NQ                                                                                                                                            | RATCHET HANDLE 175mm/7"mmL                     |        |
|                                                                                                                                                   | 3144PQ FLEX-STOP RATCHET                       |        |
| METAL CASE:253x130x32mm 1 SET=1.5KGS, GW=16KGS/ 10SETS  = 0.8' |                                                |        |

| 13PCS                                                        | 3613 (50mmL.)               | 3613F (52mmL.)           |
|--------------------------------------------------------------|-----------------------------|--------------------------|
| 3021                                                         | ⊖ 5,8,10mm                  | 3011-2B ⊖ 5,8,10mm       |
| 3022                                                         | ⊕ 2,3,4mm                   | 3012-2B ⊕ No 2,3,4mm     |
| 3026                                                         | ○ 4,5,6,8,10,12mm           | 3016-2B 4,5,6,8,10,12mm  |
| 3124P                                                        | STUBBY RATCHET 110mm/4-3/8" | 3144PQ FLEX-STOP RATCHET |
| METAL CASE:195x105x33mm 1 SET=1KG, GW=20KGS/ 20SETS  = 0.65' |                             |                          |

| 40PCS                                                         | 3640T/ 3640TP                                     |
|---------------------------------------------------------------|---------------------------------------------------|
| 3400                                                          | 6,8,10,11,12,13,14,15,17,19,21,22mm 12PCS         |
| 3410                                                          | E4,E5,E6,E7,E8,E10,E11,E12,E14,E16,E18,E20 12PCS  |
| 3024                                                          | T10,T15,T20,T25,T27,T30,T40,T45,T50,T55,T60 11PCS |
| 3120NQ                                                        | RATCHET HANDLE 175mm/7" 3120PQ                    |
| 3800                                                          | EXTENSION BAR 75mm/3", 150mm/6" 2PCS              |
| 3200                                                          | UNIVERSAL JONT 50mm/2"                            |
| 3770                                                          | SLIDING T BAR 200mm/8"                            |
| METAL CASE:315x145x45mm 1 SET=2.85KG, GW=15KGS/ 5 SET  = 0.5' |                                                   |

| 20PCS                                                                                                                                              | 5620M<br>5620-2M                             | 5620MP<br>5620-2MP | 5620MG<br>5620-2MG |
|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------------|--------------------|
| 2400(2402)                                                                                                                                         | 4,4.5,5,6,7,8,9mm, 7 PCS,1/4"DR,SOCKETS      |                    |                    |
| 3400(3402)                                                                                                                                         | 10,11,12,13,14,17,19mm, 7 PCS,3/8"DR,SOCKETS |                    |                    |
| 3120N                                                                                                                                              | RATCHET HANDLE, 175mm/7"                     |                    | 3120P 3120G        |
| 3800-3/6                                                                                                                                           | EXTENSION BAR 75mm/3",150mm/6"               |                    |                    |
| 2830                                                                                                                                               | SPINNER HANDLE 150mm/6"                      |                    |                    |
| 3805                                                                                                                                               | ADAPTOR 3/8"x1/4"                            |                    |                    |
| 3305(3306)                                                                                                                                         | SPARK PLUG SOCKET 21mm/13/16"                |                    |                    |
| METAL CASE:315x145x45mm 1SET=2.2KGS GW=14.5KGS/ 6 SET  = 0.65 |                                              |                    |                    |

| 40PCS                                              | 5640MA<br>5640-2MA                                  | 5640MAP<br>5640-2MAP | 5640MAG<br>5640-2MAG                                                                         |
|----------------------------------------------------|-----------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------|
| 2400M(2402M)                                       | 4,5,6,7,8,9,10,11,12                                |                      | 9PCS                                                                                         |
| 2400A(2402A)                                       | 3/16",7/32",1/4",9/32",5/16",11/32",3/8",7/16",1/2" |                      | 9PCS                                                                                         |
| 3400M(3402M)                                       | 9,10,11,12,13,14,16,17,19                           |                      | 9PCS                                                                                         |
| 3400A(3402A)                                       | 3/8",7/16",1/2",9/16",5/8",11/16",3/4"              |                      | 7PCS                                                                                         |
| 3120NQ                                             | QUICK RELEASE RATCHET HANDLE 175mm/7"               |                      | 3120PQ/GQ                                                                                    |
| 3800-3                                             | EXTENSION BAR 75mm/3"                               |                      |                                                                                              |
| 2830                                               | SPINNER HANDLE 150mm/6"                             |                      |                                                                                              |
| 3805                                               | ADAPTOR 3/8"x1/4"                                   |                      |                                                                                              |
| 3305(3306)                                         | SPARK PLUG SOCKET 16mm/5/8"                         |                      |                                                                                              |
|                                                    | 3/8" METAL DISC                                     |                      |                                                                                              |
| METAL CASE:315x145x45mm 1SET=1.95KGS GW=13KGS/6SET |                                                     |                      |  =0.65' |



| 17 PCS         | 3617M/MP<br>3617-2M/-2MP                        | 3617MU/MUP<br>3617-2MU/-2MUP                     |
|----------------|-------------------------------------------------|--------------------------------------------------|
| 3400<br>(3402) | 7,8,9,10,11,12,13,<br>14,15,16,17,19mm<br>12PCS | 8,9,10,11,12,13,14,15,<br>17,19,21,22mm<br>12PCS |
| 3120N          | RATCHET HANDLE 175mm                            | 3120P                                            |
| 3800-3/-6      | EXTENSION BAR 75mm/150mm                        |                                                  |
| 3700N          | FLEX HANDLE 250mm                               | 3700P                                            |
| 3770           | SLIDING T BAR 200mm                             |                                                  |

METAL CASE:315x100x40mm GW=14,5KGS/ 6 SETS  = 0.48'

| 17 PCS         | 3617A/AP                                                              | 3617-2A/-2AP |
|----------------|-----------------------------------------------------------------------|--------------|
| 3400<br>(3402) | 1/4,5/16,11/32,3/8,7/16,1/2,9/16,5/8,11/16,<br>3/4,13/16,7/8<br>12PCS |              |
| 3120N          | RATCHET HANDLE 175mm                                                  | 3120P        |
| 3800-3/-6      | EXTENSION BAR 75mm/150mm                                              |              |
| 3700N          | FLEX HANDLE 250mm                                                     | 3700P        |
| 3770           | SLIDING "T" BAR 200mm                                                 |              |

METAL CASE:315x100x40mm GW=14.5KGS/ 6 SETS  = 0.48'

| 19 PCS         | 3619M/MP<br>3619-2M/2MP                              | 3619MU/MUP<br>3619-2MU/2MUP                          |
|----------------|------------------------------------------------------|------------------------------------------------------|
| 3400<br>(3402) | 6,7,8,9,10,11,12,13,<br>14,15,16,17,19,21mm<br>14PCS | 6,7,8,9,10,11,12,13,14,<br>15,17,19,21,22mm<br>14PCS |
| 3120N          | RATCHET HANDLE 175mm                                 | 3120P                                                |
| 3800-6/-12     | EXTENSION BAR 150mm/6",300mm/12"                     |                                                      |
| 3700N          | FLEX HANDLE 250mm                                    | 3700P                                                |
| 3200           | UNIVERSAL JOINT 50mm/2"                              |                                                      |

METAL CASE:400x95x50mm 1 SET=2,5KGS GW=16KGS/ 6 SETS  = 0.6'

| 19 PCS         | 3619MK/MKP<br>3619-2MK/2MKP                           | 3619A/AP<br>3619-2A/2AP                                                            |
|----------------|-------------------------------------------------------|------------------------------------------------------------------------------------|
| 3400<br>(3402) | 6,7,8,9,10,11,12,<br>13,14,15,16,17,<br>19,21mm 14PCS | 1/4,5/16,11/32,3/8,7/16,1/2,<br>9/16,19/32,5/8,11/16,3/4,<br>25/32,13/16,7/8 14PCS |
| 3120N          | RATCHET HANDLE 175mm/7"                               | 3120P                                                                              |
| 3800-3/-6      | EXTENSION BAR 75mm/3",150mm/6"                        |                                                                                    |
| 3770           | SLIDING "T" HANDLE 200mm/8"                           |                                                                                    |
| 3200           | UNIVERSAL JOINT 50mm/2"                               |                                                                                    |

METAL CASE:400x95x50mm 1 SET=2,5KGS GW=16KGS/ 6 SETS  = 0.6'

| 19 PCS         | 3619MB/MBP/MBG<br>3619-2MB/2MBP/2MBG                 | 3619MUB/MUBP/MUBG<br>3619-2MUB/2MUBP/2MUBG           |
|----------------|------------------------------------------------------|------------------------------------------------------|
| 3400<br>(3402) | 6,7,8,9,10,11,12,13,<br>14,15,16,17,19,21mm<br>14PCS | 6,7,8,9,10,11,12,13,14,<br>15,17,19,21,22mm<br>14PCS |
| 3120N          | RATCHET HANDLE 175mm/7"                              | 3120P/3120G                                          |
| 3800-6/-12     | EXTENSION BAR 150mm/6",300mm/12"                     |                                                      |
| 3700N          | FLEX HANDLE 250mm/10"                                | 3700P/3700G                                          |
| 3200           | UNIVERSAL JOINT 50mm/2"                              |                                                      |

BLOW MOLD CASE:315x190x50mm GW=16KGS/ 6 SETS  = 0.85'

## SOCKET WRENCH SET

JUEGO DE LLAVES VASO  
COFFRET DOUILLES OUTILLES  
套筒扳手組

3617M

3617MP



3619M



3619MP



3619MK



3619MKP



3619MB

3619MBG



### SOCKET WRENCH SET

JUEGO DE LLAVES VASO

COFFRET DOUILLE OUTILLES

套筒扳手組

1/4"

3/8"

**3650MA**



3/8"

**3658**



3/8"

**3658P**



3/8"

**3663**



3830



OPTIONAL  
HANDLE



| 50 PCS                                                                        | 3650MA / 3650-2MA                            |        |
|-------------------------------------------------------------------------------|----------------------------------------------|--------|
| 3400M                                                                         | 8,9,10,11,12,13,14,15,16,17,18,19mm          | 12 PCS |
| 3400A(3402A)                                                                  | 3/8,7/16,1/2,9/16,5/8,11/16,3/4,7/8          | 8 PCS  |
| 3300M(3302M)                                                                  | 8,9,10,11,12,13,14,15,16,17,18,19mm          | 12 PCS |
| 3300A(3302A)                                                                  | 3/8,7/16,1/2,9/16,5/8,11/16,3/4,7/8          | 8 PCS  |
| 3100GQ                                                                        | QUICK RELEASE HANDLE 200mm/ 8"               | 1 PC   |
| 3305/3306                                                                     | SPARK PLUG SOCKET 16mm(5/8"), 20.8mm(13/16") | 2 PCS  |
| 3200                                                                          | UNIVERSAL JOINT 50mm/ 2"                     | 1 PC   |
| 3700G                                                                         | FLEXIBLE HANDLE 250mm/10"                    | 1 PC   |
| 3770                                                                          | SLIDING T-HADLE 200mm/8"                     | 1 PC   |
| 3800-3                                                                        | EXTENSION BAR 75mm/3"                        | 1 PC   |
| 3800-6                                                                        | EXTENSION BAR 150mm/6"                       | 1 PC   |
| 3804                                                                          | ADAPTOR 3/8"x1/2"                            | 1 PC   |
| 3805                                                                          | ADAPTOR 3/8"x1/4"                            | 1 PC   |
| METAL CASE 440x185x50mm 1 SET= 5,2KGS, GW=21,5KGS/4SETS $\frac{1}{4}$ = 0,91' |                                              |        |

| 58 PCS                                                                  | 3658/ 3658P                                      |              |
|-------------------------------------------------------------------------|--------------------------------------------------|--------------|
| 3400                                                                    | 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22mm | 17 PCS       |
| 3300                                                                    | 9,10,11,12,13,14,15,16,17,18,19,20,21,22-DEEP    | 14 PCS       |
| 3305                                                                    | SPARK PLUG SOCKET 16, 20.8mm                     | 2 PCS        |
| 3021                                                                    | 5,8,10mm $\ominus$ BIT SOCKET 50mmL              | 3 PCS        |
| 3022                                                                    | PH2,PH3,PH4 $\oplus$ BIT SOCKET 50mmL            | 3 PCS        |
| 3026                                                                    | 3,4,5,6,7,8,9,10,12mm $\odot$ BIT SOCKET         | 9 PCS        |
| 3100NQ                                                                  | RATCHET HANDLE 175mm/ 7"                         | 3100PQ 1 PCS |
| 3200                                                                    | UNIVERSAL JOINT 50mm/ 2"                         | 1 PC         |
| 3700N                                                                   | FLEX HANDLE 250mm/10"                            | 3700P 1 PC   |
| 3770                                                                    | SLIDING " T " BAR 200mm/8"                       | 1 PC         |
| 3800                                                                    | EXTENSION BAR 75mm/3",150mm/6",300mm/12"         | 3 PC         |
| 3804                                                                    | ADAPTOR 3/8"x1/2"                                | 1 PCS        |
| 3850                                                                    | SPEED HANDLE 410mm/16"                           | 1 PC         |
| 3830                                                                    | SPINNER HANDLE 3/8", 250mm/10"                   | 1 PC         |
| METAL CASE 440x185x50mm 1 SET=6,1KG, GW=25KG/4SETS $\frac{1}{4}$ = 0,8' |                                                  |              |

| 63PCS                                                                   | 3663                                             |        |
|-------------------------------------------------------------------------|--------------------------------------------------|--------|
| 3400                                                                    | 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22mm | 17 PCS |
| 3300                                                                    | 9,10,11,12,13,14,15,17,18,19,20,22-DEEP          | 12 PCS |
| 3305                                                                    | SPARK PLUG SOCKET 16, 20.8mm                     | 2 PCS  |
| 3021                                                                    | 5,8,10mm $\ominus$ BIT SOCKET 50mmL              | 3 PCS  |
| 3022                                                                    | PH2,PH3,PH4 $\oplus$ BIT SOCKET 50mmL            | 3 PCS  |
| 3024                                                                    | T10,T15,T20,T25,T30,T40,T45,T50                  | 8 PCS  |
| 3026                                                                    | 3,4,5,6,7,8,9,10,12mm $\odot$ BIT SOCKET         | 9 PCS  |
| 3100PQ                                                                  | RATCHET HANDLE 175mm/ 7"                         | 1 PC   |
| 3200                                                                    | UNIVERSAL JOINT 50mm/ 2"                         | 1 PC   |
| 3700P                                                                   | FLEX HANDLE 250mm/10"                            | 1 PC   |
| 3770                                                                    | SLIDING " T " BAR 200mm/8"                       | 1 PC   |
| 3800                                                                    | EXTENSION BAR 75mm/3",150mm/6",300mm/12"         | 3 PCS  |
| 3804                                                                    | ADAPTOR 3/8"x1/2"                                | 1 PC   |
| 3830                                                                    | SPINNER HANDLE 3/8", 250mm/10"                   | 1 PC   |
| METAL CASE 440x185x50mm 1 SET=6,1KG, GW=25KG/4SETS $\frac{1}{4}$ = 0,8' |                                                  |        |



| 17 PCS | 3617RM                             |        |
|--------|------------------------------------|--------|
| 34R0M  | 7,8,9,10,11,12,13,14,15,16,17,19mm | 12 PCS |
| 3100PQ | RATCHET HANDLE 175mm/ 7"           | 1 PC   |
| 3800-3 | EXTENSION BAR 75mm/3"              | 1 PC   |
| 3800-6 | EXTENSION BAR 150mm/6"             | 1 PC   |
| 3700P  | FLEX HANDLE 250mm/10"              | 1 PC   |
| 3770   | SLIDING T-HADLE 200mm/8"           | 1 PC   |

METAL CASE 315x100x40mm GW= 14.5KG/ 6 SETS, = 0.48'

| 17 PCS | 3617PM                             |        |
|--------|------------------------------------|--------|
| 34P0M  | 7,8,9,10,11,12,13,14,15,16,17,19mm | 12 PCS |
| 3100PQ | RATCHET HANDLE 175mm/ 7"           | 1 PC   |
| 3800-3 | EXTENSION BAR 75mm/3"              | 1 PC   |
| 3800-6 | EXTENSION BAR 150mm/6"             | 1 PC   |
| 3700P  | FLEX HANDLE 250mm/10"              | 1 PC   |
| 3770   | SLIDING T-HADLE 200mm/8"           | 1 PC   |

METAL CASE 315x100x40mm GW= 14.5KG/ 6 SETS, = 0.48'

| 19 PCS  | 3619RMB                                 |        |
|---------|-----------------------------------------|--------|
| 34R0M   | 6,7,8,9,10,11,12,13,14,15,16,17,19,21mm | 14 PCS |
| 3100PQ  | RATCHET HANDLE 175mm/ 7"                | 1 PC   |
| 3800-6  | EXTENSION BAR 150mm/6"                  | 1 PC   |
| 3800-12 | EXTENSION BAR 300mm/12"                 | 1 PC   |
| 3200    | UNIVERSAL JOINT 50mm/ 2"                | 1 PC   |
| 3700P   | FLEX HANDLE 250mm/10"                   | 1 PC   |

METAL CASE 315x100x40mm GW= 14.5KG/ 6 SETS, = 0.48'

| 19 PCS  | 3619PMB                                 |        |
|---------|-----------------------------------------|--------|
| 34P0M   | 6,7,8,9,10,11,12,13,14,15,16,17,19,21mm | 14 PCS |
| 3100PQ  | RATCHET HANDLE 175mm/ 7"                | 1 PC   |
| 3800-6  | EXTENSION BAR 150mm/6"                  | 1 PC   |
| 3800-12 | EXTENSION BAR 300mm/12"                 | 1 PC   |
| 3200    | UNIVERSAL JOINT 50mm/ 2"                | 1 PC   |
| 3700P   | FLEX HANDLE 250mm/10"                   | 1 PC   |

METAL CASE 315x100x40mm GW= 14.5KG/ 6 SETS, = 0.48'

| 33 PCS   | 3633-2M                                                 |        |
|----------|---------------------------------------------------------|--------|
| 3402M    | 7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22mm          | 16 PCS |
| 3402A    | 1/4,5/16,11/32,3/8,7/16,1/2,9/16,5/8,11/16,3/4,3/16,7/8 | 12 PCS |
| 04663B   | HEXAGON SHANK PIN TYPE ADAPTOR                          | 1 PC   |
| 3770     | SLIDING T-HANDLE 200mm/8"                               | 1 PC   |
| 3800-3   | EXTENSION BAR 75mm/3"                                   | 1 PC   |
| 3800-10  | EXTENSION BAR 250mm/10"                                 | 1 PC   |
| 3100G-90 | RATCHT HANDLE                                           | 1 PC   |

METAL CASE 315x100x40mm GW= 14.5KG/ 6 SETS, = 0.48'

| 60 PCS           | 3660MB/ 3660-2MB                                 |                             |
|------------------|--------------------------------------------------|-----------------------------|
| 3300(3302)       | 8,9,10,11,12,13,14,15,17,19mm                    | 10 PCS                      |
| 3400(3402)       | 6,7,8,9,10,11,12,13,14,15,16,17,18,19,21,22,24mm | 17 PCS                      |
| 3021M            | 5,6,8                                            | 3022PH PH1,PH2,PH3 6 PCS    |
| 3023PZ           | PZ1,PZ2,PZ3                                      | 3026M 3,4,5,6,7,8,10 10 PCS |
| 3024T            | T10,T15,T20,T25,T27,T30,T40,T45,T50,T55          | 10 PCS                      |
| 3101PO-72        | QUICK RELEASE RATCHET HANDLE 72T.                | 1 PC                        |
| 3800-3,10D       | EXTENSION BAR 75mm/3", 250mm/10"                 | 2 PCS                       |
| 3803             | ADAPTOR 3/8Mx1/2F                                | 3200 UNIVERSAL JOINT 2 PCS  |
| 3305M16/ 3306M16 | SPARK PLUG SOCKET 16mm                           | 1 PC                        |
| 3335M14/ 3336M14 | SPARK PLUG SOCKET 14mm                           | 1 PC                        |

METAL CASE: GW= 17.7KG/ 4 SETS, = 1.25'

## SOCKET WRENCH SET

JUEGO DE LLAVES VASO  
COFFRET DOUILLES OUTILLES  
套筒扳手組

**3617RM**



**3617PM**



**3619PMB**

**3619RMB**




**3633-2M**



**3660MB/ 3660-2MB**




**HAND SOCKET mm/inch, 6Pt / 12Pt**  
VASOS DE HEXAGONAL/12 CARAS  
DOUILLES 6 PANS/12 PANS  
套筒 公制/英制, 6角/12角



D1<D2



D1>D2



“An-Lo” An-Lock Socket wrench

## 4400M/4400A 6Pt



## 4402M/4402A 12Pt



| 4400M<br>(mm) | 4400A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|------------|------------|-----------|-----|-------|
| 6             |                 | 12.0       | 22         | 37        | 44  | 10    |
| 7             |                 | 12.6       | 22         | 37        | 44  | 10    |
| 8             | 5/16            | 13.2       | 22         | 37        | 45  | 10    |
| 9             |                 | 13.9       | 22         | 37        | 45  | 10    |
|               | 3/8             | 14.5       | 22         | 37        | 45  | 10    |
| 10            |                 | 15.2       | 22         | 37        | 45  | 10    |
| 11            | 7/16            | 16.3       | 22         | 37        | 45  | 10    |
| 12            | 15/32           | 17.7       | 22         | 37        | 50  | 10    |
| 13            | 1/2             | 18.8       | 22         | 37        | 50  | 10    |
| 14            | 9/16            | 20.4       | 22         | 37        | 50  | 10    |
| 15            | 19/32           | 21         | 22         | 37        | 55  | 10    |
| 16            | 5/8             | 23         | 22         | 37        | 60  | 10    |
| 17            | 21/32           | 24         | 23         | 37        | 65  | 10    |
|               | 11/16           | 24         | 22.5       | 37        | 70  | 10    |
| 18            |                 | 25         | 24         | 37        | 70  | 10    |
| 19            | 3/4             | 27         | 25.8       | 38        | 85  | 10    |
| 20            | 25/32           | 28         | 26         | 38        | 85  | 10    |
|               | 13/16           | 28         | 26         | 38        | 85  | 10    |
| 21            |                 | 29         | 27         | 38        | 105 | 10    |
| 22            | 7/8             | 30         | 28         | 40        | 110 | 10    |
| 23            |                 | 32         | 29         | 40        | 130 | 10    |
| 24            | 15/16           | 33         | 30         | 42        | 145 | 10    |
| 25            |                 | 34         | 32         | 42        | 160 | 10    |
| 26            | 1"              | 36         | 32         | 42        | 170 | 10    |
| 27            | 1-1/16          | 37         | 34         | 43        | 190 | 8     |
| 28            |                 | 38         | 34         | 43        | 200 | 8     |
| 29            | 1-1/8           | 40         | 35         | 45        | 220 | 8     |
| 30            | 1-3/16          | 40         | 36         | 45        | 220 | 8     |
| 32            | 1-1/4           | 43         | 38         | 45        | 250 | 5     |
| 33            |                 | 43         | 39         | 47        | 260 | 5     |
| 34            | 1-5/16          | 44         | 40         | 47        | 260 | 5     |
| 35            | 1-3/8           | 46         | 40         | 47        | 285 | 5     |
| 36            | 1-7/16          | 48         | 41         | 47        | 300 | 5     |
| 38            | 1-1/2           | 50         | 43         | 47        | 320 | 5     |
| 39            |                 | 51         | 44         | 47        | 340 | 5     |
| 41            |                 | 53         | 46         | 55        | 430 | 5     |
| 46            | 1-13/16         | 60         | 50         | 55        | 550 | 5     |



| 4402M<br>(mm) | 4402A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|------------|------------|-----------|-----|-------|
| 8             |                 | 13.2       | 22         | 37        | 45  | 10    |
| 9             |                 | 13.9       | 22         | 37        | 45  | 10    |
|               | 3/8             | 14.5       | 22         | 37        | 45  | 10    |
| 10            |                 | 15         | 22         | 37        | 45  | 10    |
| 11            | 7/16            | 16.3       | 22         | 37        | 45  | 10    |
| 12            | 15/32           | 17.6       | 22         | 37        | 45  | 10    |
| 13            | 1/2             | 18.8       | 22         | 37        | 50  | 10    |
| 14            | 9/16            | 20.4       | 22         | 37        | 50  | 10    |
| 15            | 19/32           | 21         | 22         | 37        | 50  | 10    |
| 16            | 5/8             | 23         | 22         | 37        | 65  | 10    |
| 17            | 21/32           | 24         | 23         | 37        | 65  | 10    |
|               | 11/16           | 24         | 23         | 37        | 65  | 10    |
| 18            |                 | 25         | 24         | 37        | 65  | 10    |
| 19            | 3/4             | 27         | 25.8       | 38        | 80  | 10    |
| 20            | 25/32           | 28         | 26         | 38        | 80  | 10    |
|               | 13/16           | 28         | 26         | 38        | 80  | 10    |
| 21            |                 | 30         | 27         | 38        | 95  | 10    |
| 22            | 7/8             | 30         | 28         | 40        | 100 | 10    |
| 23            |                 | 32         | 29         | 40        | 120 | 10    |
| 24            | 15/16           | 33         | 30         | 42        | 150 | 10    |
| 25            |                 | 34         | 32         | 42        | 155 | 10    |
| 26            | 1"              | 36         | 32         | 42        | 160 | 10    |
| 27            | 1-1/16          | 37         | 34         | 43        | 195 | 8     |
| 28            |                 | 38         | 34         | 43        | 195 | 8     |
| 29            | 1-1/8           | 40         | 35         | 45        | 210 | 8     |
| 30            | 1-3/16          | 40         | 36         | 45        | 215 | 8     |
| 32            | 1-1/4           | 43         | 38         | 45        | 240 | 5     |
| 33            |                 | 43         | 39         | 47        | 260 | 5     |
| 34            |                 | 44         | 40         | 47        | 260 | 5     |
| 36            |                 | 48         | 41         | 47        | 300 | 5     |



\* RECYCLABLE SOCKET HOLDERS ARE AVAILABLE BY INQUIRED.  
SIZE: 1/4DR. 3/8DR. 1/2DR. 3/4DR.



**DEEP SOCKET mm/inch, 6Pt / 12Pt**  
VASOS LARGO DE HEXAGONAL/ 12 CARAS  
DOUILLES LONGUES 6 PANS/ 12 PANS  
長套筒 公制/英制, 6角/12角




“An-Lo” An-Lock Socket wrench

**4300M/4300A 6Pt**



**4302M/4302A 12Pt**




| 4300M<br>(mm) | 4300A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|------------|------------|-----------|-----|-------|
| 8             | 5/16            | 13.2       | 22         | 76        | 90  | 10    |
| 9             |                 | 13.9       | 22         | 76        | 90  | 10    |
|               | 3/8             | 14.7       | 22         | 76        | 90  | 10    |
| 10            |                 | 15.2       | 22         | 76        | 95  | 10    |
| 11            | 7/16            | 16.3       | 22         | 76        | 95  | 10    |
| 12            |                 | 17.7       | 22         | 76        | 95  | 10    |
| 13            | 1/2             | 18.8       | 22         | 76        | 100 | 10    |
| 14            | 9/16            | 20.4       | 22         | 76        | 110 | 10    |
| 15            | 19/32           | 21         | 22         | 76        | 110 | 10    |
| 16            | 5/8             | 24         | 22         | 76        | 130 | 10    |
| 17            | 21/32           | 24         | 23         | 76        | 130 | 10    |
|               | 11/16           | 24         | 23         | 76        | 130 | 10    |
| 18            |                 | 25         | 24         | 76        | 145 | 10    |
| 19            | 3/4             | 27         | 25.8       | 76        | 170 | 10    |
| 20            | 25/32           | 28         | 26         | 76        | 170 | 10    |
| 21            | 13/16           | 30         | 27         | 76        | 200 | 10    |
| 22            | 7/8             | 30         | 27         | 76        | 200 | 10    |
| 23            |                 | 32         | 30         | 76        | 240 | 10    |
| 24            | 15/16           | 33         | 30         | 76        | 260 | 10    |
| 25            |                 | 34         | 31         | 76        | 260 | 5     |
| 26            | 1"              | 36         | 32         | 76        | 310 | 5     |
| 27            | 1-1/16          | 37         | 34         | 76        | 335 | 5     |
| 28            |                 | 38         | 34         | 76        | 325 | 5     |
| 29            | 1-1/8           | 40         | 35         | 76        | 335 | 5     |
| 30            | 1-3/16          | 40         | 36         | 76        | 380 | 5     |
| 32            | 1-1/4           | 43         | 38         | 76        | 380 | 5     |
| 33            |                 | 43         | 39         | 80        | 380 | 5     |
| 34            | 1-5/16          | 44         | 40         | 80        | 380 | 5     |
| 35            | 1-3/8           | 46         | 40         | 80        | 440 | 5     |
| 36            | 1-7/16          | 48         | 41         | 80        | 440 | 5     |
| 38            | 1-1/2           | 50         | 43         | 80        | 500 | 5     |
| 41            |                 | 53         | 46         | 80        | 550 | 5     |
| 46            | 1-13/16         | 60         | 50         | 80        | 700 | 5     |

| 4302M<br>(mm) | 4302A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|-----------------|------------|------------|-----------|-----|-------|
| 8             | 5/16            | 13.2       | 22         | 76        | 90  | 10    |
| 9             |                 | 13.9       | 22         | 76        | 90  | 10    |
|               | 3/8             | 14.7       | 22         | 76        | 85  | 10    |
| 10            |                 | 15.2       | 22         | 76        | 85  | 10    |
| 11            | 7/16            | 16.3       | 22         | 76        | 85  | 10    |
| 12            |                 | 17.7       | 22         | 76        | 95  | 10    |
| 13            | 1/2             | 18.8       | 22         | 76        | 100 | 10    |
| 14            | 9/16            | 20.4       | 22         | 76        | 100 | 10    |
| 15            | 19/32           | 21         | 22         | 76        | 110 | 10    |
| 16            | 5/8             | 24         | 22         | 76        | 125 | 10    |
| 17            | 21/32           | 24         | 23         | 76        | 125 | 10    |
|               | 11/16           | 24         | 23         | 76        | 120 | 10    |
| 18            |                 | 25         | 24         | 76        | 150 | 10    |
| 19            | 3/4             | 27         | 25.8       | 76        | 160 | 10    |
| 20            | 25/32           | 28         | 26         | 76        | 160 | 10    |
| 21            | 13/16           | 30         | 27         | 76        | 190 | 10    |
| 22            | 7/8             | 30         | 27         | 76        | 190 | 10    |
| 23            |                 | 32         | 30         | 76        | 230 | 10    |
| 24            | 15/16           | 33         | 30         | 76        | 245 | 10    |
| 25            |                 | 34         | 31         | 76        | 245 | 5     |
| 26            | 1"              | 36         | 32         | 76        | 280 | 5     |
| 27            | 1-1/16          | 37         | 34         | 76        | 280 | 5     |
| 28            |                 | 38         | 34         | 76        | 280 | 5     |
| 29            | 1-1/8           | 40         | 35         | 76        | 310 | 5     |
| 30            | 1-3/16          | 40         | 36         | 76        | 360 | 5     |
| 32            | 1-1/4           | 43         | 38         | 76        | 360 | 5     |



※ RECYCLABLE SOCKET HOLDERS ARE AVAILABLE BY INQUIRED.  
SIZE: 1/4DR, 3/8DR, 1/2DR, 3/4DR.




## SURFACE DRIVE SOCKET

VASOS DE SURFACE DRIVE

DOUILLES 6 PANS SURFACE DRIVE

大R角套筒

**44R0M**



D1 < D2



D1 > D2




## SPLINE DRIVE SOCKET

VASOS DE SPLINE DRIVE

DOUILLES SPLINE DRIVE

史普來 多用途套筒

**44P0M**



D1 < D2



D1 > D2



| 44R0M<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| 8             | 12.8       | 22         | 38        | 50  | 10    |
| 9             | 14.2       | 22         | 38        | 50  | 10    |
| 10            | 15.3       | 22         | 38        | 50  | 10    |
| 11            | 16.5       | 22         | 38        | 50  | 10    |
| 12            | 17.8       | 22         | 38        | 50  | 10    |
| 13            | 19         | 22         | 38        | 53  | 10    |
| 14            | 20.3       | 22         | 38        | 54  | 10    |
| 15            | 21.5       | 22         | 38        | 55  | 10    |
| 16            | 22.8       | 22         | 38        | 60  | 10    |
| 17            | 24         | 22.5       | 38        | 65  | 10    |
| 18            | 25.3       | 23         | 38        | 70  | 10    |
| 19            | 26         | 24.5       | 38        | 80  | 10    |
| 20            | 28         | 24.5       | 38        | 84  | 10    |
| 21            | 28         | 27         | 38        | 90  | 10    |
| 22            | 30         | 28         | 39        | 100 | 10    |
| 24            | 31.8       | 30         | 40        | 120 | 10    |
| 27            | 36         | 33         | 42        | 135 | 10    |
| 30            | 40         | 34         | 45        | 180 | 10    |
| 32            | 42         | 36         | 45        | 200 | 10    |

| 44P0M<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| 8             | 13         | 22         | 38        | 50  | 10    |
| 9             | 14.6       | 22         | 38        | 50  | 10    |
| 10            | 16.2       | 22         | 38        | 50  | 10    |
| 11            | 17.5       | 22         | 38        | 52  | 10    |
| 12            | 18.7       | 22         | 38        | 52  | 10    |
| 13            | 20         | 22         | 38        | 54  | 10    |
| 14            | 21         | 22         | 38        | 56  | 10    |
| 15            | 24         | 22         | 38        | 60  | 10    |
| 16            | 24         | 22         | 38        | 69  | 10    |
| 17            | 24         | 22         | 38        | 71  | 10    |
| 18            | 26         | 23         | 38        | 83  | 10    |
| 19            | 28         | 24         | 38        | 82  | 10    |
| 20            | 28.7       | 24         | 38        | 83  | 10    |
| 21            | 30         | 24         | 38        | 85  | 10    |
| 22            | 32         | 26         | 39        | 100 | 10    |
| 24            | 34         | 28         | 40        | 110 | 10    |
| 27            | 38         | 29         | 42        | 150 | 10    |
| 30            | 42         | 28.9       | 45        | 180 | 10    |
| 32            | 43.7       | 29.8       | 45        | 195 | 10    |

### PROFILE OF SURFACE DRIVE SOCKET



The SURFACE DRIVE SOCKET is designed to improve fastener face with flat sides of nut. To distribute superb torque and protect weaker corner nuts.

Sizes are including Mertic and Inch, suitable for polished nuts, aluminum nuts and any hexagon nuts, even rounded heads nuts can be tightened or loosened by the SURFACE DRIVE SOCKET.


### PROFILE OF SURFACE DRIVE SOCKET



The SPLINE DRIVE SOCKET is designed by standard of MS-33787 and MIL-W-8982.

In the beginning, SPLINE SHAFT is designed in professional parts of vehicle, equipment and military. And recently years widely used in safety nut and multi-shape nuts such as 6-points, 12points, square, SPLINE, XZN and E-STAR...etc.

Can Be Used In:



50% ROUNDED OFF




## SPLINE DRIVE SOCKET-GO THRU TYPE

VASOS SPLINE DRIVE-GO THRU TYPE

DOUILLES SURFACE DRIVE-GO THRU TYPE

史普來 多用途套筒-GO THRU TYPE系統



### H3P00



HEX DRIVE 19mm

### H4P00



HEX DRIVE 22mm

| H3P00M<br>(mm/inch) | D1<br>(mm) | H<br>(mm) | L<br>(mm) |  |  |
|---------------------|------------|-----------|-----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 8                   | 5/16"      | 13.7      | 19        | 30                                                                                | 44                                                                                |
| 10                  | 3/8"       | 16        | 19        | 30                                                                                | 40                                                                                |
| 11                  | 7/16"      | 16.6      | 19        | 30                                                                                | 38                                                                                |
| 12                  | 15/32"     | 17.6      | 19        | 30                                                                                | 38                                                                                |
| 13                  | 1/2"       | 18.6      | 19        | 30                                                                                | 36                                                                                |
| 14                  | 9/16"      | 20        | 19        | 30                                                                                | 34                                                                                |
| 15                  | 19/32"     | 21        | 19        | 30                                                                                | 32                                                                                |
| 16                  | 5/8"       | 23.7      | 19        | 30                                                                                | 38                                                                                |
| 17                  | 11/16"     | 23.7      | 19        | 30                                                                                | 30                                                                                |
| 18                  | 23/32"     | 25.7      | 19        | 30                                                                                | 36                                                                                |
| 19                  | 3/4"       | 25.7      | 19        | 30                                                                                | 32                                                                                |

| H4P00M<br>(mm/inch) | D1<br>(mm) | H<br>(mm) | L<br>(mm) |  |  |
|---------------------|------------|-----------|-----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 19                  | 3/4"       | 26.6      | 22        | 38                                                                                  | 54                                                                                  |
| 20                  | 25/32"     | 29.8      | 22        | 38                                                                                  | 72                                                                                  |
| 21                  | 13/16"     | 29.8      | 22        | 38                                                                                  | 68                                                                                  |
| 22                  | 7/8"       | 29.8      | 22        | 38                                                                                  | 64                                                                                  |
| 23                  | 29/32"     | 31.8      | 22        | 38                                                                                  | 76                                                                                  |
| 24                  | 15/64"     | 31.8      | 22        | 38                                                                                  | 72                                                                                  |
| 25                  | 1"         | 33.8      | 22        | 38                                                                                  | 74                                                                                  |

## SPLINE DRIVE GO THRU TYPE SOCKET SET

JUEGO DE LLAVES VASOS DE SPLINE

COFFRET DOUILLES OUTILLES EN SPLINE

史普來 多用途套筒組-GO THRU TYPE系統

### H3P615



| 15PCS                                                                                                                                                                                                           | H3P615 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| H3P00: 8(5/16"), 10(3/8"), 11(7/16"), 12(15/32"), 13(1/2"), 14(9/16"), 15(19/32"), 16(5/8"), 17(11/16"), 18(23/32")                                                                                             |        |
| RATCHET HANDLE 19mm HEX  x193mmL.                                                                                            |        |
| EXTENSION BAR 39mm HEX  x19mmHEX  x75mmL. |        |
| ADAPTOR 3/8"  x19mmHEX                    |        |
| SOCKET ADAPTOR 3/8"  , SQUARE x19mm HEX   |        |


### H4P611



| 11PCS                                                                                                                                                                                                               | H4P611 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| H4P00: 19(3/4"), 20(25/32"), 21(13/16"), 22(7/8"), 23(29/32"), 24(15/16"), 25(1")                                                                                                                                   |        |
| RATCHET HANDLE 22mm HEX  x260mmL.                                                                                              |        |
| EXTENSION BAR 22mm HEX  x22mmHEX  x75mmL. |        |
| ADAPTOR 1/2"  x22mmHEX                    |        |
| SOCKET ADAPTOR 1/2" SQUARE  x22mm HEX     |        |



Can Be Used In:



## 1/2" DR. E-STAR SOCKET

VASOS E-STAR 1/2" DR.


DOUILLES ÉTOILE 1/2"

星型E套筒 1/2" DR.

★ **4410**



"FOR EXTERNAL STAR SCREW"



| 4410<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|--------------|------------|------------|-----------|-----|-------|
| E8           | 11.5       | 22         | 38        | 50  | 10    |
| E10          | 13.2       | 22         | 38        | 50  | 10    |
| E11          | 13.8       | 22         | 38        | 50  | 10    |
| E12          | 15         | 22         | 38        | 55  | 10    |
| E14          | 16.5       | 22         | 38        | 55  | 10    |
| E16          | 19         | 22         | 38        | 55  | 10    |
| E18          | 24         | 22.5       | 38        | 75  | 10    |
| E20          | 26         | 24         | 38        | 90  | 10    |
| E22          | 26         | 24         | 38        | 90  | 10    |
| E24          | 28         | 25         | 38        | 100 | 10    |

## 1/2" DR. E-STAR DEEP SOCKET

VASOS LARGO E-STAR


DOUILLES LONGUES ÉTOILE

星型長E套筒

★ **4310**



"FOR EXTERNAL STAR SCREW"



| 4310<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|--------------|------------|------------|-----------|-----|-------|
| E8           | 11.5       | 22         | 76        | 90  | 10    |
| E10          | 13.2       | 22         | 76        | 90  | 10    |
| E11          | 13.8       | 22         | 76        | 90  | 10    |
| E12          | 15         | 22         | 76        | 90  | 10    |
| E14          | 16.5       | 22         | 76        | 90  | 10    |
| E16          | 19         | 22         | 76        | 110 | 10    |
| E18          | 21         | 22         | 76        | 125 | 10    |
| E20          | 26         | 22.5       | 76        | 155 | 10    |
| E22          | 26         | 24         | 76        | 180 | 10    |
| E24          | 28         | 25         | 76        | 215 | 10    |

## RIBE SOCKET

VASOS RIBE DRIVE


DOUILLES RIBE DRIVE

RIBE套筒

For TOYOTA, Nissan, Renault

For clutches, cylinder heads and balance shaft fixings

★ **4490M**




| 4490<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|--------------|------------|------------|-----------|-----|-------|
| M6S          | 22         | 23.7       | 38        | 72  | 10    |
| M8S          | 22         | 23.7       | 38        | 72  | 10    |
| M12S         | 22         | 23.7       | 38        | 72  | 10    |

## RIBE SOCKET

For TOYOTA ALTIS PULLEY

★ **4490M10SH**



| 4490M10SH<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|-------------------|------------|------------|-----------|-----|-------|
| M10S              | 19         | HEX.21mm   | 33.8      | 16  | 10    |

## E-STAR EXTRA DEEP SOCKET

★ **4311E**



| 4311E<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| E10           | 12.7       | 24         | 140       | 175 | 10    |
| E12           | 16.5       | 24         | 140       | 252 | 10    |
| E14           | 18.0       | 24         | 140       | 256 | 10    |
| E16           | 20.0       | 24         | 140       | 326 | 10    |
| E18           | 22.0       | 24         | 140       | 332 | 10    |
| E20           | 24.0       | 24         | 140       | 360 | 10    |



**RIBE BOLT**



**E-STAR BOLT**

**RIBE:** STANDARD BY COMPANY OF RICHARD BERGNER  
GMBH & CO. KG, SCHWABACH, GERMANY

**E-STAR:** STANDARD BY COMPANY OF ACUMENT  
INTELLECTUAL PROPERTIES, LLC. USA.





## SPARK PLUG SOCKET

VASOS PARA BUJÍAS

DOUILLES DE BOUGIE D'ALLUMAGE

火星塞套筒



**4305**  
 6-POINT


RUBBER



**4306**  
 12-POINT


**4305**  
 6-POINT


RUBBER



**4306**  
 12-POINT


| 4305M<br>4306M<br>(mm) | 4305A<br>4306A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|-----------|-----------|-----|-------|
| 20.8                   | 13/16                    | 28        | 65        | 130 | 10    |

| 4305M<br>4306M<br>(mm) | 4305A<br>4306A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|-----------|-----------|-----|-------|
| 14                     |                          | 18.9      | 67        | 95  | 10    |
| 16                     | 5/8                      | 22        | 65        | 98  | 10    |

## MAGNETIC SPARK PLUG SOCKET

磁吸火星塞套筒


**4335M**  
 6-POINT


**4336M**  
 12-POINT


MAGNET



| 4335M<br>4336M<br>(mm) | 4335A<br>4336A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|-----------|-----------|-----|-------|
| 18                     |                          | 23.9      | 70        | 130 | 10    |
| 20.8                   | 13/16                    | 26.9      | 70        | 130 | 10    |

## MAGNETIC SPARK PLUG SOCKET

磁吸火星塞套筒


**4335FRT**  
**4335M**  
**4335MK**  
 6-POINT


MAGNET



**4336M**  
 12-POINT


## SPRING SPARK PLUG SOCKET

彈簧火星塞套筒



**4355M**  
 6-POINT


**4356M**  
 12-POINT

CLIP



| 4355M<br>4356M<br>(mm) | 4355A<br>4356A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|-----------|-----------|-----|-------|
| 18                     |                          | 23.9      | 70        | 130 | 10    |
| 20.8                   | 13/16                    | 26.9      | 70        | 130 | 10    |

| 4335M<br>4336M<br>(mm) | 4335A<br>4336A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|-----------|-----------|-----|-------|
| 14                     |                          | 18.9      | 70        | 100 | 10    |
| 4335FRT                |                          |           |           |     |       |
| 16                     | 5/8                      | 20.9      | 70        | 88  | 10    |
| 4335MK16               |                          | 19.9      | 70        | 80  | 10    |

\*4335 FRT 14 IS FOR FIAT, RENAULT NISSAN-TIIDA

## 6 PCS MAGNETIC SPARK PLUG SOCKET SET

VASOS MAGNÉTICOS PARA BUJÍAS DE 6 PIEZAS

ENSEMBLE DE DOUILLES MAGNETIQUE DE

BOUGIE D'ALLUMAGE

1/2" 6件磁吸火星塞套筒組

| 6PCS   | 46335-6             |
|--------|---------------------|
| 4335M  | 14, 16, 18, 20.8 mm |
| 4335MK | 16 mm               |
| 900    | FEELER GAUGE        |

BLOW CASE:GW=16 KGS

= 20 SET/ 1.13'



## SPRING SPARK PLUG SOCKET

彈簧火星塞套筒



**4355M**  
 6-POINT



**4356M**  
 12-POINT

CLIP



| 4355M<br>4356M<br>(mm) | 4355A<br>4356A<br>(inch) | D<br>(mm) | L<br>(mm) | (g) | (pcs) |
|------------------------|--------------------------|-----------|-----------|-----|-------|
| 14                     |                          | 18.9      | 70        | 100 | 10    |
| 4355FRT                |                          |           |           |     |       |
| 16                     | 5/8                      | 20.9      | 70        | 88  | 10    |
| 4355MK16               |                          | 19.9      | 70        | 80  | 10    |





## BIT SOCKET

VASOS DESTORNILLADORES PARA TORNILLOS

DOUILLES TOURNEVIS

套筒起子

### 4011M/A SLOTTED



DIN ISO 2380-1


| 4011M<br>(mm) | 4011A<br>(inch) | TxW<br>(mm) | Length<br>(mm) | (g) | (PCS) |
|---------------|-----------------|-------------|----------------|-----|-------|
| 13            | 1/2"            | 2x13        | 38             | 64  | 10    |
| 19            | 3/4"            | 3x19        | 38             | 70  | 10    |
| 24            | 15/16"          | 4x24        | 38             | 74  | 10    |

### 4014 STAR



| 4014 | Length<br>(mm) | (g) | (PCS) |
|------|----------------|-----|-------|
| T15  | 37             | 50  | 10    |
| T20  | 37             | 54  | 10    |
| T25  | 37             | 54  | 10    |
| T27  | 37             | 54  | 10    |
| T30  | 37             | 54  | 10    |
| T40  | 37             | 56  | 10    |
| T45  | 37             | 58  | 10    |
| T47  | 37             | 58  | 10    |


### 4016-2 /-3MB/AB HEX



DIN 7422

| 4016MB<br>(mm) | 4016AB<br>(inch) | D<br>(mm) | 4016-2<br>L 60mm | 4016-3<br>L 75mm | (PCS) |
|----------------|------------------|-----------|------------------|------------------|-------|
| 4              | 5/32             | 22        | 50 (g)           | 52 (g)           | 10    |
| 5              | 3/16             | 22        | 56 (g)           | 58 (g)           | 10    |
| 6              | 7/32             | 22        | 58 (g)           | 62 (g)           | 10    |
|                | 1/4              | 22        | 61 (g)           | 64 (g)           | 10    |
| 7              | 9/32             | 22        | 65 (g)           | 70 (g)           | 10    |
| 8              | 5/16             | 22        | 69 (g)           | 74 (g)           | 10    |
| 9              | 11/32            | 22        | 75 (g)           | 88 (g)           | 10    |
| 10             | 3/8              | 22        | 79 (g)           | 95 (g)           | 10    |
| 11             | 7/16             | 24        | 101 (g)          | 119 (g)          | 10    |
| 12             |                  | 24        | 108 (g)          | 125 (g)          | 10    |
| 13             | 1/2              | 24        | 112 (g)          | 139 (g)          | 10    |
| 14             | 9/16             | 24        | 123 (g)          | 150 (g)          | 10    |
| 15             |                  | 24        | 126 (g)          | 151 (g)          | 10    |
| 16             | 5/8              | 24        | 135 (g)          | 175 (g)          | 10    |
| 17             | 11/16            | 24        | 142 (g)          | 185 (g)          | 10    |
| 18             |                  | 24        | 154 (g)          | 195 (g)          | 10    |
| 19             | 3/4              | 24        | 160 (g)          | 215 (g)          | 10    |

### 4012-2B PHILLIPS




### 4016M/A HEX



DIN 7422

| 4016M<br>(mm) | 4016A<br>(inch) | Length<br>(mm) | (g) | (PCS) |
|---------------|-----------------|----------------|-----|-------|
| 4             | 5/32"           | 38             | 60  | 10    |
| 5             | 3/16"           | 38             | 60  | 10    |
| 6             | 1/4"            | 38             | 62  | 10    |
| 7             | 9/32"           | 38             | 64  | 10    |
| 8             | 5/16"           | 38             | 64  | 10    |
| 10            | 3/8"            | 40             | 68  | 10    |
| 12            | 7/16"           | 40             | 72  | 10    |
| 14            | 9/16"           | 40             | 78  | 10    |
| 17            | 11/16"          | 42             | 116 | 10    |
| 19            | 3/4"            | 42             | 126 | 10    |

### 4014/4014-2/-3B "FOR INTERNAL STAR SCREW"



STAR



| 4014B | D<br>(mm) | 4014-2<br>L 60mm | 4014-3<br>L 75mm | (PCS) |
|-------|-----------|------------------|------------------|-------|
| T15   | 22        | 52 (g)           | 55 (g)           | 10    |
| T20   | 22        | 58 (g)           | 61 (g)           | 10    |
| T25   | 22        | 62 (g)           | 65 (g)           | 10    |
| T27   | 22        | 64 (g)           | 68 (g)           | 10    |
| T30   | 22        | 66 (g)           | 70 (g)           | 10    |
| T40   | 22        | 70 (g)           | 75 (g)           | 10    |
| T45   | 22        | 74 (g)           | 80 (g)           | 10    |
| T47   | 22        | 88 (g)           | 95 (g)           | 10    |
| T50   | 22        | 95 (g)           | 105 (g)          | 10    |
| T55   | 24        | 120 (g)          | 135 (g)          | 10    |
| T60   | 24        | 130 (g)          | 145 (g)          | 10    |
| T70   | 24        | 145 (g)          | 165 (g)          | 10    |
| T80   | 24        | 160 (g)          | 185 (g)          | 10    |

\*CHROM PLATING IS AVAILABLE

### 4011M/A-2MB SLOTTED



DIN ISO 2380-1

| 4011-2MB<br>(mm) | TxW<br>(mm) | D<br>(mm) | L<br>(mm) | (g) | (PCS) |
|------------------|-------------|-----------|-----------|-----|-------|
| 5                | 1.0x5.5     | 22        | 60        | 35  | 10    |
| 8                | 1.2x8       | 22        | 60        | 42  | 10    |
| 10               | 1.6x10      | 22        | 60        | 50  | 10    |

| 4012-2B | D<br>(mm) | L<br>(mm) | (g) | (PCS) |
|---------|-----------|-----------|-----|-------|
| PH 2    | 22        | 60        | 38  | 10    |
| PH 3    | 22        | 60        | 38  | 10    |
| PH 4    | 22        | 60        | 38  | 10    |

\*CHROM PLATING IS AVAILABLE



**INDUSTRIAL SOCKET -6POINT**


VASOS DE HEXAGONAL

DOUILLES 6 PANS

工業級套筒



**4408M/ 4408A**


**4308M/ 4308A**


| 4408M<br>(mm) | 4408A<br>(inch)                                                                         | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (9) | (PCS) |
|---------------|-----------------------------------------------------------------------------------------|------------|------------|-----------|-----|-------|
| 8             |  5/16  | 15         | 24         | 38        | 80  | 10    |
| 10            | 3/8                                                                                     | 17         | 24         | 38        | 80  | 10    |
| 11            | 7/16                                                                                    | 18         | 24         | 38        | 80  | 10    |
| 12            |                                                                                         | 19         | 24         | 38        | 80  | 10    |
| 13            | 1/2                                                                                     | 20         | 24         | 38        | 80  | 10    |
| 14            | 9/16                                                                                    | 22         | 24         | 38        | 80  | 10    |
| 15            |  19/32 | 24         | 24         | 38        | 80  | 10    |
| 16            | 5/8                                                                                     | 24         | 24         | 38        | 80  | 10    |
| 17            | 11/16                                                                                   | 26         | 26         | 38        | 95  | 10    |
| 18, 19        | 3/4                                                                                     | 28         | 28         | 38        | 110 | 10    |
| 20            |  25/32 | 30         | 30         | 38        | 115 | 10    |
| 21            | 13/16                                                                                   | 30         | 30         | 38        | 115 | 10    |
| 22            | 7/8                                                                                     | 32         | 32         | 40        | 140 | 10    |
| 23            |                                                                                         | 34         | 34         | 40        | 170 | 10    |
| 24            | 15/16                                                                                   | 34         | 34         | 40        | 170 | 10    |
| 25            | 1                                                                                       | 36         | 34         | 40        | 170 | 10    |
| 26            |                                                                                         | 36         | 34         | 40        | 170 | 8     |
| 27            | 1-1/16                                                                                  | 38         | 34         | 43        | 195 | 8     |
| 28            |                                                                                         | 40         | 34         | 43        | 220 | 8     |
| 29            | 1-1/8                                                                                   | 40         | 34         | 45        | 225 | 8     |
| 30            | 1-3/16                                                                                  | 42         | 36         | 45        | 250 | 8     |
| 32            | 1-1/4                                                                                   | 44         | 38         | 45        | 260 | 5     |


| 4308M<br>(mm)                                                                       | 4308A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (9) | (PCS) |
|-------------------------------------------------------------------------------------|-----------------|------------|------------|-----------|-----|-------|
|  8 | 5/16            | 15         | 24         | 76        | 110 | 10    |
| 10                                                                                  | 3/8             | 17         | 24         | 76        | 120 | 10    |
| 11                                                                                  | 7/16            | 18         | 24         | 76        | 120 | 10    |
| 12                                                                                  |                 | 19         | 24         | 76        | 125 | 10    |
| 13                                                                                  | 1/2             | 20         | 24         | 76        | 130 | 10    |
| 14                                                                                  | 9/16            | 22         | 24         | 76        | 140 | 10    |
| 15, 16                                                                              | 5/8             | 24         | 24         | 76        | 150 | 10    |
| 17                                                                                  | 11/16           | 26         | 26         | 76        | 170 | 10    |
| 18, 19                                                                              | 3/4             | 28         | 28         | 76        | 200 | 10    |
| 20, 21                                                                              | 13/16           | 30         | 30         | 76        | 235 | 10    |
| 22                                                                                  | 7/8             | 32         | 32         | 76        | 270 | 10    |
| 23, 24                                                                              | 15/16           | 34         | 34         | 76        | 270 | 10    |
| 27                                                                                  | 1-1/16          | 38         | 34         | 76        | 310 | 5     |
| 30                                                                                  | 1-3/16          | 40         | 36         | 76        | 330 | 5     |
| 32                                                                                  | 1-1/4           | 43         | 38         | 76        | 370 | 5     |

**E-STAR DEEP SOCKET**

VASOS LARGO E-STAR

DOUILLES LONGUES ÉTOILE

星型長E套筒


**4318**


"FOR EXTERNAL STAR SCREW"

| 4318 | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (9) | (PCS) |
|------|------------|------------|-----------|-----|-------|
| E8   | 11.5       | 22         | 76        | 90  | 10    |
| E10  | 13.2       | 22         | 76        | 90  | 10    |
| E11  | 13.8       | 22         | 76        | 90  | 10    |
| E12  | 15         | 22         | 76        | 90  | 10    |
| E14  | 16.5       | 22         | 76        | 90  | 10    |
| E16  | 19         | 22         | 76        | 110 | 10    |
| E18  | 24         | 22         | 76        | 125 | 10    |
| E20  | 26         | 22.5       | 76        | 125 | 10    |
| E22  | 26         | 24         | 76        | 180 | 10    |
| E24  | 28         | 25         | 76        | 215 | 10    |

**Durable Chr V. with Martensite  
in microscopy:**

Material steel for socket wrench spreads and organizes with "Martensite" enhance the strength of socket wrench by High-tech heat treatment process.


Martensite, named after the German metallurgist Adolf Martens (1850-1914), most commonly refers to a very hard form of steel crystalline structure, when viewed in cross section, the lenticular (lens-shaped) crystal grains may be incorrectly described as acicular (needle-shaped).

(Information from wikipedia.org)

Chr V.: Chromium Vanadium.



**3351-0022**   
**OFFSET OXYGEN SENSOR WRENCH**  
VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



**3351-VS22**   
**VACUUM SWITCH SOCKET**  
VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



**3351-OSU**   
**OIL SENSOR UNIT SOCKET**  
VASOS UNIDAD EMISORA DE PETROLEO  
DOUILLES HUILE EXPEDITEUR UNIEE  
含氧感知器拆卸套筒



**3351-OS22**   
**4351-OS22**   
**OFFSET OXYGEN SENSOR SOCKET**  
VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



**4351-HO22**   
**HEATED OXYGEN SENSOR SOCKET**  
VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



**4351-OS20/27**   
**OFFSET OXYGEN SENSOR WRENCH**  
VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒




**4351-VS22**  
**4351-VS29**   
**VACUUM SWITCH SOCKET 6PT**  
VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



**4351-IS28**   
**INJECTOR SOCKET 6PT**  
VASOS DE INYECTOR  
DOUILLES POUR INJECTEURS  
柴油噴油嘴套筒



**4351-ISL22**   
**INJECTOR SOCKET 6PT**  
VASOS DE INYECTOR  
DOUILLES POUR INJECTEURS  
柴油噴油嘴套筒



**34351-7M**    
**OXYGEN SENSOR SOCKET WRENCH SET**  
JUEGO DE VASOS DE SONDAS LAMBDA  
COFFRET DE DOUILLES SOND LAMDA  
7件含氧感知器拆卸套筒組



BLOW CASE: 230x210x60mm  
12SETS/ GW=25KGS =1.3'  
\* Please Refer 4351-14M for Applying.

**4351-6M**   
**6PCS DIESEL INJECTION SOCKET WRENCH SET**  
JUEGO DE RASOS DE INYECTOR  
COFFRET DE DOUILLES POUR INJECTURS DIESEL PILOTES  
6件柴油噴油嘴套筒組



BLOW CASE: 230x190x60mm  
10SETS/ GW=18.5KGS =1.1'  
\* Please Refer 4351-14M for Applying.

| 34351-7M(7PCS) |                         |
|----------------|-------------------------|
| 4351-VS29      | M29x90mmL(6pt)          |
| 3351-OS22      | 7/8"(M22)x90mmL(6pt)    |
| 4352-IS27      | M27x78mmL(12pt)         |
| 3351-VS22      | 7/8"(M22)x80mmL(6pt)    |
| 3351-OSU       | 1" & 1-1/16"x74mmL(6pt) |
| 4351-HO22      | 7/8"(M22)x50mmL(6pt)    |
| 3351-0022      | 7/8"(M22)x30mmL(6pt)    |

Suitable for removal or replacement most heated or non-heated oxygen sensor on most modren vehides: AUDI, BMW, CITROEN, MERCEDES, PEUGEOT, RENAULT, SKODA, Vauxhall, OPEL & VW,

| 4351-6M(6PCS) |                 |
|---------------|-----------------|
| 4352-IS28     | M28x78mmL(12pt) |
| 4351-IS28     | M28x83mmL(6pt)  |
| 4352-IS22     | M22x78mmL(12pt) |
| 4352-IS27     | M27x78mmL(12pt) |
| 4352-IS21     | M21x90mmL(12pt) |
| 4351-ISL22    | M22x110mmL(6pt) |

Suitable for ALFA ROMEO, BMW, CHRYSLER, FORD, MERCEDES, PEUGEOT ROVER, SEAT, Vauxhall and VOLVO. Including FORD duratorq engine, V/M engine etc.



### 4352-IS21 1/2"

#### INJECTOR SOCKET 12PT

VASOS DE INYECTOR  
DOUILLES POUR INJECTEURS DIESEL PILOTES  
柴油噴油嘴套筒



[g] = 275g  
= 12pcs

M21x90mmL.(12PT)

### 4352-IS22 1/2"

#### INJECTOR SOCKET 12PT

VASOS DE INYECTOR  
DOUILLES POUR INJECTEURS DIESEL PILOTES  
柴油噴油嘴套筒



[g] = 195g  
= 12pcs

M22x78mmL.(12PT)

### 4352-IS27 1/2"

#### INJECTOR SOCKET 12PT

VASOS DE INYECTOR  
DOUILLES POUR INJECTEURS DIESEL PILOTES  
柴油噴油嘴套筒



[g] = 195g  
= 12pcs

M27x78mmL.(12PT)

### 4352-IS28 1/2"

#### INJECTOR SOCKET 12PT

VASOS DE INYECTOR  
DOUILLES POUR INJECTEURS  
柴油噴油嘴套筒



[g] = 290g  
= 6pcs

M28x78mmL.(12PT)

### 4352-OS17/19/22 1/2"

#### OFFSET OXYGEN SENSOR WRENCH

VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



M17x78mmL.(12PT) = 145g  
M19x78mmL.(12PT) [g] = 155g  
M22x78mmL.(12PT) = 210g  
= 12pcs

### 4352-OS30 1/2"

#### OFFSET OXYGEN SENSOR WRENCH

VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



[g] = 290g  
= 6pcs

M30x78mmL.(12PT)

### 4352-ISL22 1/2"

#### INJECTOR SOCKET 12PT

VASOS DE INYECTOR  
DOUILLES POUR INJECTEURS  
柴油噴油嘴套筒



[g] = 190g  
= 6pcs

M22x110mmL.(12PT)

### 4352-OSL27 1/2"

#### OFFSET OXYGEN SENSOR WRENCH

VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



[g] = 340g  
= 6pcs

M27x110mmL.(12PT)

### 4352-OSL22 1/2"

#### OFFSET OXYGEN SENSOR WRENCH

VASOS DE SONDAS LAMBDA  
DOUILLES POUR SONDAS LAMBDA  
含氧感知器拆卸套筒



[g] = 355g  
= 6pcs

M22x150mmL.(12PT)

| 14PCS                                             | 4351-14M                         |                                                                              |
|---------------------------------------------------|----------------------------------|------------------------------------------------------------------------------|
| ITEM NO.                                          | SIZE                             | FOR VEHICLES                                                                 |
| 4352-OS17                                         | M17x78mmL.(12PT)                 | RENAULT.                                                                     |
| 4352-OS19                                         | M19x78mmL.(12PT)                 | VW POLO,AUDI,SEAT,MAZDA.                                                     |
| 4351-OS20                                         | M20x78mmL.(6PT)                  | ABIERTU JAPAN.                                                               |
| 4351-OS27                                         | M27x78mmL.(6PT)                  | ABIERTU JAPAN.                                                               |
| 4352-IS21                                         | M21x90mmL.(12PT)                 | SAET,AUDI,VW,SKODA,ALFAROMEIO,MITSUBISHI.                                    |
| 4352-OS22                                         | M22x78mmL.(12PT)                 | SEAT,AUDI,VW,SKODA,OPEL.                                                     |
| 4352-ISL22                                        | M22x110mmL.(12PT)                | MERCEDES,CITROEN,PEUGEOT,FORD,NISSAN,<br>MAZDA,MITSUBISHI,SEAT,AUDI,VW,ETC.  |
| 4352-IS27                                         | M27x78mmL.(12PT)                 | SEAT,AUDI,VW,SKODA,BMW,MERCEDES,OPEL<br>FORD,NISSAN,MITSUBISHI,LIN COLN(USE) |
| 4352-OSL27                                        | M27x110mmL.(12PT)                | CITROEN,PEUGEOT,SISTEN LVCAS.                                                |
| 4352-IS28                                         | M28x78mmL.(12PT)                 | ALFA ROMEO,ROVER,OPEL.                                                       |
| 4352-OS30                                         | M30x78mmL.(12PT)                 | MERCEDES                                                                     |
| 4352-OSL22                                        | M22x150mmL.(12PT)                | BMW                                                                          |
| 3351-OO22                                         | 7/8" OFFSET OXYGEN SENSOR SOCKET |                                                                              |
| 4351-HO22                                         | 7/8" HEATED OXYGEN SENSOR SOCKET |                                                                              |
| BLOW CASE: 480x195x55mm 4SETS/GW:17KGS [g] = 0.9' |                                  |                                                                              |

### 4351-14M 1/2"

#### OXYGEN SENSOR SOCKET WRENCH SET

JUEGO DE VASOS DE SONDAS LAMBDA  
COFFRET DE DOUILLES SOND LAMDA  
14件含氧感知器拆卸套筒組




### LOCK-NUT REMOVER SOCKET

VASOS REMOVER LA TUERCA DE BLOQUEO

DOUILLES POUE LOCK-REMOVER ÉCROU

螺栓套筒

#### 4910M/A



#### 46491/46497

### LOCK-NUT REMOVER SOCKET SET

輪圈螺絲套筒組

#### 46491



| ITEM No. | 4910M/A                            |
|----------|------------------------------------|
| 46491    | 1", 13/16 2PCS                     |
| 46497    | 17, 18.5, 20, 21.5, 23, 24.5, 26mm |

BLISTER CARD:GW21.8KGS/72SET

#### 46497



#### 4390M/ 4390A

### 1/2" Dr. STUD PULLER SOCKET

VASOS PARA TORNILLO

DOUILLES GOIJONS OUTILS

1/2" Dr. 螺栓套筒



#### 4391M/ 4391A

### 1/2" Dr. STUD PULLER SOCKET SET

1/2" Dr. 4PCS 螺栓套筒組



| 4390M (mm) | 4390A (inch) | D1 (mm) | D2 (mm) | L (mm) | (9) | (PCS) |
|------------|--------------|---------|---------|--------|-----|-------|
| 6          | 1/4          | 21      | 24      | 60     | 120 | 10    |
| 8          | 5/16         | 21      | 24      | 61     | 120 | 10    |
| 10         | 3/8          | 21      | 28      | 69     | 180 | 10    |
| 12         | 7/16         | 21      | 28      | 69     | 180 | 10    |
| 14         | 9/16         | 21      | 30      | 69     | 220 | 10    |
| 16         | 5/8          | 21      | 30      | 69     | 220 | 10    |

| 4PCS    | 4391M/A                         |
|---------|---------------------------------|
| 4390M/A | 6,8,10,12mm (1/4,5/16,3/8,7/16) |

BLOW CARD: 230x120x43 20SETS/ 15.5 KGS/ 0.9'

### NOZZLE HOLDER SOCKET


VASO DE LA TUERCA PRENSORA EN EL SOPORTE DE LA TOBERA

DOUILLES LÉCROU DE PRESSION SUR LE PORTE-INJECTEURS

專業噴油口套筒

※ FOR MAN MERCEDES-BENZ ※

#### 4341



L:72 mm (9): 158 10PCS

#### 4342

NEW



L:70mm

#### 4343

NEW



L:123 mm



## BIT SOCKET

VASOS DESTORNILLADORES PARA TORNILLOS  
DOUILLES TOURNEVIS  
套筒起子


### 4021M SLOTTED 4021A



DIN ISO 2380-1

| 4021M<br>(mm) | 4021A<br>(inch) | T×W<br>(mm) | Length<br>(mm) | (g) | (pcs) |
|---------------|-----------------|-------------|----------------|-----|-------|
| 8             | 5/16            | 1.2x8       | 55             | 70  | 10    |
| 9             | 11/32           | 1.6x9       | 55             | 70  | 10    |
| 10            | 3/8             | 1.6x10      | 55             | 70  | 10    |
| 11            | 7/16            | 1.8x11      | 55             | 92  | 10    |
| 12            | 1/2             | 2.0x12      | 55             | 92  | 10    |
| 14            | 9/16            | 2.5x14      | 55             | 112 | 10    |
| 16            | 5/8             | 2.5x16      | 55             | 112 | 10    |

### 4024 STAR 4024-4/-6/-8



| 4024 | 4024   |                                                                                     | 4024-4     | 4024-6     | NEW<br>4024-8 | <br>(pcs) |
|------|--------|-------------------------------------------------------------------------------------|------------|------------|---------------|----------------------------------------------------------------------------------------------|
|      | (L:mm) |  | (L: 100mm) | (L: 140mm) | (L: 200mm)    |                                                                                              |
| T20  | 55     | 65                                                                                  | 110(g)     | 150(g)     | 164(g)        | 10                                                                                           |
| T25  | 55     | 65                                                                                  | 110(g)     | 150(g)     | 164(g)        | 10                                                                                           |
| T27  | 55     | 65                                                                                  | 110(g)     | 150(g)     | 164(g)        | 10                                                                                           |
| T30  | 55     | 65                                                                                  | 110(g)     | 150(g)     | 164(g)        | 10                                                                                           |
| T35  | 55     | 65                                                                                  | 110(g)     | 150(g)     | 164(g)        | 10                                                                                           |
| T40  | 55     | 65                                                                                  | 110(g)     | 150(g)     | 164(g)        | 10                                                                                           |
| T45  | 55     | 70                                                                                  | 115(g)     | 160(g)     | 166(g)        | 10                                                                                           |
| T47  | 55     | 70                                                                                  | 115(g)     | 160(g)     | 168(g)        | 10                                                                                           |
| T50  | 55     | 70                                                                                  | 115(g)     | 160(g)     | 168(g)        | 10                                                                                           |
| T55  | 55     | 70                                                                                  | 120(g)     | 165(g)     | 170(g)        | 10                                                                                           |
| T60  | 55     | 100                                                                                 | 160(g)     | 210(g)     | 298(g)        | 10                                                                                           |
| T65  | 55     | 110                                                                                 | 170(g)     | 220(g)     | 300(g)        | 10                                                                                           |
| T70  | 55     | 120                                                                                 | 180(g)     | 230(g)     | 300(g)        | 10                                                                                           |
| T80  | 70     | 204                                                                                 | 260(g)     | 310(g)     | 380(g)        | 10                                                                                           |
| T90  | 70     | 210                                                                                 | 320(g)     | 400(g)     | 470(g)        | 10                                                                                           |
| T100 | 70     | 230                                                                                 | 380(g)     | 460(g)     | 530(g)        | 10                                                                                           |

### 4022 PHILLIPS



DIN ISO 8764-1

| 4022<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|---------------|----------------|-----|-------|
| PH2           | 55             | 65  | 10    |
| PH3           | 55             | 65  | 10    |
| PH4           | 55             | 70  | 10    |


### 4023 POZIDRIV



DIN ISO 8764-1PZ

| 4023<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|---------------|----------------|-----|-------|
| PZ2           | 55             | 65  | 10    |
| PZ3           | 55             | 65  | 10    |
| PZ4           | 55             | 70  | 10    |

### 4025 HOLEY STAR 4025-4





| 4025 | 4025   |                                                                                       | 4025-4 |                                                                                       | <br>(pcs) |
|------|--------|---------------------------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|      | (L mm) |  | (L mm) |  |                                                                                                |
| TH20 | 55     | 64                                                                                    | 100    | 110                                                                                   | 10                                                                                             |
| TH25 | 55     | 64                                                                                    | 100    | 110                                                                                   | 10                                                                                             |
| TH27 | 55     | 64                                                                                    | 100    | 110                                                                                   | 10                                                                                             |
| TH30 | 55     | 64                                                                                    | 100    | 110                                                                                   | 10                                                                                             |
| TH40 | 55     | 64                                                                                    | 100    | 110                                                                                   | 10                                                                                             |
| TH45 | 55     | 67                                                                                    | 100    | 115                                                                                   | 10                                                                                             |
| TH47 | 55     | 67                                                                                    | 100    | 115                                                                                   | 10                                                                                             |
| TH50 | 55     | 67                                                                                    | 100    | 115                                                                                   | 10                                                                                             |
| TH55 | 55     | 98                                                                                    | 100    | 120                                                                                   | 10                                                                                             |
| TH60 | 55     | 100                                                                                   | 100    | 160                                                                                   | 10                                                                                             |
| TH70 | 55     | 115                                                                                   | 100    | 180                                                                                   | 10                                                                                             |
| TH80 | 70     | 195                                                                                   | 100    | 260                                                                                   | 10                                                                                             |



## VIGOR STAR BIT SOCKET

- ★ VIGOR STAR BIT 20% STRONGER
- ★ DURABLE
- ★ FITTING PERFECTLY






## BIT SOCKET

VASOS DESTORNILLADORES PARA TORNILLOS  
DOUILLES TOURNEVIS  
套筒起子

**4026RN HEX RING**


DIN 7422

| 4026RN<br>(No.) | Length<br>(mm) | (g) | (pcs) |
|-----------------|----------------|-----|-------|
| 3               | 55             | 43  | 10    |
| 4               | 55             | 45  | 10    |
| 5               | 55             | 50  | 10    |
| 6               | 55             | 50  | 10    |
| 7               | 55             | 50  | 10    |
| 8               | 55             | 62  | 10    |
| 10              | 55             | 75  | 10    |
| 12              | 55             | 95  | 10    |

**4027 WOBBLE HEX BIT**  
**4027-4/-6/-10**


| 4027<br>(mm) | 4027-4<br>(L: 100mm) | 4027-6<br>(L: 150mm) | 4027-10<br>(L: 200mm) | (pcs) |
|--------------|----------------------|----------------------|-----------------------|-------|
| 5            | 80(g)                | 125(g)               | 220(g)                | 10    |
| 6            | 80(g)                | 125(g)               | 220(g)                | 10    |
| NEW 7        | 90(g)                | 125(g)               | 225(g)                | 10    |
| 8            | 90(g)                | 125(g)               | 225(g)                | 10    |
| 10           | 128(g)               | 130(g)               | 235(g)                | 10    |
| NEW 12       | 150(g)               | 200(g)               | 260(g)                | 5     |
| NEW 14       | 180(g)               | 230(g)               | 290(g)                | 5     |

**HOLEY XZN BIT SOCKET MH16 60mmL**

VASOS DESTORNILLADORES-XZN  
DOUILLES TOURNEVIS À DENTURE MULTIPLE XZN  
12角沉孔套筒起子


(FOR AUDI A4 OIL RELEASE BOLT)

**4028MH16**

| 4028H | Length<br>(mm) | (g) | (pcs) |
|-------|----------------|-----|-------|
| 16    | 60             | 142 | 10    |
| 18    | 60             | 148 | 10    |


**4032 PENTAGONS**


| 4032 | Length<br>(mm) | (g) | (pcs) |
|------|----------------|-----|-------|
| 10   | 60             | 85  | 10    |

**4026 HEX**  
**4026/-4/-6 M/A**


DIN 7422

| 4026M<br>(mm)                                                                        | 4026A<br>(inch) | 4026<br>(L:mm)  |     | 4026-4<br>(L: 100mm) | 4026-6<br>(L: 150mm) | <br>(pcs) |
|--------------------------------------------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------------|-----|----------------------|----------------------|----------------------------------------------------------------------------------------------|
| 4                                                                                    | 5/32            | 55                                                                                                 | 65  | 105(g)               | 145(g)               | 10                                                                                           |
| 5                                                                                    | 3/16            | 55                                                                                                 | 65  | 105(g)               | 145(g)               | 10                                                                                           |
|  6  | 7/32            | 55                                                                                                 | 65  | 105(g)               | 145(g)               | 10                                                                                           |
| 7                                                                                    | 1/4             | 55                                                                                                 | 65  | 105(g)               | 145(g)               | 10                                                                                           |
| 8                                                                                    | 9/32            | 55                                                                                                 | 70  | 105(g)               | 145(g)               | 10                                                                                           |
| 9                                                                                    | 5/16            | 55                                                                                                 | 70  | 105(g)               | 145(g)               | 10                                                                                           |
| 10                                                                                   | 11/32           | 55                                                                                                 | 75  | 110(g)               | 150(g)               | 10                                                                                           |
| 11                                                                                   | 3/8             | 55                                                                                                 | 94  | 110(g)               | 150(g)               | 10                                                                                           |
|  12 | 7/16            | 55                                                                                                 | 98  | 130(g)               | 175(g)               | 10                                                                                           |
| 14                                                                                   | 1/2             | 55                                                                                                 | 102 | 150(g)               | 200(g)               | 10                                                                                           |
| 17                                                                                   | 9/16            | 65                                                                                                 | 166 | 180(g)               | 230(g)               | 10                                                                                           |
| 19                                                                                   | 11/16           | 70                                                                                                 | 212 | 250(g)               | 260(g)               | 10                                                                                           |
| NEW 19                                                                               | 3/4             | 70                                                                                                 | 252 | 250(g)               | 290(g)               | 10                                                                                           |

**4028 XZN 12PT**  
**4028-4/ -6/ -8**


| 4028 | 4028<br>(L:55mm) | 4028-4<br>(L: 100mm) | 4028-6<br>(L: 150mm) | 4028-8<br>(L: 200mm) | (pcs) |
|------|------------------|----------------------|----------------------|----------------------|-------|
| M3   | 65(g)            | 105(g)               | 150(g)               | 164(g)               | 10    |
| M4   | 65(g)            | 105(g)               | 150(g)               | 164(g)               | 10    |
| M5   | 65(g)            | 115(g)               | 160(g)               | 164(g)               | 10    |
| M6   | 70(g)            | 115(g)               | 160(g)               | 164(g)               | 10    |
| M7   | 70(g)            | 115(g)               | 160(g)               | 164(g)               | 10    |
| M8   | 70(g)            | 115(g)               | 160(g)               | 164(g)               | 10    |
| M9   | 75(g)            | 120(g)               | 165(g)               | 170(g)               | 10    |
| M10  | 92(g)            | 120(g)               | 165(g)               | 170(g)               | 10    |
| M12  | 100(g)           | 160(g)               | 200(g)               | 298(g)               | 10    |
| M14  | 120(g)           | 180(g)               | 230(g)               | 300(g)               | 10    |
| M16  | 142(g)           | 240(g)               | 260(g)               | 380(g)               | 10    |
| M18  | 230(g)           | 250(g)               | 290(g)               | 470(g)               | 10    |

**4020M5/ M55**

**WHEEL BEARING HOUSING BIT SOCKET**  
(FOR VW, AUDI, SEAT, CITROEN, FORD, RENAULT, SKODA, PEUGEOT)  
車輪軸承座套筒起子




| 4020M   | Length<br>(mm) | (g) | (pcs) |
|---------|----------------|-----|-------|
| 5x7mm   | 55             | 110 | 10    |
| 5.5x8mm | 55             | 110 | 10    |



## BIT SOCKET

VASOS DESTORNILLADORES PARA TORNILLOS  
DOUILLES TOURNEVIS  
套筒起子

### 4029/-4 RIBE 4029/-4/-6/-8



| 4029 | 4029<br>(L:60mm) | 4029-4<br>(L: 100mm) | 4029-6<br>(L: 150mm) | 4029-8<br>(L: 200mm) | (pcs) |
|------|------------------|----------------------|----------------------|----------------------|-------|
| M4   | 65(g)            | 110(g)               | 126(g)               | 160(g)               | 10    |
| M5   | 65(g)            | 110(g)               | 126(g)               | 160(g)               | 10    |
| M6   | 70(g)            | 115(g)               | 131(g)               | 164(g)               | 10    |
| M7   | 70(g)            | 115(g)               | 131(g)               | 164(g)               | 10    |
| M8   | 70(g)            | 115(g)               | 131(g)               | 164(g)               | 10    |
| M9   | 85(g)            | 118(g)               | 134(g)               | 166(g)               | 10    |
| M10  | 92(g)            | 120(g)               | 136(g)               | 168(g)               | 10    |
| M11  | 95(g)            | 140(g)               | 188(g)               | 230(g)               | 10    |
| M12  | 100(g)           | 160(g)               | 200(g)               | 236(g)               | 10    |
| M13  | 110(g)           | 170(g)               | 230(g)               | 296(g)               | 10    |
| M14  | 120(g)           | 180(g)               | 230(g)               | 296(g)               | 10    |
| M16  | 142(g)-63mm      | 230(g)               | 260(g)               | 326(g)               | 10    |
| M18  | 250(g)           | 290(g)               | 320(g)               | 390(g)               | 10    |
| M20  | 280(g)           | 320(g)               | 340(g)               | 410(g)               | 10    |




RIBE BOLT

E-STAR BOLT

### 4030 STAR PLUS 4030-4

NEW



| 4030 | 4030<br>(L mm) |     | 4030-4<br>(L mm) |     | (pcs) |
|------|----------------|-----|------------------|-----|-------|
| 20IP | 60             | 60  | 100              | 110 | 10    |
| 25IP | 60             | 60  | 100              | 110 | 10    |
| 27IP | 60             | 60  | 100              | 110 | 10    |
| 30IP | 60             | 60  | 100              | 110 | 10    |
| 40IP | 60             | 60  | 100              | 110 | 10    |
| 45IP | 60             | 64  | 100              | 115 | 10    |
| 50IP | 60             | 74  | 100              | 115 | 10    |
| 55IP | 60             | 96  | 100              | 120 | 10    |
| 60IP | 60             | 122 | 100              | 160 | 10    |
| 70IP | 60             | 170 | 100              | 180 | 10    |

### 40255 PENTA-STAR(PLUS) 40255-4


NEW



| 40255 | 40255<br>(L:mm) |    | 40255-4<br>(L:mm) |     | (pcs) |
|-------|-----------------|----|-------------------|-----|-------|
| TS10  | 55              | 64 | 100               | 110 | 10    |
| TS15  | 55              | 64 | 100               | 110 | 10    |
| TS20  | 55              | 64 | 100               | 110 | 10    |
| TS25  | 55              | 64 | 100               | 110 | 10    |
| TS27  | 55              | 64 | 100               | 110 | 10    |
| TS30  | 55              | 64 | 100               | 110 | 10    |
| TS40  | 55              | 64 | 100               | 110 | 10    |
| TS45  | 55              | 64 | 100               | 110 | 10    |
| TS50  | 55              | 64 | 100               | 110 | 10    |
| TS55  | 55              | 64 | 100               | 110 | 10    |

**STAR PLUS** Drive is the only drive system designed to ensure optimum torque transmission and, ultimately, required clamo load. With a true 0° drive angle, the STAR PLUS system virtually eliminates the radial forces that can cause stress on fastener recesses.

0° drive  
ANGLE



The STAR PLUS Drive was designed to enhance assembly line performance. Manufacturers all over the world have realized significant improvements and cost savings by switching to the STAR PLUS Drive.



**4100N**

**RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手




L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5pcs$

**4100P**



L=255mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5pcs$

**4100G**



L=270mm/10-1/2"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 650g$   $\square = 5pcs$



**4120N**

**RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 580g$   $\square = 5pcs$

**4120P**



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 580g$   $\square = 5pcs$

**4120G**



L=270mm/10-1/2"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5pcs$




**4130N**

**RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手





L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 570g$   $\square = 5pcs$



**4130G**





L=270mm/10-1/2"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 650g$   $\square = 5pcs$




| TYPE                | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------------------|-------|-------|-------|------------|
| 4100<br>N<br>P<br>G | 36    | 40    | 38    | 512        |





| TYPE                | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------------------|-------|-------|-------|------------|
| 4120<br>N<br>P<br>G | 24    | 45.5  | 33    | 512        |






| TYPE           | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------------|-------|-------|-------|------------|
| 4130<br>N<br>G | 45    | 42    | 36    | 512        |







| TYPE                   | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------------------------|-------|-------|-------|------------|
| 4100<br>NQ<br>PQ<br>GQ | 36    | 40    | 38    | 512        |




| TYPE                   | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------------------------|-------|-------|-------|------------|
| 4120<br>NQ<br>PQ<br>GQ | 24    | 45.5  | 33    | 512        |




| TYPE                   | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------------------------|-------|-------|-------|------------|
| 4160<br>NQ<br>PQ<br>GQ | 48    | 42    | 36    | 512        |

**QUICK RELEASE RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5\text{pcs}$

4100NQ



L=255mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5\text{pcs}$

4100PQ



L=265mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 650g$   $\square = 5\text{pcs}$


4100GQ

**QUICK RELEASE RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 580g$   $\square = 5\text{pcs}$

4120NQ



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 580g$   $\square = 5\text{pcs}$


4120PQ



L=250mm/10-1/2"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5\text{pcs}$


4120GQ

**QUICK RELEASE RATCHET HANDLE**  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 640g$   $\square = 5\text{pcs}$

4160NQ




L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 640g$   $\square = 5\text{pcs}$

4160PQ




L=260mm/10-1/4"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 680g$   $\square = 5\text{pcs}$

4160GQ




## 4150GQ




L=250mm/10" [9] = 600g = 5pcs

## 4181



L=267mm/10-1/2" [9] = 498g = 5pcs


## 4162GQ



L=260mm/10-1/4" [9] = 590g = 5pcs

### QUICK RELEASE RATCHET HANDLE

CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



| TYPE   | TEETH | D(mm) | T(mm) | DIN N.m |
|--------|-------|-------|-------|---------|
| 4150GQ | 36    | 41    | 35.5  | 512     |

| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 4181 | 30    | 45.1  | 35    | 512     |

| TYPE   | TEETH | D(mm) | T(mm) | DIN N.m |
|--------|-------|-------|-------|---------|
| 4162GQ | 72    | 42    | 36    | 512     |

| TYPE  | TEETH | D(mm) | T(mm) | DIN N.m |
|-------|-------|-------|-------|---------|
| 4138G | 60    | 42    | 38    | 512     |


### REVERSIBLE RATCHET WITH ROTATABLE HANDLE

CARRACA REVERSIBLE CON MANGO GIRATORIO  
CLIQUET RÉVERSIBLE AVEC MANCHE ROTATIF  
棘輪扳手, 旋轉手柄

## 4138G




L=293mm/12" [9] = 670g = 5pcs




## 4130NQ



4130QSP



L=250mm/10" [9] = 570g = 5pcs



## 4130GQ




L=270mm/10-1/2" [9] = 620g = 5pcs

| TYPE       | TEETH | D(mm) | T(mm) | DIN |
|------------|-------|-------|-------|-----|
| 4130 NQ GQ | 45    | 42    | 42    | 512 |


## 4131GQ



4131SP



L=250mm/10" [9] = 500g = 10pcs




| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 4131 | 72    | 40    | 45    | 512     |

## 4132GQ




4132SP



L=250mm/10" [9] = 570g = 10pcs

| TYPE   | TEETH | D(mm) | T(mm) | DIN N.m |
|--------|-------|-------|-------|---------|
| 4132GQ | 72    | 40    | 45    | 512     |





### QUICK RELEASE RATCHET HANDLE 90T.

CARRACA REVERSIBLE 90T.


CLIQUET RÉVERSIBLE 90T.

90齒快放棘輪扳手




4101-90SP

**4101NQ-90**



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5pcs$



**4101PQ-90**

L=255mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5pcs$

**4101GQ-90**



L=270mm/10-1/2"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 650g$   $\square = 5pcs$




| TYPE    | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------|-------|-------|-------|------------|
| 4101-90 | 90    | 41    | 36    | 512        |

### QUICK RELEASE RATCHET HANDLE 72T.

CARRACA REVERSIBLE 72T.

CLIQUET RÉVERSIBLE 72T.

72齒快放棘輪扳手



4101-72SP

**4101NQ-72**



L=250mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5pcs$

**4101PQ-72**



L=255mm/10"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 620g$   $\square = 5pcs$

**4101GQ-72**



L=270mm/10-1/2"  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 650g$   $\square = 5pcs$



| TYPE    | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------|-------|-------|-------|------------|
| 4101-72 | 72    | 41    | 36    | 512        |

### QUICK RELEASE SWIVEL RATCHET HANDLE

CARRACA REVERSIBLE DE GIRATORIO

CLIQUET RÉVERSIBLE AVEC ROTATIF

360°快放棘輪扳手



360°



360°



**4133SPQ**



L=287mm  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 666g$   $\square = 5pcs$



**4133SGQ**



L=290mm  $\left[ \begin{smallmatrix} 9 \\ 9 \end{smallmatrix} \right] = 670g$   $\square = 5pcs$

| TYPE | TEETH | D(mm) | T(mm) | DIN |
|------|-------|-------|-------|-----|
| 4133 | 72    | 48.8  | 40    | 512 |

**4144P** PAT.

**4144PQ**


(QUICK RELEASE)

FLEX-STOP BUTTON



L=197mm/7-3/4" [9] = 570g = 5pcs

**FLEX-STOP™ RATCHET HANDLE**  
CARRACA ARTICULADA DE FLEX-STOP™  
CLIQUET RÉVERSIBLE À CARDAN  
可固定活頭的棘輪扳手



**4144FPQ**



L= 312mm [9] = 786g = 5pcs

**FLEX-RATCHET HANDLE**  
CARRACA REVERSIBLE ARTICULADA  
CLIQUET RÉVERSIBLE À CARDAN  
可固定活頭的棘輪扳手

| TYPE    | TEETH | D(mm) | T(mm) | DIN N.m |
|---------|-------|-------|-------|---------|
| 4144P   | 45    | 34    | 28    | 512     |
| 4144PQ  | 45    | 34    | 28    | 512     |
| 4144FPQ | 72    | 40.7  | 37.3  | 512     |

**4125P**


**4125PQ**

(QUICK RELEASE)



L=110mm/4-3/8" [9] = 200g = 10pcs

**STUBBY REVERSIBLE HANDLE**  
CARRACA REVERSIBLE DE CARBURADORES  
CLIQUET RÉVERSIBLE  
短巧掌中型棘輪扳手



| TYPE         | TEETH | D(mm) | T(mm) | DIN N.m |
|--------------|-------|-------|-------|---------|
| 4125 P<br>PQ | 24    | 31.3  | 33    | 512     |

**4139**



L=275mm/10-7/8" [9] = 600g = 5pcs

**INVERTIBLE 1/2" Dr. RATCHET HANDLE**  
LLAVES DE CARRACA CON CUADRADO HEMBRA 1/2"  
CLIQUET AVEC CARRÉ FEMELLE 1/2"  
單向兩面1/2"方頭棘輪扳手



4139SPARE

| TYPE | TEETH | D(mm) | T(mm) | DIN N.m |
|------|-------|-------|-------|---------|
| 4139 | 30    | 43    | 22.5  | 512     |

**EXTENDABLE RATCHET HANDLE 72 TEETH**

EXTENSIBLE CARRACA REVERSIBLE CON BLOQUEO-72 DIENTES

WXTENSIBLE CLIQUETS RÉVERSIBLE-72 DENTS

72齒可伸縮快放棘輪扳手

**4102-17/-24GQ**



EXTENDABLE





4102GQ-17 L=315~445mm [9]=918g = 10pcs


EXTENDABLE




4102GQ-24 L=460~600mm [9]=1094g = 10pcs





| TYPE    | TEETH | D(mm) | T(mm) | DIN N.m |
|---------|-------|-------|-------|---------|
| 4102-17 | 72    | 40.5  | 37.5  | 512     |
| 4102-24 | 72    | 40.5  | 37    | 512     |



# 108 TOOTH RATCHET SYSTEM TECHNOLOGY





**QUICK RELEASE RATCHET HANDLE 108T.**  
CARRCA REVERSIBLE 108 DIENTES  
CLIQUET RÉVERSIBLE RAPIDE 108 DENTS  
快放棘輪扳手



**4101PQ-108**

| TYPE       | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------------|-------|-------|-------|------------|
| 4101PQ-108 | 108   | 34.5  | 33.3  | 512        |

**4101GQ-108**



**RATCHET HANDLE 90TEETH**  
CARRCA REVERSIBLE 90 DIENTES  
CLIQUET RÉVERSIBLE 90 DENTS




**4100G-90**

| TYPE     | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------|-------|-------|-------|------------|
| 4100G-90 | 90    | 38    | 35.2  | 512        |



CLOSED BOX ANTI-DUST DESIGN



## 8 PCS ADAPTOR SET

JUEGO DE 8 ADAPTADORE

JEU DE AUGMENTATEUR ET RÉDUCTEUR, 8 OUTILS

接頭8件組

1/4" 3/8" 1/2" 3/4"

**9608**



### RECOMMEND TORQUE:

2804:BELOW:62Nm/45.5 FT-LB  
3804:BELOW:202Nm/148.5 FT-LB  
3805:BELOW:62Nm/45.5 FT-LB  
4804:BELOW:202Nm/148.5 FT-LB  
4805:BELOW:512Nm/378 FT-LB  
6884:BELOW:512Nm/378 FT-LB

| 8PCS                            | 9608                       |
|---------------------------------|----------------------------|
| 2804                            | ADAPTOR 1/4" x 3/8"        |
| 3804                            | ADAPTOR 1/8" x 1/2"        |
| 3805                            | ADAPTOR 1/4" x 1/4"        |
| 4804                            | ADAPTOR 1/8" x 3/8"        |
| 4805                            | ADAPTOR 1/2" x 3/4"        |
| 6884                            | ADAPTOR 3/4" x 1/2" WITH   |
| 6884SP                          | 2 PCS OF 1/2" SPARE DRIVES |
| 1SET=0.6KGS GW=18.5/30SET 1.08' |                            |

## UNIVERSAL JOINT

CARDÁN UNIVERSAL


CARDAN UNIVERSEL

萬象接座

**4200**



L=70mm/2-3/4" [9]=140g [10]=10pcs



**4202**

## BIT HOLDER

VASO PORTAPUNTAS

DOUILLES PORTE-EMBOUS

起子接頭



1/4" (6.35) **4000**  
5/16" (8) **4001**  
10 **4002**

## RATCHET ADAPTOR


TRINQUETE

CLIQUET

棘輪套筒接頭

**41804 PAT.**

1/2" x 1/2"



## EXTENSION BAR

ALARGADERAS CON BLOQUEO

RALLONGES À VERROUILLAGE

接桿

| mm    | 75 | 125 | 250 |
|-------|----|-----|-----|
| inch  | 3" | 5"  | 10" |
| [9]   |    | 185 |     |
| (PCS) | 10 | 10  | 10  |

**4801 PAT.**

1/2" x 1/2"



L=62mm [9]:208g [10]:10pcs

## MAGNET EXTENSION BAR

ALARGADERA CON MAGNÉTICO

RALLONGE AVEC MAGNÉTIQUE

磁性接桿

1/2" x 1/2"

L=50mm(2")



## FLEXIBLE EXTENSION BAR

ALARGADERA FLEXIBLE

RALLONGE FLEXIBLE

接桿

1/2" x 1/2" L=200mm(8")



**4801F**

## SOCKET ADAPTOR BIT FOR ELECTRIC TOOLS

ADAPTADORES DE VASOS PARA ATORNILLADORES

PORTE-DOUILLE POUR VISSEUSES

電動工具用套筒接頭

**04664B**



E6.3

L=50mm

**04664**



E6.3

L=50mm

**04664BW**



E6.3

L=72mm

**04SDS4**



SDS-PLUS L=65mm



E6.3



SDS-plus


1/4"



10

SDS-plus





**FLEXIBLE HANDLE**  
MANGO ARTICULADO  
POIGNÉE ARTICULÉE  
活頭扳桿




| ITEM NO. | L(mm)     | (g)  | (PCS) |
|----------|-----------|------|-------|
| 4700C-10 | 254mm/10" | 534  | 5     |
| 4700C-15 | 381mm/15" | 705  | 5     |
| 4700C-24 | 610mm/24" | 1280 | 4     |

WITH "I" SHAPE PANEL **4700C**



4700SP

| ITEM NO.                   | L(mm)     | (g)  | (PCS) |
|----------------------------|-----------|------|-------|
| <b>4700</b> N<br>P-15<br>G | 15"/380mm | 680  | 5     |
|                            |           | 820  | 5     |
|                            |           | 1280 | 4     |
| <b>4700</b> N<br>P-18<br>G | 18"/450mm | 680  | 5     |
|                            |           | 820  | 5     |
|                            |           | 1280 | 4     |
| <b>4700</b> N<br>P-24<br>G | 24"/600mm | 720  | 5     |
|                            |           | 860  | 5     |
|                            |           | 1250 | 4     |



**4700N**




**4700P**



**4700G**

**EXTENSION BAR 4800**  
ALARGADERAS  
RALLONGE  
接桿

凸1/2"×凹1/2"



**DUAL-DRIVE EXTENSION BAR 4802**  
ALARGADERAS ANGULARES  
RALLONGES ANGULAIRES  
雙定位接桿

凸1/2"×凹1/2"



| mm    | 50  | 75  | 125 | 150 | 200 | 250 | 400 | 500 | 600 | 1000 |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| inch  | 2"  | 3"  | 5"  | 6"  | 8"  | 10" | 16" | 20" | 24" | 40"  |
| (g)   | 100 | 130 | 180 | 210 | 270 | 330 | 640 | 800 | 960 | 1500 |
| (PCS) | 10  | 10  | 10  | 10  | 10  | 5   | 10  | 10  | 10  | 10   |

RECOMMEND TORQUE: 512Nm/ 375FT-LB

| mm    | 50  | 75  | 125 | 150 | 200 | 250 | 400 | 500 | 600 | 1000 |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| inch  | 2"  | 3"  | 5"  | 6"  | 8"  | 10" | 16" | 20" | 24" | 40"  |
| (g)   | 100 | 120 | 170 | 200 | 260 | 320 | 520 | 620 | 750 | 1240 |
| (PCS) | 10  | 10  | 10  | 10  | 10  | 5   | 10  | 10  | 10  | 10   |

RECOMMEND TORQUE: 202Nm/ 148.5FT-LB

**ADAPTOR 4804**  
ADAPTADORE  
AUGMENTATEUR  
接頭

**4805**



凸3/4"×凹1/2" L=45mm



凸3/8"×凹1/2"



**4824**  
**4824-2/-3/-5/-10**  
**DUAL-DRIVE ADAPTOR**  
ADAPTADORE ARTICULADO  
AUGMENTATEUR ANGULAIRES  
雙定位接頭

凸3/8"×凹1/2"



LOW-TORQUE

**RECOMMEND TORQUE:**

4824:BELOW:62Nm/45.5 FT-LB  
4804:BELOW:202Nm/148.5 FT-LB  
4804:BELOW:512Nm/375 FT-LB  
4804:BELOW:202Nm/148.5 FT-LB

| mm    | 38    | 50  | 75   | 125  | 250  |
|-------|-------|-----|------|------|------|
| inch  | 1-1/2 | 2"  | 3"   | 5"   | 10"  |
| (g)   | 60g   | 75g | 100g | 150g | 280g |
| (PCS) | 10    | 10  | 10   | 10   | 5    |

RECOMMEND TORQUE: 202Nm/ 148.5FT-LB

| mm    | 38    | 50  | 75   | 125  | 250  |
|-------|-------|-----|------|------|------|
| inch  | 1-1/2 | 2"  | 3"   | 5"   | 10"  |
| (g)   | 60g   | 75g | 100g | 150g | 280g |
| (PCS) | 10    | 10  | 10   | 10   | 5    |

RECOMMEND TORQUE: 62Nm/ 45.5FT-LB




LOW-TORQUE



## SLIDING "T" HANDLE

MANGO CORREDIZO  
POIGNÉE COULISSANTE  
滑桿

**4770**



| ITEM NO. | Length (mm) | (g)  | (PCS) |
|----------|-------------|------|-------|
| 4770-10  | 250mm/10"   | 356  | 5     |
| 4770-12  | 300mm/12"   | 500g | 5     |
| 4770-15  | 380mm/15"   | 600g | 5     |

## SPEED HANDLE

BERBIQUÍ  
VILEBREQUIN  
加速桿

**4850P**



**4850**

L=420mm (g) =720g =10pcs

## L-HANDLE

MANGO ANGULAR  
POIGNEE LOUDEE  
L型方頭扳手

**4777**



| ITEM NO. | Length (mm) | (g) | (PCS) |
|----------|-------------|-----|-------|
| 4777     | 260         | 445 | 20    |
| 4777-12  | 300         | 512 | 12    |
| 4777-14  | 350         | 648 | 12    |

## MULTI-EXTENSION T HANDLE & UNIV. JOINT

EXTENSION MANGO 1/2" EN "T"  
POIGNÉE À BÉQUILLE À CARRÉ MÂLE 1/2"  
多功能超長T型接桿


**14380**



**1480**




**1486**



**10486**



| ITEM NO.<br>(mm)  | □        | D2<br>(mm) | L<br>(mm)   | L2<br>(mm) | (g)         | (pcs) |
|-------------------|----------|------------|-------------|------------|-------------|-------|
| 10486             | □1/2x1/2 | 12         | 500         | 200        | 720         | 10    |
| 14380             | □1/2x1/2 | 11         | 300         | 200        | 380         | 10    |
| 1486-<br>28<br>40 | □1/2x1/2 | 12         | 700<br>1000 | 200        | 920<br>1190 | 10    |
| 1480-12           | 1/2      | 11         | 300         | 250        | 420         | 10    |



## SOCKET WRENCH SET

JUEGO DE VASO  
JEU DE DOUILLES  
套筒組



### 4601M/A 4601-2M/-2A

| 6PCS                                     | 4601M/-2M              | 4601A/-2A                           |
|------------------------------------------|------------------------|-------------------------------------|
| 4400M/A<br>4402M/A                       | 8,10,12,14,17,19<br>mm | 7/16,1/2,9/16,5/8,11/16,3/4<br>inch |
| BLISTER CARD: GW= 22.6KGS/ 48 SET ☞ = 2' |                        | M080055                             |



### 4608M 4608-2M

| 8PCS                                        | 4608M/-2M                     | 4608M1/-2M1                  | 4608M2/-2M2                   |
|---------------------------------------------|-------------------------------|------------------------------|-------------------------------|
| 4400M/A<br>4402M/A                          | 10,11,12,13,14,<br>17,19,21mm | 8,10,11,12,13,14,<br>17,19mm | 10,12,13,14,17,19,<br>21,22mm |
| BLISTER CARD: GW= 17.5KGS/ 24 SET ☞ = 1.15' |                               | M080006                      |                               |



### 4602M 4602-2M

| 12 PCS                                     | 4602M/4602-2M                          |
|--------------------------------------------|----------------------------------------|
| 4400/4402                                  | 10,12,13,14,15,16,17,18,19,20,21,22 mm |
| BLISTER CARD: GW= 18.5KGS/ 24 SET ☞ = 1.2' |                                        |
| M460210                                    |                                        |



### 4610M/A 4610-2M/-2A

| 10PCS                                       | 4610M/-2M                               | 4610M1/-2M1                        | 4610A/-2A                                             |
|---------------------------------------------|-----------------------------------------|------------------------------------|-------------------------------------------------------|
| 4400M/A<br>4402M/A                          | 10,11,12,13,14,<br>17,19,21,22,<br>24mm | 10,11,12,13,14,15<br>16,17,18,19mm | 3/8,7/16,1/2,9/16,5/8<br>11/16,3/4,13/16,7/8<br>15/16 |
| BLISTER CARD: GW= 22.5KGS/ 24 SET ☞ = 1.71' |                                         | M461000                            |                                                       |



### 4601MD/AD 4601-2MD/AD

| 6PCS                                       | 4601MD/-2MD            | 4601AD/-2AD                         |
|--------------------------------------------|------------------------|-------------------------------------|
| 4300M/A<br>4302M/A                         | 8,10,12,14,17,19<br>mm | 7/16,1/2,9/16,5/8,11/16,3/4<br>inch |
| BLISTER CARD: GW= 19.8KGS/ 24 SET ☞ = 1.4' |                        | M080055                             |



### 4608MD 4608-2MD

| 8PCS                                     | 4608MD/-2MD                   | 4608M1D/-2M1D                | 4608M2D/-2M2D                 |
|------------------------------------------|-------------------------------|------------------------------|-------------------------------|
| 4300M/A<br>4302M/A                       | 10,11,12,13,14,<br>17,19,21mm | 8,10,11,12,13,14,<br>17,19mm | 10,12,13,14,17,19,<br>21,22mm |
| BLISTER CARD: GW= 27KGS/ 24 SET ☞ = 1.4' |                               | M080006                      |                               |



### 4610MD/AD 4610-2MD/AD

| 10PCS                                     | 4610MD/-2MD                             | 4610M1D/-2M1D                           | 4610AD/-2AD                                                  |
|-------------------------------------------|-----------------------------------------|-----------------------------------------|--------------------------------------------------------------|
| 4300M/A<br>4302M/A                        | 10,11,12,13,14,<br>17,19,21,22,<br>24mm | 10,11,12,13,14,<br>15,16,17,18,<br>19mm | 3/8,7/16,1/2,9/16,<br>5/8,11/16,3/4,13/16,<br>7/8,15/16 inch |
| BLISTER CARD: GW= 15KGS/ 12 SET ☞ = 0.89' |                                         | M461001                                 |                                                              |



### 4602MD 4602-2MD

| 12 PCS                                    | 4602MD/4602-2MD                       |
|-------------------------------------------|---------------------------------------|
| 4300/4302                                 | 10,12,13,14,15,16,17,18,19,20,21,22mm |
| BLISTER CARD: GW= 22KGS/ 12 SET ☞ = 0.89' |                                       |
| M460200                                   |                                       |



### 4604M 4604-2M

| 7 PCS                                       | 4604M/4604-2M                |
|---------------------------------------------|------------------------------|
| 4400M/4402M                                 | 8,10,12,14,17,19+ 4777 L bar |
| BLISTER CARD: GW= 22.6KGS/ 24 SET ☞ = 0.88' |                              |



### 4604MD 4604-2MD

| 7 PCS                                     | 4604MD/4604-2MD              |
|-------------------------------------------|------------------------------|
| 4300M/4302M                               | 8,10,12,14,17,19+ 4777 L bar |
| BLISTER CARD: GW= 31KGS/ 24 SET ☞ = 0.98' |                              |



## SOCKET WRENCH SET

JUEGO DE VASO  
JEU DE DOUILLES  
套筒組

○ 4609M  
⊗ 4609-2M



| 9PCS                                                                                                                        | 4609M/ 4609-2M                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| 4400M<br>4402M                                                                                                              | 8,10,12,13,14,17,19,21 mm +4777 L bar  |
| BLISTER CARD: GW= 13.5KGS/ 12 SET  = 0.98' |                                                                                                                         |

○ 4609MD  
⊗ 4609-2MD



| 9PCS                                                                                                                         | 4609MD/ 4609-2MD                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| 4300M<br>4302M                                                                                                               | 8,10,12,13,14,17,19,21 mm +4777 L bar  |
| BLISTER CARD: GW= 19 KGS/ 12 SET  = 0.98' |                                                                                                                           |

○ 46134/ 46139  
⊗ 46134-2/ 46139-2



| 7PCS                                                                                                                         | 46134/ 46134-2               | 9PCS                               | 46139/46139-2 |
|------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|---------------|
| 4400<br>4402                                                                                                                 | 8,10,12,14,17,19mm<br>+4120N | 8,10,12,13,14,17,19,21mm<br>+4120N |               |
| BLISTER CARD: GW= 11.5KGS/ 12 SET  = 1.1' |                              |                                    |               |

○ 46134D/ 46139D  
⊗ 46134-2D/ 46139-2D



| 7PCS                                                                                                                          | 46134D/ 46134-2D             | 9PCS                               | 46139D/46139-2D |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|-----------------|
| 4300<br>4302                                                                                                                  | 8,10,12,14,17,19mm<br>+4120N | 8,10,12,13,14,17,19,21mm<br>+4120N |                 |
| BLISTER CARD: GW= 18KGS/ 12 SET  = 0.98' |                              |                                    |                 |

○ 46144/ 46149  
⊗ 46144-2/ 46149-2



| 7PCS                                                                                                                       | 46144/ 46144-2                 | 9PCS                                 | 46149/46149-2 |
|----------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------|---------------|
| 4400<br>4402                                                                                                               | 8,10,12,14,17,19mm<br>+4770-10 | 8,10,12,13,14,17,19,21mm<br>+4770-10 |               |
| BLISTER CARD: GW= 11KGS/ 12 SET  = 1.1' |                                |                                      |               |

○ 46144D/ 46149D  
⊗ 46144-2D/ 46149-2D



| 7PCS                                                                                                                           | 46144D/ 46144-2D               | 9PCS                                 | 46149D/46149-2D |
|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------|-----------------|
| 4300<br>4302                                                                                                                   | 8,10,12,14,17,19mm<br>+4770-10 | 8,10,12,13,14,17,19,21mm<br>+4770-10 |                 |
| BLISTER CARD: GW= 15.1KGS/ 12 SET  = 1.1' |                                |                                      |                 |

○ 46211 



| 11 PCS                           | 46211                             |
|----------------------------------|-----------------------------------|
| 4400M                            | 10,11,12,13,14,17,19,21,22mm 9PCS |
| 4100PQ                           | RATCHET HANDLE                    |
| 4800-6                           | EXTENSION BAR 150mm/6"            |
| BLISTER CARD: GW= 1 SET/ 1.61KGS |                                   |

○ 46213 



| 13 PCS                       | 46213                                   |
|------------------------------|-----------------------------------------|
| 4400M                        | 8,10,11,12,13,14,15,16,17,18,19mm 11PCS |
| 4100PQ                       | RATCHET HANDLE                          |
| 4800-6                       | EXTENSION BAR 150mm/6"                  |
| BLISTER CARD: 1SET/ 1.63 KGS |                                         |



# BIT SOCKET SET

JUEGO DE VASO DESTORILLADORES

JEU DE DOUILLES TOURNEVIS

起子套筒組

## 46024-8C/9C



| 8PCS                                     | 46024-8C                            | 9PCS                                      | 46024-9C |
|------------------------------------------|-------------------------------------|-------------------------------------------|----------|
| 4024T<br>55mmL                           | T30,T40,T45,T47,T50,<br>T55,T60,T70 | T20,T25,T27,T30,T40,T45,<br>T50,T55,T60   |          |
| BLISTER CARD: 18KG/24SET $\approx$ 1.15' |                                     | BLISTER CARD:18.5KG/24SET $\approx$ 1.15' |          |
| M080006                                  |                                     | M080053                                   |          |

## 46026-8C/46026-9C



| 8PCS                                     | 46026-8C               | 9PCS                                      | 46026-9C |
|------------------------------------------|------------------------|-------------------------------------------|----------|
| 4026M<br>55-70mmL                        | 6,7,8,10,12,14,17,19mm | 4,5,6,7,8,10,12,14,17mm                   |          |
| BLISTER CARD: 18KG/24SET $\approx$ 1.15' |                        | BLISTER CARD:18.5KG/24SET $\approx$ 1.15' |          |
| M080006                                  |                        | M080053                                   |          |

## 46016-10MBC/10ABC



| 10 PCS                       | 46016-10MBC                    | 10 PCS                                          | 46016-10ABC |
|------------------------------|--------------------------------|-------------------------------------------------|-------------|
| 4016-3MB<br>4016-3AB         | 4,5,6,7,8,10,12,14,17<br>19 mm | 3/16,7/32,1/4,5/16,3/8,7/16<br>1/2,9/16,5/8,3/4 |             |
| BLISTER CARD: 1 SET/ 1.09KGS |                                |                                                 |             |

## 46029-6C



| 6 PCS                        | 46029-6C             |
|------------------------------|----------------------|
| 4029                         | M5,M6,M8,M10,M12,M14 |
| BLISTER CARD: 1 SET/ 0.51KGS |                      |
| M080055                      |                      |

## 46025-8C/9C



| 8PCS                                     | 46025-8C                                    | 9PCS                                             | 46025-9C |
|------------------------------------------|---------------------------------------------|--------------------------------------------------|----------|
| 4025TH<br>55mmL                          | TH30,TH40,TH45,TH47,<br>TH50,TH55,TH60,TH70 | TH20,TH25,TH27,TH30,TH40,<br>TH45,TH50,TH55,TH60 |          |
| BLISTER CARD: 18KG/24SET $\approx$ 1.15' |                                             | BLISTER CARD:18.5KG/24SET $\approx$ 1.15'        |          |
| M080006                                  |                                             | M080053                                          |          |

## 46028-9C



| 9 PCS                                    | 46028-9C                                |
|------------------------------------------|-----------------------------------------|
| 4028                                     | M5,M6,M8,M10,M12,M14,M16 L=55mm/2-3/16" |
| 4029                                     | M8,M10 L=60mm/2-3/8"                    |
| BLISTER CARD: 19KG/24SET $\approx$ 1.15' |                                         |
| M080053                                  |                                         |

## 460255-7



| 7 PCS                                                         | 460255-7                                 |
|---------------------------------------------------------------|------------------------------------------|
| 40255                                                         | TS10, TS15, TS20, TS25, TS27, TS30, TS40 |
| BLISTER CARD: $\approx$ 6SET GW=19 KGS/ 36SET $\approx$ 1.15' |                                          |

## 46030-9C



| 9 PCS                                          | 46030-9C                                     |
|------------------------------------------------|----------------------------------------------|
| 4030                                           | 20IP,25IP,27IP,30IP,40IP,45IP,50IP,55IP,60IP |
| BLISTER CARD: GW=18 KGS/ 12SET $\approx$ 1.15' |                                              |
| M080053                                        |                                              |

## 46026RN-8C



| 8 PCS                                          | 46026RN-8C                |
|------------------------------------------------|---------------------------|
| 4026RN                                         | M3,M4,M5,M6,M7,M8,M10,M12 |
| BLISTER CARD: GW=24.5KGS/ 24SET $\approx$ 1.4' |                           |
| M080006                                        |                           |

## BIT SOCKET SET

JUEGO DE VASO E-STAR  
JUE DE DOUILLES ÉTOILE  
起子套筒組

## ★ 46410-9C



| 9 PCS                                                                                                                             | 46410-9C                                |               |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------|
| 4410                                                                                                                              | E10,E11,E12,E14,E16,E18,<br>E20,E22,E24 | 38mm/1-1/2"L. |
| BLISTER CARD: GW=18.5KGS/ 24SETS  =1.15' M080053 |                                         |               |

★ 56314E 

| 14 PCS                                                                                                                      | 56314E                  |       |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------|-------|
| 2310E                                                                                                                       | E4,E5,E6,E7,E8          | 5 PCS |
| 3310E                                                                                                                       | E10,E11,E12,E14,E16,E18 | 6 PCS |
| 4310E                                                                                                                       | E20,E22,E24             | 3 PCS |
| BLISTER CARD: GW=14.3KGS/ 12SETS  =0.89' |                         |       |

## BIT SOCKET SET

JUEGO DE VASO DESTORILLADORES  
JUE DE DOUILLES TOURNEVIS  
起子套筒組

## ★ 46024-4



| 4 PCS                                              | 46024-4         |         |
|----------------------------------------------------|-----------------|---------|
| 4024-4                                             | T40,T45,T55,T70 | 100mmL. |
| BLISTER CARD:GW: 15.5KGS/ 20SET CUET:0.79' M460284 |                 |         |

## ★ 46028-4



| 4 PCS                                              | 46028-4          |         |
|----------------------------------------------------|------------------|---------|
| 4028-4                                             | M6, M8, M10, M12 | 100mmL. |
| BLISTER CARD:GW: 15.5KGS/ 20SET CUET:0.79' M460284 |                  |         |



## ★ 5614E



| 14 PCS                                                                                                                | 5614E                   |       |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------|-------|
| 2410E                                                                                                                 | E4,E5,E6,E7,E8          | 5 PCS |
| 3410E                                                                                                                 | E10,E11,E12,E14,E16,E18 | 6 PCS |
| 4410E                                                                                                                 | E20,E22,E24             | 3 PCS |
| BLISTER CARD:16.3KGS/ 24SET  =1.2' |                         |       |

★ 46028-6C 

| 6 PCS                             | 46028-6C             |        |
|-----------------------------------|----------------------|--------|
| 4028                              | M5,M6,M8,M10,M12,M14 | 55mmL. |
| BLISTER CARD: 1SET/0.5KGS M080055 |                      |        |


## ○ 46026-4



| 4 PCS                                              | 46026-4     |         |
|----------------------------------------------------|-------------|---------|
| 4026-4                                             | 6,8,10,12mm | 100mmL. |
| BLISTER CARD:GW: 15.5KGS/ 20SET CUET:0.79' M460284 |             |         |

**SOCKET RAIL WITH CLAMP FOR 1/2"Dr.**  
VACIO,CON BRIDAS DE SUJECIÓN PARA VASO 1/2"Dr.  
VIDE,AVEC ÉTRIERS DE RETENUE À GAMIR  
DES DOUILLES 1/2"Dr.  
套筒夾1/2"Dr. 

| ITEM    | SIZE              |
|---------|-------------------|
| M080055 | 1/2"x6 PCSx215mm  |
| M080006 | 1/2"x8 PCSx260mm  |
| M080053 | 1/2"x9 PCSx260mm  |
| M461001 | 1/2"x10 PCSx320mm |
| M460200 | 1/2"x12 PCSx320mm |
| M460210 | 1/2"x12 PCSx330mm |
| M461000 | 1/2"x10 PCSx330mm |
| M460248 | 1/2"x4 PCSx150mm  |
| M080047 | 1/2"DR.           |
| M080046 | 3/4"DR.           |



## BIT SOCKET SET

JUEGO DE VASO DESTORNILLADORES

JEU DE DOUILLES TOURNEVIS

起子套筒組

### 46098-2



| 2 PCS    | 46098-2                   |
|----------|---------------------------|
| 4028MH16 | MH16 60mmL. ⚙️ FOR A4, A6 |
| 4029-7V9 | V9 172mmL. ⚙️ FOR VW/AUDI |

BLISTER CARD: GW21KGS/72SET

## 3PCS DUAL-DRIVE EXTENSION BAR SET

JUEGO DE 3 ALARGADERAS ANGULARES

JUE DE RALLONGES ANGULAIRES 3 OUTILS

雙定位接桿組 凸1/2"×凹1/2"

### 4853



| 3 PCS | 4853-18                | 4853-15               | 4853-10              |
|-------|------------------------|-----------------------|----------------------|
| 4802  | 3",5",10" (75,125,250) | 2",3",10" (50,75,250) | 2",3",5" (50,75,125) |
| ☞☞    | GW : 23.5KGS/ 36SET    | GW : 21KGS/ 36SET     | GW : 15KGS/ 36SET    |

(RECOMMEND TORQUE:BELOW 202Nm/148.5FT-LB)

## 3PCS DUAL-DRIVE ADAPTOR SET

JUEGO DE 3 ADAPTADORE ARTICULADO

JEU DE AUGMENTATEUR ANGULAIRES 3 OUTILS

雙定位接桿組 凸3/8"×凹1/2"

### 4854



| 3 PCS | 4854-18                | 4854-15               | 4854-10              |
|-------|------------------------|-----------------------|----------------------|
| 4824  | 3",5",10" (75,125,250) | 2",3",10" (50,75,250) | 2",3",5" (50,75,125) |
| ☞☞    | GW : 19KGS/ 36SET      | GW : 16.5KGS/ 36SET   | GW : 12KGS/ 36SET    |

(RECOMMEND TORQUE:BELOW 62Nm/45.5FT-LB)

### 46804-2



PR-17



| 3 PCS     | 46804-2                 |
|-----------|-------------------------|
| 4028-4M10 | 10 mm 100 mmL. 1 PC     |
| 4024-4T50 | T50 100 mmL. 1 PC       |
| PR-17     | FOR CAR ALTERNATOR 1 PC |

BLISTER CARD: GW=22KGS/ 72 SETS

## 3PCS EXTENSION BAR SET

JUEGO DE 3 ALARGADERAS

JUE DE RALLONGE 3 OUTILS

雙定位接桿組 凸1/2"×凹1/2"

### 4863



| 3 PCS | 4863-18                | 4863-15               | 4863-10              |
|-------|------------------------|-----------------------|----------------------|
| 4800  | 3",5",10" (75,125,250) | 2",3",10" (50,75,250) | 2",3",5" (50,75,125) |
| ☞☞    | GW : 23.5KGS/ 36SET    | GW : 21KGS/ 36SET     | GW : 15KGS/ 36SET    |

## 3PCS ADAPTOR SET

JUEGO DE 3 ADAPTADORE

JEU DE AUGMENTATEUR 3 OUTILS

接桿組 凸3/8"×凹1/2"

### 4844



| 3 PCS | 4844-18                | 4844-15               | 4844-10              |
|-------|------------------------|-----------------------|----------------------|
| 4804  | 3",5",10" (75,125,250) | 2",3",10" (50,75,250) | 2",3",5" (50,75,125) |
| ☞☞    | GW : 19KGS/ 36SET      | GW : 16.5KGS/ 36SET   | GW : 12KGS/ 36SET    |

(RECOMMEND TORQUE:BELOW 202Nm/148.5FT-LB)

## 4608MB



## 4608-2MB



## SOCKET WRENCH SET

JUEGO DE LLAVES VASO  
COFFRET DOUILLE OUTILS  
長套筒組

| 8PCS                                                        | 4608MB<br>4608-2MB            | 4608M1B<br>4608-2M1B         | 4608M2B<br>4608-2M2B          |
|-------------------------------------------------------------|-------------------------------|------------------------------|-------------------------------|
| 4300<br>4302                                                | 10,11,12,13,14,17,<br>19,21mm | 8,10,11,12,13,14,<br>17,19mm | 10,12,13,14,17,19,<br>21,22mm |
| BLOW CASE: GW=18.2KG/20 SET GW=18.2KG/20 SET GW=22KG/20 SET |                               |                              |                               |

## 4610MB



## 4610-2MB



| 10 PCS                                                        | 4610MB<br>4610-2MB                  | 4610M1B<br>4610-2M1B                | 4610AB<br>4610-2AB                                      |
|---------------------------------------------------------------|-------------------------------------|-------------------------------------|---------------------------------------------------------|
| 4300<br>4302<br>M/A                                           | 10,11,12,13,14,17,<br>19,21,22,24mm | 10,11,12,13,14,15,<br>16,17,18,19mm | 3/8,7/16,1/2,9/16,<br>5/8,11/16,3/4,<br>13/16,7/8,15/16 |
| BLOW CASE: GW=22.5KG/16 SET GW=18.5KG/16 SET GW=22.5KG/16 SET |                                     |                                     |                                                         |

## 4602MB



## 4602-2MB



| 12 PCS                      | 4602MB/4602-2MB                       |
|-----------------------------|---------------------------------------|
| 4300<br>4302                | 10,12,13,14,15,16,17,18,19,20,21,22mm |
| BLOW CASE: GW=19.8KG/12 SET |                                       |

## 4615M



## 4615MG



| 16 PCS                | 4615M<br>4615-2M                                                              | 4615MP (4700P)<br>4615-2MP | 4615MG (4700G)<br>4615-2MG                                                                |
|-----------------------|-------------------------------------------------------------------------------|----------------------------|-------------------------------------------------------------------------------------------|
| 4300M<br>4302M        | DEEP SOCKET/ 76mm/3”L<br>10,11,12,13,14,15,16,17,18,19,20,21,22,23,24mm 15PCS |                            |                                                                                           |
| 4700N                 | FLEXIBLE HANDLE 380mm/15” 4700P 4700G                                         |                            |                                                                                           |
| BLOW CASE:400x95x50mm |                                                                               | 1SET/3KGS,GW:19KGS/6 SET   |  :1’ |

## 9984H80



| 80 PCS                      | 9984H80                                                                                                                     |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| 4300M                       | 8,9,10,11,12,13,14,15,16,17,18,19,20,<br>21,22,23,24mm (4PCS PER SIZE) 68 PCS<br>26,27,28,29,30,32mm (2PCS PER SIZE) 12 PCS |
| METAL STAND : 420x315x314mm |                                                                                                                             |

## 9984H84



| 84 PCS                      | 9984H84                                                                                                                                                      |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4400M                       | 1/2"DR.SOCKET 8,9,10,11,12,13,14,15,16,17,18,19,<br>20,21,22,23,24,25mm (4PCS PER SIZE) 72 PCS<br>1/2"DR.SOCKET<br>26,27,28,29,30,32mm(2PCS PER SIZE) 12 PCS |
| METAL STAND : 420x315x314mm |                                                                                                                                                              |



## E-STAR SOCKET SET

JUEGO DE VASO E-STAR  
COFFRET DE DOUILLES ÉLTOILE OUTILS  
9件星型E套筒組

| 9 PCS                                        | 46410-9B                                             |
|----------------------------------------------|------------------------------------------------------|
| 4410                                         | E10,E11,E12,E14,E16,E18,E20,<br>E22,E24 38mm/1-1/2"L |
| BLOW CASE:GW:16.5KGS/ 20 SET $\approx 0.95'$ |                                                      |

## 46410-9B



| 9 PCS                                       | 4609ET                        |
|---------------------------------------------|-------------------------------|
| 4410                                        | E10,E12,E14,E16 38mm/ 1-1/2"L |
| 4024                                        | T30,T40,T45,T50,T55 50mm/ 2"L |
| BLOW CASE:GW:16.5KGS/20 SET $\approx 0.95'$ |                               |

## 4609ET



| 8 PCS                                        | 46025-8                                              |
|----------------------------------------------|------------------------------------------------------|
| 4025                                         | TH30,TH40,TH45,TH47,TH50,TH55<br>TH60,TH70 L:55mm/2" |
| 1 SET=0.9KGS,GW:19KGS/20SET, $\approx 0.95'$ |                                                      |

## 46025-8 46025-9



| 9 PCS                                      | 46025-9                                                  |
|--------------------------------------------|----------------------------------------------------------|
| 4025                                       | TH20,TH25,TH27,TH30,TH40,T45<br>TH50,TH55,TH60 L:55mm/2" |
| 1 SET=1KGS,GW:21KGS/20SET, $\approx 0.95'$ |                                                          |

## BIT SOCKET SET

JUEGO DE VASO DESTORNILLADORES  
COFFRET DE DOUILLES TOURNEVIS  
起子套筒組

| 8 PCS                                        | 46024-8                                         |
|----------------------------------------------|-------------------------------------------------|
| 4024                                         | T30,T40,T45,T47,T50,T55<br>T60,T70 (L: 55mm/2") |
| 1 SET=0.9KGS,GW:19KGS/20SET, $\approx 0.95'$ |                                                 |

## 46024-8 46024-9



| 9 PCS                                      | 46024-9                                              |
|--------------------------------------------|------------------------------------------------------|
| 4024                                       | T20,T25,T27,T30,T40,T45,T50,<br>T55,T60 (L: 55mm/2") |
| 1 SET=1KGS,GW:21KGS/20SET, $\approx 0.95'$ |                                                      |

| 9 PCS | 46028-9                                    |
|-------|--------------------------------------------|
| 4028  | M5,M6,M8,M10,M12,M14,M16<br>L:55mm/2-3/16" |
| 4029  | M8,M10 L:60mm/2-3/8"                       |

## 46028-9 46028-89



| 9 PCS                                       | 46028-89                                           |
|---------------------------------------------|----------------------------------------------------|
| 4028                                        | M5,M6,M8,M9,M10,M12,M14,<br>M16,M18 L:55mm/2-3/16" |
| 1 SET=0.8KG,GW:17KGS/20 SET $\approx 0.95'$ |                                                    |
| FOR TOYOTA                                  |                                                    |

| 8 PCS                                       | 46026-8                                               |
|---------------------------------------------|-------------------------------------------------------|
| 4026                                        | 6,7,8,10,12,14,17,19mm<br>(55mm/2-3/16"~70mm/2-3/4"L) |
| 1 SET=1KGS,GW:21KGS/20 SET, $\approx 0.95'$ |                                                       |

## 46026-8 46026-9



| 9 PCS                                      | 46026-9                                                |
|--------------------------------------------|--------------------------------------------------------|
| 4026                                       | 4,5,6,7,8,10,12,14,17mm<br>(55mm/2-3/16"~70mm/2-3/4"L) |
| 1 SET=1KGS,GW:21KGS/20SET, $\approx 0.95'$ |                                                        |

| 9 PCS                                       | 46029-9                                        |
|---------------------------------------------|------------------------------------------------|
| 4029                                        | M5,M6,M7,M8,M9,M10,M12,M13<br>M14 60mm/2-3/8"L |
| 1 SET=1KGS,GW:21KGS/20 SET, $\approx 0.95'$ |                                                |

## 46029-9



| 34 PCS | 9634T                         |
|--------|-------------------------------|
| 2410   | E4,E5,E6,E7,E8                |
| 3410   | E10,E12,E14,E16               |
| 4410   | E18,E20                       |
| 2024   | T8,T10,T15,T20,T25,T27,T30    |
| 3024   | T40,T45,T47,T50               |
| 4024   | T55,T60                       |
| 2025   | TH10,TH15,TH20,TH25,TH27,TH30 |
| 3025   | TH40,TH45,TH50                |
| 4025   | TH55                          |

BLOW CASE:230X205X50mm 1SET=1.2KGS,GW:13KGS/10SET



## 9634T



## 96024-10



| 10 PCS                                     | 96024-10                                      |
|--------------------------------------------|-----------------------------------------------|
| 2024                                       | T8,T10,T15 $\frac{1}{4}"$ L=32mm/1-1/4"       |
| 3024                                       | T20,T25,T30 $\frac{3}{8}"$ L=50mm/2"          |
| 4024                                       | T40,T50,T55,T60 $\frac{1}{2}"$ L=55mm/2-3/16" |
| 1 SET=1KGS,GW:21KGS/20 SET $\approx 0.95'$ |                                               |

## 46014-8 46014-9



| 8 PCS                             | 46014-8                                             |
|-----------------------------------|-----------------------------------------------------|
| 4014-3BT                          | T30,T40,T45,T47,T50,<br>T55,T60,T70 (L:75mm/3")     |
| BLOW CASE:GW:21KGS/20 SET  =0.95' |                                                     |
| 9 PCS                             | 46014-9                                             |
| 4014-3BT                          | T20,T25,T27,T30,T40,<br>T45,T50,T55,T60 (L:75mm/3") |
| BLOW CASE:GW:21KGS/20 SET  =0.95' |                                                     |

## BIT SOCKET SET

JUEGO DE VASO DESTORNILLADORES  
COFFRET DE DOUILLES TOURNEVIS  
起子套筒組

## 46024-48



| 8 PCS                                  | 46024-48                                         |
|----------------------------------------|--------------------------------------------------|
| 4024-4                                 | T30,T40,T45,T47,T50,T55,<br>T60,T70 (L:100mm/4") |
| 1 SET=1.4KGS,GW:17.5KGS/12 SET  =1.11' |                                                  |

## 46016-8MB 46016-8AB 46016-9MB



| 8 PCS           | 46016-8MB                                                        |
|-----------------|------------------------------------------------------------------|
| 4016-3MB        | 6,7,8,10,12,14,17,19mm<br>(L:75mm/3")                            |
| 8 PCS           | 46016-8AB                                                        |
| 4016-3AB        | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16",<br>5/8", 3/4" (L:75mm/3") |
| 1 SET=1.1KGS,GW |                                                                  |
| 9 PCS           | 46016-9MB                                                        |
| 4016-3MB        | 4,5,6,7,8,10,12,14,17mm<br>(L:75mm/3")                           |
|                 |                                                                  |

## 46025-48



| 8 PCS                                  | 46025-48                                                 |
|----------------------------------------|----------------------------------------------------------|
| 4025-4                                 | TH30,TH40,TH45,TH47,TH50,<br>TH55,TH60,TH70 (L:100mm/4") |
| 1 SET=1.4KGS,GW:17.5KGS/12 SET  =1.11' |                                                          |



## 46024-49



| 9 PCS                                | 46024-49                                             |
|--------------------------------------|------------------------------------------------------|
| 4024-4                               | T20,T25,T27,T30,T40,T45,<br>T50,T55,T60 (L:100mm/4") |
| 1 SET=1.1KGS,GW:23KGS/20 SET  =0.95' |                                                      |

## 46026-48



| 8 PCS                                  | 46026-48                               |
|----------------------------------------|----------------------------------------|
| 4026-4                                 | 6,7,8,10,12,14,17,19mm<br>(L:100mm/4") |
| IN BLOW CASE:<br>240X160X40mm          |                                        |
| 1 SET=1.4KGS,GW:17.5KGS/12 SET  =1.11' |                                        |

## 46025-49



| 9 PCS                                   | 46025-49                                                         |
|-----------------------------------------|------------------------------------------------------------------|
| 4025-4                                  | TH20,TH25,TH27,TH30,TH40,<br>TH45,TH50,TH55,TH60<br>(L:100mm/4") |
| 1 SET=1.45KGS,GW:18.5KGS/12 SET  =1.11' |                                                                  |

## 46028-49



| 9 PCS                                     | 46028-49                                            |
|-------------------------------------------|-----------------------------------------------------|
| 4028-4                                    | M5,M6,M8,M10,M12,<br>M14,M16<br>L:100mm/4" XZN 7PCS |
| 4029-4                                    | M10,M12 FOR "FIAT"<br>L:100mm/4" RIBE 2PCS          |
| 1 SET: 1.4KGS, GW:17.5KGS/ 12 SET  =1.11' |                                                     |

## 46026-49



| 9 PCS                                   | 46026-49                                |
|-----------------------------------------|-----------------------------------------|
| 4026-4                                  | 4,5,6,7,8,10,12,14,17mm<br>(L:100mm/4") |
| 1 SET=1.45KGS,GW:18.5KGS/12 SET  =1.11' |                                         |

## 46028-47 46028-479



| 7 PCS                                     | 46028-47                                   |
|-------------------------------------------|--------------------------------------------|
| 4028-4                                    | M5,M6,M8,M10,M12,M14,M16<br>L:100mm/4" XZN |
| 7 PCS                                     | 46028-479                                  |
| 4028-4                                    | M6,M8,M9,M10,M12,M14,M16<br>L:100mm/4" XZN |
| 1 SET: 1.4KGS, GW:17.5KGS/ 12 SET  =1.11' |                                            |
| ※ 4028-4M9 FOR TOYOTA 1.4i & 1.0i         |                                            |

## 46028-499



| 8 PCS                                       | 46028-499                                     |
|---------------------------------------------|-----------------------------------------------|
| 4028-4                                      | M5,M6,M8,M9,M10,M12,M14,M16<br>L:100mm/4" XZN |
| 1 SET : 1.4KGS, GW:17.5KGS/ 12 SET,  =1.11' |                                               |

### 11PCS E-STAR SOCKET SET

VASO DE 11 VASO E-STAR

COFFRET DOUILLE 11 OUTILS

11件起子套筒組

| 11 PCS | 46410-11                            | 46410-11P      |
|--------|-------------------------------------|----------------|
| 4410E  | E10,E11,E12,E14,E16,E18,E20,E22,E24 | 9PCS           |
| 4120N  | RATCHET HANDLE 250mm                | 4120P          |
| 4800-5 | EXTENSION BAR 125mm                 | GW:14.3KG/6SET |

METAL CASE:315x105x40mm 1SET=2.2KGS, GW:14.2KGS / 6 SET

★ 46410-11



46410-11P



### BIT SOCKET WRENCH SET

JUEGO DE VASO DESTORNILLADORES

COFFRET DOUILLES TOURNEVIS OUTILS

起子套筒扳手組

| 11 PCS | 46024-11/46024-11P                              |
|--------|-------------------------------------------------|
| 4024   | T20,T25,T27,T30,T40,T45,T50,T55,T60 (55m)L 9PCS |
| 4120N  | RATCHET HANDLE 250mm/10" 4120P                  |
| 4800-5 | EXTENSION BAR 125mm/5"                          |

METAL CASE:315x105x50mm 1SET=2.2KGS, GW:14.2KGS/6SET

★ 46024-11



46024-11P



| 11 PCS | 46026-11/46026-11P                 |
|--------|------------------------------------|
| 4026   | 4,5,6,7,8,10,12,14,17 (55mm)L 9PCS |
| 4120N  | RATCHET HANDLE 250mm/10" 4120P     |
| 4800-5 | EXTENSION BAR 125mm/5"             |

METAL CASE:315x105x40mm 1SET=2.2KGS, GW:14.2KGS/6SET

○ 46026-11



46026-11P



| 11 PCS | 46028-11/46028-11P                    |
|--------|---------------------------------------|
| 4028   | M5,M6,M8,M10,M12,M14,M16 (55mm)L 7PCS |
| 4029   | M8,M10 (55m)L 2PCS                    |
| 4120N  | RATCHET HANDLE 250mm/10" 4120P        |
| 4800-5 | EXTENSION BAR 125mm/5"                |

METAL CASE:315x105x40mm 1SET=2.2KGS, GW:14.2KGS/6SET

⊗ 46028-11



46028-11P



| 13 PCS | 4613(50mm)L                 | 13 PCS  | 4613F(60mm)L      |
|--------|-----------------------------|---------|-------------------|
| 4021   | 5,8,10mm                    | 4011-2B | 5,8,10mm          |
| 4022   | PH2,PH3,PH4                 | 4012-2B | NO. 2,3,4         |
| 4026   | 4,5,6,8,10,12mm             | 4016-2B | 4,5,6,8,10,12mm   |
| 4125P  | STUBBY RATCHET 110mm/4-3/8" | 4144PQ  | FLEX-STOP RATCHET |

METAL CASE:295x90x40mm 1SET=1.5KGS, GW:16KGS/10SET,  $\frac{1}{2}$ =0.52"

⊗ ⊕ ⊖ 4613F



4613



| 11 PCS | 46024-411/ 46024-411P                        |
|--------|----------------------------------------------|
| 4024-4 | T20,T25,T27,T30,T40,T45,T50,T55,T60 (100mm)L |
| 4120N  | RATCHET HANDLE 250mm/10" 4120P               |
| 4800-5 | EXTENSION BAR 125mm/5"                       |

METAL CASE= 315x145x45mm 1SET=2.9KGS, GW=18.5KGS/6SET

★ 46024-411



46024-411P



| 11 PCS | 46026-411/ 46026-411P            |
|--------|----------------------------------|
| 4026-4 | 4,5,6,7,8,10,12,14,17mm (100mm)L |
| 4120N  | RATCHET HANDLE 250mm/10" 4120P   |
| 4800-5 | EXTENSION BAR 125mm/5"           |

METAL CASE= 315x145x45mm 1SET=2.9KGS, GW=18.5KGS/6SET

○ 46026-411



46026-411P



### 46028-409



### 46028-409P



#### BIT SOCKET WRENCH SET

JUEGO DE VASO DESTORNILLADORES

COFFRET DOUILLES TOURNEVIS

起子套筒扳手組

| 9 PCS                                                | 46028-409/46028-409P              |
|------------------------------------------------------|-----------------------------------|
| 4028-4                                               | M5,M6,M8,M10,M12,M14,M16 (100mm)L |
| 4120N                                                | RATCHET HANDLE 250mm/10" 4120P    |
| 4800-5                                               | EXTENSION BAR 125mm/5"            |
| METAL CASE:315x145x45mm 1SET=2,6KGS, GW:16,6KGS/6SET |                                   |

### 4628T




### 4628TP



| 28 PCS                                               | 4628T/ 4628TP                                         |
|------------------------------------------------------|-------------------------------------------------------|
| 4024                                                 | T20,T25,T27,T30,T40,T45,T50,T55,T60,T70 (100mmL)10PCS |
| 16754-6                                              | TH6,TH7,TH8,TH9,TH10,TH15,TH20 7PCS                   |
| 4410                                                 | E10,E11,E12,E14,E16,E18,E20,E22,E24 9PCS              |
| 4800-3                                               | EXTENSION BAR 75mm/3" 1PC                             |
| 4100NQ                                               | QUICK RELEASE RATCHET HANDLE 4100PQ 1PC               |
| METAL CASE:315x145x45mm 1SET=2,6KGS, GW:16,6KGS/6SET |                                                       |

### 46024-32



#### BIT SOCKET WRENCH SET-STAR

JUEGO DE VASO DESTORNILLADORES-"T"

COFFRET DOUILLES TOURNEVIS ELTOILE

起子套筒扳手組

| 32 PCS                   | 46024-32                                      |
|--------------------------|-----------------------------------------------|
| 4024(55L.)               | T20,T25,T27,T30,T40,T45,T50,T55,T60,T70 10PCS |
| 4024-4T(100L.)           | T20,T25,T27,T30,T40,T45,T50,T55,T60,T70 10PCS |
| 4024-6T(150L.)           | T40,T45,T50,T55,T60,T70 6PCS                  |
| 4024-8T(200L.)           | T40,T45,T50,T55,T60,T70 6PCS                  |
| METAL CASE: 435x255x50mm |                                               |

### 46029-29



#### BIT SOCKET WRENCH SET-RIBE

JUEGO DE VASO DESTORNILLADORES-"RIBE"

COFFRET DOUILLES TOURNEVIS "RIBE"

起子套筒扳手組

| 29 PCS                   | 46029-29                                  |
|--------------------------|-------------------------------------------|
| 4029(55L.)               | M5,M6,M7,M8,M9,M10,M12,M13,M14 9PCS       |
| 4029-4T(100L.)           | M5,M6,M7,M8,M9,M10,M12,M13,M14 9PCS       |
| 4029-6T(150L.)           | M8,M9,M10(VW,FIAT),M12,M13(FIAT),M14 6PCS |
| 4029-8T(200L.)           | M8,M9,M10(VW,FIAT),M12,M13(FIAT) 5PCS     |
| METAL CASE: 435x255x50mm |                                           |

## DISPLAY STAND FOR SOCKET WRENCHES

EXPOSITOR PARALLAVES DE VASO

PRÉSENTOIR POUR DOUILLES 98 OUTILS

套筒扳手 "好賣架"

46098M



| Size<br>content                      | 10 | 12 | 13 | 14 | 17 | 19 | 21 | 22 | 24 | 27 | 30 | 32 |         |
|--------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|---------|
| 4400                                 | 5  | 5  | 5  | 5  | 5  | 3  | 3  | 3  | 3  | 3  | 3  | 3  | 46 PCS  |
| 4300                                 | 2  | 2  | 2  | 2  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 16 PCS  |
| 84400                                | 2  | 2  | 2  | 2  | 2  | 2  | 2  | 2  | 1  | 1  | 1  | 1  | 20 PCS  |
| 84300                                | 2  | 2  | 2  | 2  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 1  | 16 PCS  |
| DISPLAY STAND=L. 470xW. 380xH. 420mm |    |    |    |    |    |    |    |    |    |    |    |    | 98 PCS  |
|                                      |    |    |    |    |    |    |    |    |    |    |    |    | 23.8 KG |

## 46128M/ 46128A 46236M/ 46236A


## DISPLAY STAND FOR SOCKET WRENCHES

EXPOSITOR PARALLAVES DE VASO

PRÉSENTOIR POUR DOUILLES 128,236 OUTILS

套筒扳手 "好賣架"

PAT.



L600xW380xH420

| L600×W380×H420                                                                                                                |           |            |           |            |             |           |             |           |             |             |           |             |         |              |             |              |             | ITEM NO.                                                                                     |                  |
|-------------------------------------------------------------------------------------------------------------------------------|-----------|------------|-----------|------------|-------------|-----------|-------------|-----------|-------------|-------------|-----------|-------------|---------|--------------|-------------|--------------|-------------|----------------------------------------------------------------------------------------------|------------------|
| Size<br>content                                                                                                               | 10<br>3/8 | 11<br>7/16 | 12<br>1/2 | 13<br>9/16 | 14<br>19/32 | 15<br>5/8 | 16<br>11/16 | 17<br>3/4 | 19<br>25/32 | 21<br>13/16 | 22<br>7/8 | 23<br>15/16 | 24<br>1 | 26<br>1-1/16 | 27<br>1-1/8 | 30<br>1-3/16 | 32<br>1-1/4 | 46128M<br>46128A                                                                             | 46236M<br>46236A |
| 4400<br>(4402)                                                                                                                | 10        | 10         | 10        | 10         | 10          | 10        | 8           | 8         | 5           | 7           | 7         | 7           | 6       | 6            | 6           | 5            | 5           |  125PCS | 125PCS           |
| 4300<br>(4302)                                                                                                                | 2         | 2          | 2         | 2          | 2           | 2         | 2           | 2         | 2           | 2           | 2         | 2           | 2       | 1            | 1           | 1            | 1           |  0      | 30PCS            |
| 84400                                                                                                                         | 4         | 4          | 4         | 4          | 4           | 3         | 3           | 3         | 3           | 3           | 3         | 3           | 3       | 2            | 2           | 2            | 2           |  0      | 52PCS            |
| 84300                                                                                                                         | 2         | 2          | 2         | 2          | 2           | 2         | 2           | 2         | 2           | 1           | 1         | 1           | 1       | 1            | 1           | 1            | 1           |  0      | 26PCS            |
| DISPLAY STAND=L.600×W.380×H.420mm=  = 4.2' |           |            |           |            |             |           |             |           |             |             |           |             |         |              |             |              |             | 125PCS                                                                                       | 233PCS           |
|                                                                                                                               |           |            |           |            |             |           |             |           |             |             |           |             |         |              |             |              |             | G.W.=1 SET                                                                                   |                  |

46125M



## DISPLAY STAND FOR SOCKET WRENCHES

EXPOSITOR PARALLAVES DE VASO

PRÉSENTOIR POUR DOUILLES 125 OUTILS


套筒扳手陳列 "好賣架"

| Size<br>content                     | 10                                                                                            | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 21 | 22 |                                                                                            |
|-------------------------------------|-----------------------------------------------------------------------------------------------|----|----|----|----|----|----|----|----|----|----|----|--------------------------------------------------------------------------------------------|
| 4400M                               | 5                                                                                             | 5  | 5  | 5  | 5  | 5  | 5  | 5  | 5  | 5  | 5  | 5  |  60 PCS |
| 4402M                               |                                                                                               | 3  | 3  | 3  |    | 3  | 3  | 3  |    |    | 3  | 3  |  24 PCS |
| 4300M                               | 5                                                                                             | 5  | 5  | 5  | 5  | 5  |    |    |    |    |    |    |  30 PCS |
| 4305M                               |  16mm/20.8mm |    |    |    |    |    |    |    |    |    |    |    | 2 PCS                                                                                      |
| 4200                                |  70mm/2-3/4" |    |    |    |    |    |    |    |    |    |    |    | 1 PCS                                                                                      |
| 4800-02                             |  50mm/2"     |    |    |    |    |    |    |    |    |    |    |    | 1 PCS                                                                                      |
| 4800-05                             |  125mm/5"    |    |    |    |    |    |    |    |    |    |    |    | 3 PCS                                                                                      |
| 4800-10                             |  250mm/10"   |    |    |    |    |    |    |    |    |    |    |    | 2 PCS                                                                                      |
| 4120N                               |  250mm/10"   |    |    |    |    |    |    |    |    |    |    |    | 2 PCS                                                                                      |
| DISPLAY STAND=L. 370xW.480xH. 460mm |                                                                                               |    |    |    |    |    |    |    |    |    |    |    | 125 PCS                                                                                    |

46399MA



PAT.



L630xW480xH460

| Size<br>content                                                                                                               | 10                                                                                              | 11   | 12 | 13  | 14   | 15 | 16  | 17    | 18 | 19  | 21    | 22  | 24    | mm                                                                                    | PCS    |
|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------|----|-----|------|----|-----|-------|----|-----|-------|-----|-------|---------------------------------------------------------------------------------------|--------|
|                                                                                                                               | 3/8                                                                                             | 7/16 |    | 1/2 | 9/16 |    | 5/8 | 11/16 |    | 3/4 | 13/16 | 7/8 | 15/16 | inch                                                                                  |        |
| 4400M(mm)                                                                                                                     | 12                                                                                              | 12   | 12 | 12  | 12   | 12 | 11  | 11    | 10 | 9   | 9     | 9   | 8     |  | 139    |
| 4300M(mm)                                                                                                                     | 6                                                                                               | 6    | 6  | 6   | 6    | 6  |     |       |    |     |       |     |       |  | 36     |
| 4400A(inch)                                                                                                                   | 12                                                                                              | 12   |    | 12  | 12   |    | 11  | 11    |    | 9   | 9     | 8   |       |  | 96     |
| 4300A(inch)                                                                                                                   |                                                                                                 |      |    | 6   | 6    |    | 5   |       |    | 4   | 4     |     | 4     |  | 29     |
| 4402A(inch)                                                                                                                   |                                                                                                 | 5    |    | 5   | 5    |    | 5   | 5     |    | 4   | 4     | 4   |       |  | 37     |
| 84300A(inch)                                                                                                                  |                                                                                                 |      |    |     |      |    |     |       |    | 4   | 4     |     | 3     |  | 11     |
| 84400A(inch)                                                                                                                  |                                                                                                 | 4    |    | 4   | 4    |    | 4   |       |    | 4   | 4     |     |       |  | 24     |
| 4305A(inch)                                                                                                                   |                                                                                                 |      |    |     |      |    | 5   |       |    |     | 4     |     |       |  | 9      |
| 4200                                                                                                                          |  70mm/2-3/4" |      |    |     |      |    |     |       |    |     |       |     |       |                                                                                       | 4      |
| 4800-02                                                                                                                       |  50mm/2"     |      |    |     |      |    |     |       |    |     |       |     |       |                                                                                       | 5      |
| 4800-05                                                                                                                       |  125mm/5"    |      |    |     |      |    |     |       |    |     |       |     |       |                                                                                       | 5      |
| 4800-10                                                                                                                       |  250mm/10"   |      |    |     |      |    |     |       |    |     |       |     |       |                                                                                       | 2      |
| 4120N                                                                                                                         |  250mm/10"   |      |    |     |      |    |     |       |    |     |       |     |       |                                                                                       | 2      |
| DISPLAY STAND=L.630×W.480×H.460mm=  = 5.4' |                                                                                                 |      |    |     |      |    |     |       |    |     |       |     |       |                                                                                       | 399PCS |

| 16 PCS                   | 4616M/4616MP                                                      | 4616MU/4616MUP                                                    |
|--------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|
| 4400<br>(4402)           | 10,11,12,13,14,15,16,17<br>19,21,22,23,24mm. 13PCS                | 9,10,11,12,13,14,15,16,17<br>19,22,24,27mm. 13PCS                 |
| 4120N<br>4800-5<br>4700N | RATCHET HANDLE 250mm<br>EXTENSION BAR 125mm<br>FLEX. HANDLE 380mm | RATCHET HANDLE 250mm<br>EXTENSION BAR 125mm<br>FLEX. HANDLE 380mm |

METAL CASE:400x95x50mm 1SET:3KGS, GW=19KGS/6SET

| 16 PCS                   | 4616MJ/4616MJP                                                    | 4616A/4616AP                                                      |
|--------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|
| 4400<br>(4402)           | 9,10,11,12,13,14,15,16,17<br>19,21,23,26mm.                       | 5/16,3/8,7/16,1/2,9/16,19/32,5/8,<br>11/16,3/4,13/16,7/8,15/16,1" |
| 4120N<br>4800-5<br>4700N | RATCHET HANDLE 250mm<br>EXTENSION BAR 125mm<br>FLEX. HANDLE 380mm | 10"<br>5"<br>10"                                                  |

METAL CASE/SETS 0.6'

| 17 PCS                                     | 4617M<br>4617MP                                                                                | 4617-2M<br>4617-2MP | 4617MU<br>4617MUP                                  | 4617-2MU<br>4617-2MUP |
|--------------------------------------------|------------------------------------------------------------------------------------------------|---------------------|----------------------------------------------------|-----------------------|
| 4400<br>(4402)                             | 9,10,11,12,13,14,15,16,<br>17,19,21,23,26mm.                                                   |                     | 9,10,11,12,13,14,15,16,17,19,<br>22,24,27mm. 13PCS |                       |
| 4100NQ<br>4800-5<br>4770<br>4305<br>(4306) | RATCHET HANDLE 250mm<br>EXTENSION BAR 125mm<br>SLIDING T BAR 300mm<br>SPARK PLUG SOCKET 20.8mm |                     | 4100PQ                                             |                       |

METAL CASE/SETS 0.6'

| 17 PCS                                        | 4617A/ 4617-2A<br>4617AP/ 4617-2AP                                                                               |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| 4400<br>(4402)                                | 5/16,3/8,7/16,1/2,9/16,19/32,5/8,11/16,<br>3/4,13/16,7/8,15/16,1" 13PCS                                          |
| 4100NQ/PQ<br>4800-5<br>4770<br>4305<br>(4306) | RATCHET HANDLE 250mm 10"<br>EXTENSION BAR 125mm 5"<br>SLIDING T BAR 300mm 12"<br>SPARK PLUG SOCKET 20.8mm 13/16" |

METAL CASE/SETS 0.6'

| 17 PCS                           | 4618MP 4618-2MP (12Pt)<br>4618MG 4618-2MG (12Pt)                                      | 4618AP 4618-2AP (12Pt)<br>4618AG 4618-2AG (12Pt)                   |
|----------------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| 4400<br>(4402)                   | 10,11,12,13,14,15,17,19,22,24,<br>27,30,32mm,13PCS SOCKET                             | 5/16,3/8,7/16,1/2,9/16,5/8,11/16,<br>3/4,7/8,1",1-1/16,1-1/8,1-1/4 |
| 4800-10<br>4120N<br>4200<br>4770 | EXTENSION BAR 250mm<br>RATCHET HANDLE 125mm<br>UNIVERSAL JOINT<br>SLIDING T BAR 300mm | 10"<br>10"<br>2-3/4"<br>12"                                        |

METAL CASE:375x155x50mm 1SET:3.9KGS, GW=19.5KGS/5 SETS, 0.65'

| 16 PCS                   | 4619M 4619-2M (12Pt)                                              | 4619A 4619-2A (12Pt)                                              |
|--------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|
| 4400<br>(4402)           | 9,10,12,13,14,15,16,17,18,19,<br>22,24,27mm,13PCS SOCKET          | 5/16,3/8,7/16,1/2,9/16,19/32,5/8,<br>11/16,3/4,13/16,7/8,15/16,1" |
| 4130G<br>4700G<br>4800-5 | RATCHET HANDLE 250mm<br>FLEX. HANDLE 380mm<br>EXTENSION BAR 125mm | 10"<br>15"<br>5"                                                  |

METAL CASE:420x125x50mm 1SET:3.2KGS, G.W=16KGS/5 SETS, 0.65'

**SOCKET WRENCH SET**  
JUEGO DE LLAVES VASO  
COFFRET DOUILLES OUTILLES  
套筒扳手組

**4616MU/4616M/4616A**



**4616MUP/4616MP/4616AP**



**4617MU/4617M/4617A**



**4617MUP/4617MP/4617AP**



**4618M/4618A**



**4618MP/4618AP**



**4619M/4619A**



### 4620M/4620A



### 4620MEP



### 4646MA



### 4646MAP



### 9655M



### SOCKET WRENCH SET

JUEGO DE LLAVES

COFFRET DOUILLES OUTILLES

套筒扳手組

| 18 PCS      | 4620M                                                  | 4620-2M (12Pt) | 4620A                                                                            | 4620-2A (12Pt) |
|-------------|--------------------------------------------------------|----------------|----------------------------------------------------------------------------------|----------------|
| 4400 (4402) | 8,9,10,11,12,13,14,15,16,17,19,21,23,26mm 14PCS SOCKET |                | 5/16,3/8,7/16,1/2,9/16,19/32,5/8,11/16,3/4,25/32,13/16,7/8,15/16,1" 14PCS SOCKET |                |
| 4100NQ      | RATCHET HANDLE 250mm                                   |                | 10"                                                                              | 4100PQ         |
| 4700N       | FLEX.HANDLE 380mm                                      |                | 15"                                                                              | 4700P          |
| 4800-5      | EXTENSION BAR 125mm                                    |                | 5"                                                                               |                |
| 4770P       | PIN HANDLE FOR 4700N 250mm                             |                | 10"                                                                              |                |
| 4800-10     | EXTENSION BAR 250mm 4620ME,4620MEP                     |                | 10"                                                                              |                |

METAL CASE:420x125x50mm 1SET:3.5KGS, GW=17.5KGS/5 SETS,  0.65'

| 18 PCS      | 4620MEP                                                | 4620-2MEP |
|-------------|--------------------------------------------------------|-----------|
| 4400 (4402) | 8,9,10,11,12,13,14,15,16,17,19,21,23,26mm 14PCS SOCKET |           |
| 4100PQ      | RATCHET HANDLE 250mm                                   | 10"       |
| 4700P       | FLEX.HANDLE 380mm                                      | 15"       |
| 4800-5      | EXTENSION BAR 125mm                                    | 5"        |
| 4800-10     | EXTENSION BAR 250mm                                    | 10"       |

METAL CASE:420x125x50mm 1SET:3.5KGS, GW=17.5KGS/5 SETS,  0.65'

| 46 PCS      | 4646MA<br>4646-2MA (12Pt)                                                     | 4646MAP<br>4646-2MAP (12Pt)                                                     |
|-------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| 4400 (4402) | 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,29,30,32mm 23PCS MM | 3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16,7/8,15/16,1",1-1/8,1-3/16,1-1/4 14PCS SAE |
| 4120N       | RATCHET HANDLE, 250mm                                                         | 10" 4120P                                                                       |
| 4200        | UNIVERSAL JOINT 70mm                                                          | 2-3/4"                                                                          |
| 4305(4306)  | SPARK PLUG SOCKET 16,20.8mm                                                   | 5/8,13/16"                                                                      |
| 4700N       | FLEXIBLE HANDLE 380mm                                                         | 15" 4700P                                                                       |
| 4770P       | PING HANDLE FOR 4700N 250mm                                                   | MPT-P 1500 MAGNET PICK-UP TOOL                                                  |
| 4770        | SLIDING " T " HANDLE 300mm                                                    | 12"                                                                             |
| 4800-5/-10  | EXTENSION BAR 125mm/250mm                                                     | 5",10"                                                                          |

METAL CASE:475x280x52mm 1SET:10KGS, G.W=21KGS/2 SETS,  0.72'

| 55 PCS |                                                                                     |  |  |    | 9655M                         |
|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------|
| 2400M  | 1/4"DR.SOCKET 4,4.5,5,5.5,6,7,8,9,10,11,12mm,11PCS SOCKETS                          |                                                                                     |                                                                                     |                                                                                       |                               |
| 2182   | 1/4"SQ DR.AND HEX BIT RATCHET HANDLE 100mm                                          |                                                                                     |                                                                                     |                                                                                       |                               |
| 2800-3 | 1/4"DR.EXTENSION BAR 75mm                                                           |                                                                                     |                                                                                     |                                                                                       |                               |
| 2200   | 1/4"DR.UNIVERSAL JOINT 40mm                                                         |                                                                                     |                                                                                     |                                                                                       |                               |
| 2770   | 1/4"DR.SLIDING" T "HANDLE 115mm                                                     |                                                                                     |                                                                                     |                                                                                       |                               |
| 021-3  |  | PHILLIPS BITS NO.1,2,3                                                              | 061-3                                                                               |  | HEX KEY BITS 3,4,5,6,8mm      |
| 011-3  |  | SLOTTED BITS 4,5.5,7mm                                                              | 041-3                                                                               |  | STAR BITS T10,T15,T20,T25,T30 |
|        | "L"TYPE HEX KEY WRENCHES 1.5,2.0,2.5mm                                              |                                                                                     |                                                                                     |                                                                                       |                               |
| 3400M  | 3/8"DR. SOCKETS 10,11,12,13,14,15,17,19MM 8PCS SOCKETS                              |                                                                                     |                                                                                     |                                                                                       |                               |
| 3181   | 3/8"DR. PLATE TYPE RATCHET HANDLE 200mm                                             |                                                                                     |                                                                                     |                                                                                       |                               |
| 3200   | 3/8"DR. UNIVERSAL JOINT 50mm                                                        |                                                                                     |                                                                                     |                                                                                       |                               |
| 3800-3 | 3/8"DR. EXTENSION BAR 75mm                                                          |                                                                                     |                                                                                     |                                                                                       |                               |
| 4400M  | 1/2"DR. SOCKETS 22,24,27,30,32mm                                                    |                                                                                     |                                                                                     | 5PCS SOCKETS                                                                          |                               |
| 4120P  | 1/2"DR. RATCHET HANDLE 250mm                                                        |                                                                                     |                                                                                     |                                                                                       |                               |
| 4200   | 1/2"DR.UNIVERSAL JOINT 70mm                                                         |                                                                                     |                                                                                     |                                                                                       |                               |
| 4800-5 | 1/2"DR.EXTENSION BAR 125mm                                                          |                                                                                     |                                                                                     |                                                                                       |                               |
| 4770   | 1/2"DR.SLIDING" T "HANDLE 250mm                                                     |                                                                                     |                                                                                     |                                                                                       |                               |
| 4305   | 1/2"DR.SPARK PLUG SOCKET 20.8mm                                                     |                                                                                     |                                                                                     |                                                                                       |                               |

METAL CASE:440x200x50mm 1SET:5.0KGS, G.W=20.0KGS/4 SETS,  :0.86'

## SOCKET WRENCH SET

JUEGO DE 24 LLAVES VASO  
COFFRET DOUILLES 24 OUTILLES  
套筒扳手組



| 24 PCS            | 4624M/2M<br>4624MG/2MG                                                  | 4624MP/2MP<br>4625M/2M |
|-------------------|-------------------------------------------------------------------------|------------------------|
| 4400<br>(4402)    | 8,10,11,12,13,14,15,16,17,19,20,21,<br>22,23,24,27,30,32mm 18PCS SOCKET |                        |
| 4120N/P/G<br>4200 | RATCHET HANDLE 250mm<br>UNIVERSAL JOINT 70mm                            |                        |
| 4700N/P/G<br>4770 | FLEX. HANDLE 380mm<br>SLIDING "T" HANDLE 300mm                          |                        |
| 4800-5/10         | EXTENSION BAR 125mm/250mm                                               |                        |

METAL CASE:440x185x50mm 1SET:5.5KGS

| 24 PCS            | 4624A/AG<br>4624-2A/2AG                                                                                            | 4624AP/2AP<br>4625A/2A |
|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------------|
| 4400<br>(4402)    | 5/16,3/8,7/16,1/2,9/16,19/32,5/8,11/16,<br>3/4,25/32,13/16,7/8,15/16,1",1-1/16,1-1/8,<br>1-3/16,1-1/4 18PCS SOCKET |                        |
| 4120N/P/G<br>4200 | RATCHET HANDLE 250mm<br>UNIVERSAL JOINT 70mm                                                                       |                        |
| 4700N/P/G<br>4770 | FLEX. HANDLE 380mm<br>SLIDING "T" HANDLE 300mm                                                                     |                        |
| 4800-5/10         | EXTENSION BAR 125mm/250mm                                                                                          |                        |

METAL CASE:440x185x50mm 1SET:5.5KGS

| 24 PCS            | 4624MB/2MB<br>4624MBP/2MBP                                              | 4625MB/2MB<br>4624MB2G/2MB2G |
|-------------------|-------------------------------------------------------------------------|------------------------------|
| 4400<br>(4402)    | 8,10,11,12,13,14,15,16,17,19,20,21,<br>22,23,24,27,30,32mm 18PCS SOCKET |                              |
| 4120N/P/G<br>4200 | RATCHET HANDLE 250mm<br>UNIVERSAL JOINT 70mm                            |                              |
| 4700N/P/G<br>4770 | FLEX. HANDLE 380mm<br>SLIDING "T" HANDLE 300mm                          |                              |
| 4800-5/10         | EXTENSION BAR 125mm/250mm                                               |                              |

1SET:5.5KGS, G.W=25KGS/4 SETS, :1.2'

| 24 PCS            | 4624AB/2AB<br>4624ABP/2ABP                                                                                         | 4625AB/2AB<br>4624AB2G/2AB2G |
|-------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------|
| 4400<br>(4402)    | 5/16,3/8,7/16,1/2,9/16,19/32,5/8,11/16,<br>3/4,25/32,13/16,7/8,15/16,1",1-1/16,1-1/8,<br>1-3/16,1-1/4 18PCS SOCKET |                              |
| 4120N/P/G<br>4200 | RATCHET HANDLE 250mm<br>UNIVERSAL JOINT 70mm                                                                       |                              |
| 4700N/P/G<br>4770 | FLEX. HANDLE 380mm<br>SLIDING "T" HANDLE 300mm                                                                     |                              |
| 4800-5/10         | EXTENSION BAR 125mm/250mm                                                                                          |                              |

1SET:5.5KGS, G.W=25KGS/4 SETS, :1.2'

4624M/4624A



4624MP/4624AP



4624MG/4624AG



4625M



4624MB




4624MBP



4624AB2G  
4624MB2G



4625AB  
4625MB



## 24PCS SOCKET WRENCH SET

JUEGO DE 24 LLAVES VASO

COFFRET DOUILLES 24 OUTILLES

24件套筒扳手組

### 4626MB3G



### 4626MBB



### 4626MG/AG



### 4626M/A



### 4624MT



### 4624MTP



### 4624MTP4



### 4624-6MT



| 24 PCS                                                     | 4626M/-2M<br>4626MG/-2MG                                                                                                                                          | 4626MB/-2MB<br>4626MBB/-2MBB |
|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| 4400<br>(4402)                                             | 8,10,11,12,13,14,15,16,17,19,20,21,<br>22,23,24,27,30,32mm 18PCS SOCKET                                                                                           |                              |
| 4130N/G<br>4200<br>4305(4306)<br>4770<br>4800-5<br>4800-10 | RATCHET HANDLE 250mm 4130G/4626MB3G<br>UNIVERSAL JOINT 70mm<br>SPARK PLUG SOCKET 20.8mm<br>SLIDING "T" HANDLE 300mm<br>EXTENSION BAR 125mm<br>EXTENSION BAR 250mm |                              |
| METAL CASE:440x185x50mm BLOW CASE:440x230x60mm             |                                                                                                                                                                   |                              |

| 24 PCS                                                     | 4626A/-2A<br>4626AG/2AG                                                                                                                            | 4626AB/-2AB<br>4626ABB/-2ABB |
|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| 4400<br>(4402)                                             | 5/16,3/8,7/16,1/2,9/16,19/32,5/8,11/16,3/4,<br>25/32,13/16,7/8,15/16,1",1-1/16,1-1/8,<br>1-3/16,1-1/418PCS SOCKET                                  |                              |
| 4130N/G<br>4200<br>4305(4306)<br>4770<br>4800-5<br>4800-10 | RATCHET HANDLE 250mm<br>UNIVERSAL JOINT 70mm<br>SPARK PLUG SOCKET 20.8mm<br>SLIDING "T" HANDLE 300mm<br>EXTENSION BAR 125mm<br>EXTENSION BAR 250mm |                              |
| METAL CASE:440x185x50mm BLOW CASE:440x230x60mm             |                                                                                                                                                    |                              |

| 24 PCS                             | 4624MT/-2MT<br>4624MTP/2MTP                                    | 4624AT/-2AT<br>4624ATP/-2ATP                                                                          |
|------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| 4400<br>(4402)                     | 8,10,11,12,13,14,15,<br>16,17,19,20,21,22,23,<br>24,27,30,32mm | 5/16,3/8,7/16,1/2,9/16,19/32,<br>5/8,11/16,3/4,25/32,13/16,7/8,<br>15/16,1",1-1/16,1-1/8,1-3/16,1-1/4 |
| 4120N                              | RATCHET HANDLE 250mm                                           | 4120P                                                                                                 |
| 4200                               | UNIVERSAL JOINT 70mm                                           |                                                                                                       |
| 4770                               | SLIDING "T" HANDLE 300mm                                       |                                                                                                       |
| 4800-5                             | EXTENSION BAR 125mm                                            |                                                                                                       |
| 4800-10                            | EXTENSION BAR 250mm                                            |                                                                                                       |
| 4850                               | SPEED HANDLE 420mm                                             | 4850P                                                                                                 |
| METAL CASE:440x185x50mm 1SET=5.5KG |                                                                |                                                                                                       |

| 24 PCS                                               | 4624MT4<br>4624MTP4                                                                                                                                        | 4624AT4<br>4624ATP4                                                                                  |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 4408M<br>4408A                                       | 8,10,11,12,13,14,15,<br>16,17,19,20,21,22,23,<br>24,27,30,32mm                                                                                             | 5/16,3/8,7/16,1/2,9/16,19/32<br>5/8,11/16,3/4,25/32,13/16,7/8,<br>15/16,1",1-1/16,1-1/8,1-3/16,1-1/4 |
| 4120N<br>4200<br>4770<br>84800-5<br>84800-10<br>4850 | RATCHET HANDLE 250mm<br>UNIVERSAL JOINT 70mm<br>SLIDING "T" HANDLE 300mm<br>IMPACT EXTENSION BAR 125mm<br>IMPACT EXTENSION BAR 250mm<br>SPEED HANDLE 420mm |                                                                                                      |
|                                                      |                                                                                                                                                            | 4120P<br>4850P                                                                                       |
| METAL CASE:440x185x50mm 1SET=5.5KG                   |                                                                                                                                                            |                                                                                                      |

| 24 PCS                                                   | 4624-6MT/ 4624-12MT                                                                                                                                        |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4400<br>(4402)                                           | 8,10,11,12,13,14,15,16,17,18,19,20,21,22,<br>24,27,30,32mm                                                                                                 |
| 4120NQ<br>4200<br>4770<br>84800-5D<br>84800-10D<br>4850E | RATCHET HANDLE 250mm<br>UNIVERSAL JOINT 70mm<br>SLIDING "T" HANDLE 300mm<br>IMPACT EXTENSION BAR 125mm<br>IMPACT EXTENSION BAR 250mm<br>SPEED HANDLE 420mm |
| METAL CASE:440x185x50mm 1SET=5.5KG                       |                                                                                                                                                            |




**SOCKET WRENCH SET**

JUEGO DE LLAVES VASO

COFFRET DOUILLES OUTILLES

套筒扳手組



OPTIONAL  
HANDLE



N/NQ



P/PQ



G/GQ

| 22 PCS                                           | 4621M<br>4621MP<br>4622M                                                                                                          | 4621-2M<br>4621-2MP<br>4622-2M                                                           | 4621A<br>4621AP<br>4622A | 4621-2A<br>4621-2AP<br>4622-2A |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|--------------------------|--------------------------------|
| 4400<br>(4402)                                   | 8,9,10,11,12,13,14,<br>15,16,17,19,21,23,<br>26,29,32mm                                                                           | 5/16,3/8,7/16,1/2,9/16,19/32,<br>5/8,11/16,3/4,13/16,7/8,15/16,1",<br>1-1/16,1-1/8,1-1/4 |                          |                                |
| 4800-5/10<br>4305(4306)<br>4120N<br>4770<br>4200 | EXTENSION BAR 125mm/250mm<br>SPARK PLUG SOCKET 20.8mm<br>RATCHET HANDLE 250mm<br>SLIDING "T" HANDLE 300mm<br>UNIVERSAL JOINT 70mm |                                                                                          |                          |                                |
|                                                  |                                                                                                                                   |                                                                                          | 4120P                    |                                |

METAL CASE:440x185x50mm 1SET=5KG

**4621M/MU**



**4621MP/MUP**



| 22 PCS                                            | 4621MU<br>4621MUP<br>4622MU                                                                                                        | 4621-2MU<br>4621-2MUP<br>4622-2MU |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| 4400<br>(4402)                                    | 8,9,10,11,12,13,14,15,16,17,19,22,24,27,<br>30,32mm                                                                                | 16PCS                             |
| 4800-5/10<br>4305(4306)<br>4100PQ<br>4770<br>4200 | EXTENSION BAR 125mm/250mm<br>SPARK PLUG SOCKET 20.8mm<br>4100NQ RATCHET HANDLE<br>SLIDING "T" HANDLE 300mm<br>UNIVERSAL JOINT 70mm |                                   |

METAL CASE:440x185x50mm 1SET=5KG

**4622(BLACK)**



**4630M**



| 30 PCS                                                          | 4630M<br>4630MP                                                                                                                                                                              | 4630-2M<br>4630-2MP |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 4400<br>(4402)                                                  | 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,<br>24,25,26,27,28,30,32mm                                                                                                                     | 23PCS               |
| 4100NQ/PQ<br>4200<br>4700N/P<br>4770<br>4800-5/10<br>4850/4850P | RATCHET HANDLE 250mm/10"L<br>UNIVERSAL JOINT 70mm/2-3/4"L<br>FLEXIBLE HANDLE 380mm/15"L<br>SLIDING "T" HANDLE 300mm/12"L<br>EXTENSION BAR 125mm,250mm/5",10"L<br>SPEED HANDLE 420mm/16-1/2"L |                     |

METAL CASE:440x185x50mm GW=27KGS/4 SETS =1'

**4630MP**



**4630MA**



| 36 PCS                                       | 4636MA<br>4636-2MA                                                                                                                                | 4636MAP<br>4636-2MAP | 4636MAG<br>4636-2MAG |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------|
| 4400<br>(4402)                               | 10,11,12,13,14,15,16,17,18,19,21,22,24,<br>27,30,32mm                                                                                             |                      |                      |
| 4100NQ<br>4200<br>4770<br>4800-05<br>4800-10 | RATCHET HANDLE 250mm/10"L<br>UNIVERSAL JOINT 70mm/2-3/4"L<br>SLIDING "T" HANDLE 300mm/12"L<br>EXTENSION BAR 125mm/5"L<br>EXTENSION BAR 250mm/10"L |                      |                      |
|                                              |                                                                                                                                                   | 4100PQ 4100GQ        |                      |

METAL CASE:440x185x50mm 1 SET:6.3KGS,GW=26KGS/4 SETS =1'

**4636MAP**



**4636MAG**



### SOCKET WRENCH SET

JUEGO DE LLAVES VASO

COFFRET DOUILLES OUTILLES

套筒扳手組



**4618RM**



**4618PM**



**4635/4635-2M**



**4647-2MA**



**9638T**



| 17 PCS  | 4618RM                                         |
|---------|------------------------------------------------|
| 44R0M   | 10,11,12,13,14,15,17,19,22,24,27,30,32mm 13PCS |
| 4800-10 | EXTENSION BAR 250mm/10"                        |
| 4100PQ  | RATCHET HANDLE 250mm/10"                       |
| 4200    | UNIVERSAL JOINT 70mm/2-3/4"                    |
| 4770    | SLIDING "T" HANDLE 300mm/12"                   |

METAL CASE: 375x155x50mm 1 SET=3.9KGS,GW=19.5KGS/5SETS  $\frac{1}{16}$ "=0.65"

| 17 PCS  | 4618PM                                         |
|---------|------------------------------------------------|
| 44P0M   | 10,11,12,13,14,15,17,19,22,24,27,30,32mm 13PCS |
| 4800-10 | EXTENSION BAR 250mm/10"                        |
| 4100PQ  | RATCHET HANDLE 250mm/10"                       |
| 4200    | UNIVERSAL JOINT 70mm/2-3/4"                    |
| 4770    | SLIDING "T" HANDLE 300mm/12"                   |

METAL CASE: 375x155x50mm 1 SET=3.9KGS,GW=19.5KGS/5SETS  $\frac{1}{16}$ "=0.65"

| 34 PCS      | 4635/4635-2M                                                 |
|-------------|--------------------------------------------------------------|
| 4400M       | 8,9,10,11,12,13,14,15,16,17,18,19,21,22,24,27,30,32,34 19PCS |
| 4402M       |                                                              |
| 4026M       | 4,5,6,7,8,10,12,14mm 8PCS                                    |
| 04664B      | SOCKET ADAPTOR 1/2" SQ/50mmL                                 |
| 3804        | ADAPTOR 3/8"x1/2"                                            |
| 4200        | UNIVERSAL JOINT 70mm/2-3/4"L                                 |
| 4770        | SLIDING "T" HANDLE 300mm                                     |
| 4800-05/-10 | EXTENSION BAR 125mm/5", 250mm/10"L                           |
| 4101GQ-90   | RATCHET HANDLE                                               |


METAL CASE: 440x185x50mm

| 47 PCS     | 4647-2MA                                                                                                       |
|------------|----------------------------------------------------------------------------------------------------------------|
| 4402M      | 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,30,32,34 22PCS                                        |
| 4402A      | 3/8",7/16",1/2",9/16",19/32",5/8",11/16",3/4",25/32",13/16",7/8",15/16",1",1-1/16",1-1/8",1-3/16",1-1/4" 17PCS |
| 04664B     | SOCKET ADAPTOR 1/2" SQ/50mmL                                                                                   |
| 3804       | ADAPTOR 3/8"x1/2"                                                                                              |
| 4200       | UNIVERSAL JOINT 70mm/2-3/4"L                                                                                   |
| 4770       | SLIDING "T" HANDL 300mm                                                                                        |
| 4800-03/05 | EXTENSION BAR 75mm/3" 125mm/5"                                                                                 |
| 4800-10    | EXTENSION BAR 250mm/10"                                                                                        |
| 4100G-90   | RATCHET HANDLE                                                                                                 |


METAL CASE: 435x255x50mm

| 38 PCS | 9638T                         |
|--------|-------------------------------|
| 2410E  | E4,E5,E6,E7,E8                |
| 3410E  | E10,E12,E14,E16               |
| 4410E  | E18,E20                       |
| 2024T  | T8,T10,T15,T20,T25,T27,T30    |
| 3024T  | T40,T45,T47,T50               |
| 4024T  | T55,T60                       |
| 2025TH | TH10,TH15,TH20,TH25,TH27,TH30 |
| 3025TH | TH40,TH45,TH50                |
| 4025TH | TH55                          |
| 04662B | SOCKET ADAPTOR 1/4" SQ/50mmL  |
| 04663B | SOCKET ADAPTOR 3/8" SQ/50mmL  |
| 04664B | SOCKET ADAPTOR 1/2" SQ/50mmL  |
| 4804   | ADAPTOR 3/8"x1/2"             |

METAL CASE: 253x130x32mm



**HAND SOCKET mm/inch, 6Pt / 12Pt**  
VASOS HEXAGONAL / 12 CARAS  
DOUILLES 6 PANS/12 PANS  
套筒 公制/英制, 6角/12角



**6400M / 6400A**



**6402M / 6402A**



| 6400M<br>6402M<br>(mm) | 6400A<br>6402A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g)  | (pcs) |
|------------------------|--------------------------|------------|------------|-----------|------|-------|
| NEW 14                 |                          | 23.2       | 34         | 50        | 250  | 5     |
| NEW 16                 |                          | 25.2       | 34         | 50        | 260  | 5     |
| 17                     | 11/16                    | 27.1       | 34         | 50        | 270  | 5     |
| 18                     |                          | 28.2       | 34         | 50        | 270  | 5     |
| 19                     | 3/4                      | 29.2       | 34         | 50        | 280  | 5     |
| 20                     | NEW 25/32                | 30.2       | 34         | 50        | 280  | 5     |
| 21                     | 13/16                    | 31.2       | 34         | 50        | 280  | 5     |
| 22                     | 7/8                      | 32.2       | 36         | 50        | 290  | 5     |
| 23                     |                          | 33.2       | 36         | 50        | 300  | 5     |
| 24                     | 15/16                    | 34.2       | 36         | 50        | 300  | 5     |
| 25                     | 1"                       | 36         | 35         | 52        | 310  | 5     |
| 26                     |                          | 37         | 36         | 52        | 320  | 5     |
| 27                     | 1-1/16                   | 38         | 36         | 52        | 330  | 5     |
| 28                     |                          | 40         | 38         | 52        | 330  | 5     |
| 29                     | 1-1/8                    | 40         | 38         | 52        | 340  | 5     |
| 30                     | 1-3/16                   | 42         | 38         | 54        | 370  | 5     |
| 31                     |                          | 43         | 38         | 54        | 380  | 5     |
| 32                     | 1-1/4                    | 44         | 38         | 56        | 420  | 5     |
| 33                     | 1-5/16                   | 46         | 38         | 56        | 440  | 5     |
| 34                     |                          | 47         | 42         | 56        | 470  | 5     |
| 35                     | 1-3/8                    | 48         | 42         | 58        | 490  | 5     |
| 36                     | 1-7/16                   | 50         | 42         | 58        | 510  | 5     |
| 38                     | 1-1/2                    | 52         | 45         | 60        | 550  | 5     |
| 40                     | 1-9/16                   | 54         | 45         | 60        | 580  | 1     |
| 41                     | 1-5/8                    | 56         | 45         | 64        | 590  | 1     |
| 42                     |                          | 57         | 45         | 64        | 600  | 1     |
| 43                     | 1-11/16                  | 58         | 45         | 64        | 620  | 1     |
| 44                     |                          | 59         | 48         | 64        | 670  | 1     |
| 45                     | 1-3/4                    | 61         | 48         | 66        | 710  | 1     |
| 46                     | 1-13/16                  | 62         | 48         | 68        | 730  | 1     |
| 48                     | 1-7/8                    | 64         | 48         | 70        | 770  | 1     |
|                        | 1-15/16                  | 66         | 48         | 70        | 790  | 1     |
| 50                     |                          | 68         | 48         | 70        | 790  | 1     |
| 51                     | 2"                       | 68         | 48         | 72        | 820  | 1     |
| 52                     | 2-1/16                   | 70         | 48         | 72        | 860  | 1     |
| 54                     | 2-1/8                    | 72         | 48         | 76        | 910  | 1     |
| 55                     | 2-3/16                   | 74         | 48         | 76        | 1030 | 1     |
| 57                     | 2-1/4                    | 76         | 48         | 76        | 1100 | 1     |
| 58                     |                          | 78         | 48         | 76        | 1250 | 1     |
| 59                     | 2-5/16                   | 78         | 48         | 78        | 1350 | 1     |
| 60                     | 2-3/8                    | 80         | 48         | 78        | 1450 | 1     |
| NEW 62                 | 2-7/16                   | 82         | 50         | 82        | 1480 | 1     |
| 63                     | 2-1/2                    | 84         | 50         | 82        | 1600 | 1     |
| 65                     | 2-9/16                   | 86         | 60         | 85        | 1750 | 1     |
| NEW 67                 | 2-5/8                    | 88         | 60         | 88        | 1700 | 1     |
| 70                     | 2-3/4                    | 92         | 60         | 90        | 1950 | 1     |


## 6-POINT DEEP SOCKET mm/inch, 6pt

VASOS LARGO DE HEXAGONAL

DOUILLE LONGUES 6 PANS

6角長套筒 公制/英制


## 6300M /6300A



| 6300M<br>(mm) | 6300A<br>(inch) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g)  | (pcs) |
|---------------|-----------------|------------|------------|-----------|------|-------|
| NEW 17        | 11/16           | 27.1       | 34         | 90        | 280  | 5     |
| NEW 18        |                 | 28.2       | 34         | 90        | 290  | 5     |
| 19            | 3/4             | 29.2       | 34         | 90        | 300  | 5     |
| 20            |                 | 30.2       | 34         | 90        | 310  | 5     |
| 21            | 13/16           | 31.2       | 34         | 90        | 320  | 5     |
| 22            | 7/8             | 32.2       | 36         | 90        | 360  | 5     |
| 23            |                 | 33.2       | 36         | 90        | 380  | 5     |
| 24            | 15/16           | 34.2       | 36         | 90        | 400  | 5     |
| 25            |                 | 36         | 35         | 90        | 410  | 5     |
| 26            | 1"              | 37         | 36         | 90        | 420  | 5     |
| 27            | 1-1/16          | 38         | 36         | 90        | 420  | 5     |
| 28            |                 | 39         | 38         | 90        | 430  | 5     |
| 29            | 1-1/8           | 40         | 38         | 90        | 460  | 5     |
| 30            | 1-3/16          | 42         | 38         | 90        | 510  | 5     |
| NEW 31        |                 | 43         | 38         | 90        | 535  | 5     |
| 32            | 1-1/4           | 44         | 38         | 90        | 560  | 5     |
|               | 1-5/16          | 46         | 38         | 90        | 610  | 5     |
| 34            |                 | 47         | 42         | 90        | 610  | 5     |
| 35            | 1-3/8           | 48         | 42         | 90        | 640  | 5     |
| 36            | 1-7/16          | 50         | 42         | 90        | 670  | 5     |
| 38            | 1-1/2           | 52         | 45         | 90        | 700  | 5     |
| NEW 39        | 1-9/16          | 54         | 45         | 90        | 750  | 1     |
| NEW 40        |                 | 54         | 45         | 90        | 750  | 1     |
| 41            | 1-5/8           | 56         | 45         | 90        | 790  | 1     |
| NEW 42        |                 | 58         | 45         | 90        | 830  | 1     |
| NEW 43        | 1-11/16         | 61         | 48         | 90        | 860  | 1     |
| NEW 44        |                 | 61         | 48         | 90        | 860  | 1     |
| NEW 45        | 1-3/4           | 61         | 48         | 90        | 860  | 1     |
| NEW 46        | 1-13/16         | 62         | 48         | 90        | 870  | 1     |
| NEW 47        | 1-7/8           | 64         | 48         | 90        | 960  | 1     |
| NEW 48        | 1-15/16         | 66         | 48         | 90        | 1030 | 1     |
| 50            | 2"              | 68         | 48         | 90        | 1100 | 1     |
| NEW 51        |                 | 70         | 48         | 90        | 1170 | 1     |
| NEW 52        | 2-1/16          | 70         | 48         | 90        | 1170 | 1     |
| NEW 54        | 2-1/8           | 72         | 48         | 90        | 1240 | 1     |
| 55            | 2-3/16          | 74         | 48         | 90        | 1340 | 1     |
| NEW 57        | 2-1/4           | 76         | 48         | 90        | 1440 | 1     |
| NEW 58        |                 | 78         | 48         | 90        | 1540 | 1     |
| NEW 59        |                 | 78         | 48         | 90        | 1540 | 1     |
| 60            | 2-1/2           | 80         | 48         | 90        | 1580 | 1     |
| NEW 63        |                 | 84         | 50         | 90        | 1680 | 1     |
| NEW 65        | 2-9/16          | 86         | 50         | 90        | 1780 | 1     |
| NEW 70        | 2-3/4           | 92         | 50         | 90        | 2080 | 1     |



**SURFACE DRIVE SOCKET**  
VASOS DE SURFACE DRIVE  
DOUILLES 6 PANS SURFACE DRIVE  
大R角套筒



| 64R0M<br>(mm) | D1<br>(mm) | D2<br>(mm) | L<br>(mm) | (g) | (pcs) |
|---------------|------------|------------|-----------|-----|-------|
| 17            | 28         | 36         | 49.5      | 270 | 5     |
| 19            | 30         | 36         | 49.5      | 280 | 5     |
| 21            | 32         | 36         | 49.5      | 280 | 5     |
| 22            | 33         | 36         | 49.5      | 290 | 5     |
| 23            | 34         | 36         | 49.5      | 300 | 5     |
| 24            | 35         | 36         | 49.5      | 300 | 5     |
| 25            | 36         | 36         | 50        | 310 | 5     |
| 26            | 37         | 36         | 50        | 320 | 5     |
| 27            | 38         | 36         | 52        | 330 | 5     |
| 28            | 39         | 36         | 52        | 330 | 5     |
| 29            | 40         | 38         | 52        | 340 | 5     |
| 30            | 42         | 38         | 54        | 370 | 5     |
| 32            | 44         | 38         | 56        | 420 | 5     |
| 33            | 46         | 38         | 56        | 440 | 5     |
| 34            | 46         | 38         | 58        | 470 | 5     |
| 35            | 48         | 42         | 58        | 490 | 5     |
| 36            | 50         | 42         | 58        | 510 | 5     |
| 38            | 52         | 45         | 60        | 550 | 5     |
| 40            | 56         | 45         | 64        | 580 | 5     |
| 41            | 56         | 45         | 64        | 590 | 5     |
| 42            | 56         | 45         | 64        | 600 | 5     |
| 46            | 62         | 48         | 68        | 730 | 1     |
| 48            | 65         | 48         | 71        | 770 | 1     |
| 50            | 68         | 48         | 72        | 790 | 1     |

 **64R0M**



3/4" DR.

NEW  
dura-chr v.



WORLD CLASS  
**Hans** Tools

DIN 3122 - ISO 3315  
REVERSIBLE RATCHET HANDLE

RATCHET HANDLE  
CARRACA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手

## 120 TOOTH RATCHET SYSTEM TECHNOLOGY

6139



| TYPE | TEETH     | D(mm) | T(mm) | DIN  |
|------|-----------|-------|-------|------|
| 6139 | 60<br>120 | 68    | 58    | 1412 |



L=515mm =2400g = 1 pcs




QUICK RELEASE WHEEL

SWITCH


BODY

CURVE PAWL



72 TOOTH

19 3/4"




6101NQ-72


| TYPE      | TEETH | D(mm) | T(mm) | DIN  |
|-----------|-------|-------|-------|------|
| 6101NQ-72 | 72    | 44    | 49    | 1412 |



D= 44mm

L=500mm =1884g = 1 pcs





**RATCHET HANDLE**  
CARRCA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手



L=500mm/20" [9] =2500g =1 pcs



L=500mm/20" [9] =2030g =1 pcs

**6100N**



6100SP

**6120N**



6120NSP

| TYPE                               | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|------------------------------------|-------|-------|-------|------------|
| 6100N<br>6100NQ<br>6120N<br>6120NQ | 24    | 62    | 54    | 1412       |

**QUICK RELEASE RATCHET HANDLE**  
CARRCA REVERSIBLE  
CLIQUET RÉVERSIBLE  
快放棘輪扳手



L=500mm/20" [9] =2500g =1 pcs




L=500mm/20" [9] =1994g =1 pcs

**6100NQ**




6100QSP

**6120NQ**



6120QSP

| TYPE  | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|-------|-------|-------|-------|------------|
| 6130N | 41    | 69    | 52    | 1412       |



**RATCHET HANDLE**  
CARRCA REVERSIBLE  
CLIQUET RÉVERSIBLE  
棘輪扳手



L=500mm/20" [9] =2200g =1 pcs

**6130N**





6130SP

**INVERTIBLE 3/4" DR. RATCHET HANDLE**  
LLAVE DE CARRACA CON CUADRADO HEMBRA 3/4"  
CLIQUET AVEC CARRÉ FEMELLE 3/4"  
單向兩面3/4"方頭棘輪扳手



**6139-36**

| TYPE    | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|---------|-------|-------|-------|------------|
| 6139-36 | 36    | 69    | 38    | 1412       |



L= 510mm/20" [9] =1976g =1 pcs

**EXTENDABLE RATCHET HANDLE**  
EXTENSIBLE CARRACA REVERSIBLE  
EXTENSIBLE CLIQUETS REVERSIBLE  
可伸縮快放棘輪扳手




**6102-30/40N**



| TYPE                 | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------------------|-------|-------|-------|------------|
| 6102-30N<br>6102-40N | 24    | 63    | 55    | 1412       |

6102-30N L=495~770mm

6102-40N L=615~1015mm



## BIT SOCKET

VASOS DESTORNILLADORES PARA TORNILLOS

DOUILLES TOURNEVIS

套筒起子

### 6016 HEX



| 6016M<br>(mm) | 6016A<br>(inch) | 6016<br>L55mm | 6016-4M<br>L100mm | 6016-6M<br>L155mm | (pcs) |
|---------------|-----------------|---------------|-------------------|-------------------|-------|
| 14            | 9/16            | 200 (g)       | 200 (g)           | 200 (g)           | 5     |
| 17            | 5/8             | 210 (g)       | 210 (g)           | 210 (g)           | 5     |
| 19            | 3/4             | 280 (g)       | 280 (g)           | 280 (g)           | 5     |
| 22            | 7/8             | 300 (g)       | 300 (g)           | 300 (g)           | 5     |

### 6024 STAR



| 6024 | L<br>(mm) | (g) | (pcs) |
|------|-----------|-----|-------|
| T60  | 80        | 280 | 5     |
| T70  | 80        | 290 | 5     |
| T80  | 80        | 290 | 5     |
| T90  | 80        | 305 | 5     |
| T100 | 80        | 310 | 5     |

## ADAPTOR

ADAPTADOER

AUGMENTATEUR

萬向接頭

### 6804



1/2" x 3/4"

L=54mm/2-1/8" (g)=200g =5pcs

### 6805



1" x 3/4"

L=62mm/2-7/16" (g)=380g



LOW TORQUE

## UNIVERSAL JOINT

CARDÁN UNIVERSAL

CARDAN UNIVERSEL


萬向接頭

### 6200



L=110mm/4-5/16" (g)=590g =2pcs

### 6884



1/2" x 3/4" :BLISTER

L=63.6mm/2-1/2" (g)=300g =12 SET


### 61804

## RATCHET ADAPTOR

TRINQUETE

CLIQUET

棘輪套筒接頭



PAT.

3/4" x 3/4"

L=92mm (g)=10500g =1 PCS



## EXTENSION BAR

ALARGADERAS  
RALLONGE  
接桿

| mm    | 75  | 100 | 125 | 150 | 200 | 250 | 300  | 400  |
|-------|-----|-----|-----|-----|-----|-----|------|------|
| inch  | 3   | 4   | 5   | 6   | 8   | 10  | 12   | 16   |
| (g)   | 300 | 400 | 480 | 600 | 700 | 850 | 1050 | 1400 |
| (PCS) | 5   | 5   | 5   | 5   | 2   | 2   | 2    | 2    |

6800



## LOCKING EXTENSION

ALARGADERAS BLOQUEO  
RALLONGES À VERROUILLAGE  
快鎖快放接桿

| mm    | 100 | 200 | 400 |
|-------|-----|-----|-----|
| inch  | 4   | 8   | 16  |
| (g)   | 400 | 480 | 600 |
| (PCS) | 5   | 1   | 1   |

6801

PAT.



## FLEXIBLE HANDLE

MANGO ARTICULADO  
POIGNÉE ARTICULÉE  
活頭扳桿

| mm    | 475  | 620  |
|-------|------|------|
| inch  | 19   | 24   |
| (g)   | 1850 | 2350 |
| (PCS) | 1    | 1    |



6700SP



6700N



6700SP-40

6700P-40 L=1040mm/40" (g) = 3740g =1PCS




6700P-40

## SLIDING "T" HANDLE

MANGO CORREDIZAO  
POIGNÉE COULISSANTÉ  
滑桿



6770SP



6770


L=500mm/20" (g)=1500g =1pcs

## L-HANDLE

MANGO ANGULAR  
POIGNÉE LOUDÉE  
L型方頭扳手



6777



6777-18V

| ITEM  | 6777-12 | 6777-18 | 6777-18V | 6777-18V10 |
|-------|---------|---------|----------|------------|
| L(mm) | 300/12" | 450/18" | 450/18"  | 457/18"    |
| (g)   | 1380    | 1850    | 1800     | 1916       |
| (PCS) | 2       | 2       | 2        | 2          |

## SOCKET WRENCH SET

JUEGO DE LLAVES VASO

COFFRET DOUILLES OUTILLES

套筒組

### 6627MB / AB



| 27 PCS                                            | 6627MB                                                                                                       | 6627AB                                                                                                                                                                                         |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6400M                                             | 17, 19, 20, 21, 22, 23, 24, 27, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 41, 45, 46, 48, 50, 54, 55, 57, 60mm | 3/4, 11/16, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-3/4, 1-11/16, 1-13/16, 1-7/8, 1-15/16, 2", 2-1/16, 2-1/8, 2-3/16, 2-1/4, 2-3/8 |
| BLOW CASE: 480x325x110mm GW=18.3KGS/1 SET  = 0.8' |                                                                                                              |                                                                                                                                                                                                |

### 6621MB / AB



| 21 PCS                                                     | 6621MB<br>6621-2MB                                                     | 6621AB<br>6621-2AB                                                                                                 |
|------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| 6400<br>(6402)                                             | 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50mm 16PCS | 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2" 16PCS |
| 6120N                                                      | RATCHET HANDLE 500mm                                                   | 20"                                                                                                                |
| 6200                                                       | UNIVERSAL JOINT 110mm                                                  | 4-1/2"                                                                                                             |
| 6700                                                       | FLEXIBLE HANDLE 475mm                                                  | 19"                                                                                                                |
| 6800-8/-16                                                 | EXTENSION BAR 200, 400mm                                               | 8", 16"                                                                                                            |
| BLOW MOLD CASE: 530x340x95mm 1SET=14.2KGS, GW=14.6KGS/1SET |                                                                        |                                                                                                                    |

### 6622MB / AB



| 21 PCS                                                     | 6622MB<br>6622-2MB                                                     | 6622AB<br>6622-2AB                                                                                                 |
|------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| 6400<br>(6402)                                             | 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50mm 16PCS | 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2" 16PCS |
| 6120N                                                      | RATCHET HANDLE 500mm                                                   | 20"                                                                                                                |
| 6770                                                       | ESLIDING "T" HANDLE 500mm                                              | 20"                                                                                                                |
| 6800-4                                                     | EXTENSION BAR 100mm                                                    | 4"                                                                                                                 |
| 6800-8/-16                                                 | EXTENSION BAR 200, 400mm                                               | 8", 16"                                                                                                            |
| BLOW MOLD CASE: 530x340x95mm 1SET=14.2KGS, GW=14.6KGS/1SET |                                                                        |                                                                                                                    |

# SOCKET WRENCH SET

JUEGO DE LLAVES VASO

COFFRET DOUILLES OUTILLES

14件套筒扳手組

6614

| 14 PCS      | 6614M 6614-2M (12Pt)                      | 6614A 6614-2A (12Pt)                                          |
|-------------|-------------------------------------------|---------------------------------------------------------------|
| 6400 (6402) | 22,24,27,30,32,36,38,41, 46,50mm<br>10PCS | 7/8,15/16,1-1/8,1-1/4, 1-5/16,1-7/16,1-1/2, 1-11/16,1-7/8, 2" |
| 6120        | RATCHET HANDLE 500mm                      | 20"                                                           |
| 6800-04     | EXTENSION BAR 100mm                       | 4"                                                            |
| 6800-08     | EXTENSION BAR 200mm                       | 8"                                                            |
| 6770        | SLIDING"T" HANDLE 500mm                   | 20"                                                           |

METAL CASE:534x178x78mm GW=14.4KGS/1 SET, =0.65'



6615

| 15 PCS      | 6615M 6615-2M (12Pt)                      | 6615A 6615-2A (12Pt)                                          |
|-------------|-------------------------------------------|---------------------------------------------------------------|
| 6400 (6402) | 22,24,27,30,32,36,38,41, 46,50mm<br>10PCS | 7/8,15/16,1-1/8,1-1/4, 1-5/16,1-7/16,1-1/2, 1-11/16,1-7/8, 2" |
| 6120N       | RATCHET HANDLE 500mm                      | 20"                                                           |
| 6800-08     | EXTENSION BAR 200mm                       | 8"                                                            |
| 6800-16     | EXTENSION BAR 400mm                       | 16"                                                           |
| 6200        | UNIVERSAL JOINT 110mm                     | 4-1/2"                                                        |
| 6770        | SLIDING"T" HANDLE 500mm                   | 20"                                                           |

METAL CASE:534x178x78mm GW=14.4KGS/1 SET, =0.47'



6616

| 16 PCS      | 6616M 6616-2M (12Pt)                               | 6616A 6616-2A (12Pt)                                                                           |
|-------------|----------------------------------------------------|------------------------------------------------------------------------------------------------|
| 6400 (6402) | 24,26,27,30,32,35,36,38, 41,46,50,55,60mm<br>13PCS | 15/16,1-1/16,1-1/8,1-1/4, 1-5/16,1-7/16,1-1/2,1-5/8, 1-11/16,1-13/16,1-7/8, 2",2-1/16<br>13PCS |
| 6120N       | QUICK RELEASE RATCHET HANDLE 500mm                 | 20"                                                                                            |
| 6770        | SLIDING"T" HANDLE 500mm                            | 20"                                                                                            |
| 6800        | EXTENSION BAR 200mm                                | 8"                                                                                             |

METAL CASE:534x178x78mm GW=14.5KGS/1 SET, =0.47'



6617

| 17 PCS      | 6617M 6617-2M (12Pt)                                     | 6617A 6617-2A (12Pt)                                                        |
|-------------|----------------------------------------------------------|-----------------------------------------------------------------------------|
| 6400 (6402) | 19,21,22,23,24,27,30,32, 36,38,41,46,50<br>13 PCS SOCKET | 3/4,7/8,15/16, 1", 1-1/16, 1-1/8,1-1/4,1-5/16,1-7/16, 1-1/2,1-5/8,1-3/4, 2" |
| 6100NQ      | QUICK RELEASE RATCHET HANDLE 500mm                       | 20" 6617M2 6120NQ                                                           |
| 6770        | SLIDING"T" HANDLE 500mm                                  | 20"                                                                         |
| 6800-4      | EXTENSION BAR 100mm                                      | 4"                                                                          |
| 6800-8      | EXTENSION BAR 200mm                                      | 8"                                                                          |

METAL CASE:534x178x78mm GW=14KGS/1 SET, =0.47'



### 6617M3



### SOCKET WRENCH SET

JUEGO DE LLAVES VASO  
COFFRET DOUILLES OUTILLES  
套筒扳手組

| 17 PCS                                           | 6617M3<br>6617-2M3 (12Pt)                                            | 6617A3<br>6617-2A3 (12Pt)                                                          |
|--------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 6400M (6402)                                     | 19, 21, 22, 23, 24, 27, 30, 32, 36, 38, 41, 46, 50mm<br>13PCS SOCKET | 3/4, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 2" |
| 6130N                                            | RATCHET HANDLE 500mm                                                 | 20"                                                                                |
| 6770                                             | SLIDING "T" HANDLE 500mm                                             | 20"                                                                                |
| 6800-4                                           | EXTENSION BAR 100mm                                                  | 4"                                                                                 |
| 6800-8                                           | EXTENSION BAR 200mm                                                  | 8"                                                                                 |
| METAL CASE:534x178x78mm GW=14KGS/1 SET,  = 0.47' |                                                                      |                                                                                    |

### 6601M(BLACK)



| 17 PCS                                           | 6601M(BLACK)                                                         |
|--------------------------------------------------|----------------------------------------------------------------------|
| 6400M (6402)                                     | 19, 21, 22, 23, 24, 27, 30, 32, 36, 38, 41, 46, 50mm<br>13PCS SOCKET |
| 6120NQ                                           | QUICK RELEASE RATCHET HANDLE 500mm/20"                               |
| 6770                                             | SLIDING "T" HANDLE 500mm/20"                                         |
| 6800-4                                           | IMPACT EXTENSION BAR 100mm/4"                                        |
| 6800-8                                           | IMPACT EXTENSION BAR 200mm/8"                                        |
| METAL CASE:534x178x78mm GW=14KGS/1 SET,  = 0.47' |                                                                      |

### 6617M8



| 17 PCS                                           | 6617M8                                                               |
|--------------------------------------------------|----------------------------------------------------------------------|
| 86400M                                           | 19, 21, 22, 23, 24, 27, 30, 32, 36, 38, 41, 46, 50mm<br>13PCS SOCKET |
| 6120N                                            | RATCHET HANDLE 500mm/20"                                             |
| 6770                                             | SLIDING "T" HANDLE 500mm/20"                                         |
| 86800-6                                          | IMPACT EXTENSION BAR 150mm/6"                                        |
| 86800-10                                         | IMPACT EXTENSION BAR 250mm/10"                                       |
| METAL CASE:534x178x78mm GW=14KGS/1 SET,  = 0.47' |                                                                      |

### 6608A / 6612A




| 8 PCS                                                                                                                                           | 6608A                                                                              | 6608-2A(12Pt) |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------|
| 6400A                                                                                                                                           | 1-5/8, 1-13/16, 2", 2-1/16, 2-3/16, 2-1/4, 2-3/8, 2-9/16                           |               |
| METAL CASE:330x140x85mm 1 SET=9KGS GW=20KGS/2 SET,  = 0.6' |                                                                                    |               |
| 12 PCS                                                                                                                                          | 6612A                                                                              | 6612-2A(12Pt) |
| 6400A                                                                                                                                           | 7/8, 15/16, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-7/8, 2" |               |
| METAL CASE:330x160x85mm 1 SET=9KGS GW=20KGS/2 SET.  = 0.7' |                                                                                    |               |

| <b>8400M</b><br><b>8402M</b><br>(mm) | <b>8400A</b><br><b>8402A</b><br>(inch) | <b>D1</b><br>(mm) | <b>D2</b><br>(mm) | <b>L</b><br>(mm) | <br>(9) | <br>(pcs) |
|--------------------------------------|----------------------------------------|-------------------|-------------------|------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 24                                   | 15/16                                  | 38                | 43                | 61               | 340                                                                                      | 5                                                                                          |
| 27                                   | 1-1/16                                 | 41                | 43                | 61               | 360                                                                                      | 5                                                                                          |
| 28                                   |                                        | 43                | 43                | 61               | 370                                                                                      | 5                                                                                          |
|                                      | 1-1/8                                  | 43                | 43                | 61               | 370                                                                                      | 5                                                                                          |
| 30                                   | 1-3/16                                 | 44                | 45                | 61               | 380                                                                                      | 5                                                                                          |
| 32                                   | 1-1/4                                  | 46                | 45                | 61               | 400                                                                                      | 5                                                                                          |
| 33                                   | 1-5/16                                 | 47                | 45                | 61               | 410                                                                                      | 1                                                                                          |
| 34                                   |                                        | 48                | 45                | 61               | 420                                                                                      | 1                                                                                          |
| 35                                   | 1-3/8                                  | 48                | 45                | 61               | 420                                                                                      | 1                                                                                          |
| 36                                   | 1-7/16                                 | 51                | 45                | 65               | 460                                                                                      | 1                                                                                          |
| 38                                   | 1-1/2                                  | 54                | 45                | 65               | 500                                                                                      | 1                                                                                          |
| 40                                   | 1-9/16                                 | 55                | 45                | 65               | 520                                                                                      | 1                                                                                          |
| 41                                   | 1-5/8                                  | 57                | 45                | 70               | 570                                                                                      | 1                                                                                          |
| 42                                   |                                        | 59                | 50                | 70               | 710                                                                                      | 1                                                                                          |
| 43                                   | 1-11/16                                | 60                | 50                | 70               | 710                                                                                      | 1                                                                                          |
|                                      | 1-3/4                                  | 63                | 50                | 70               | 780                                                                                      | 1                                                                                          |
| 46                                   | 1-13/16                                | 65                | 50                | 76               | 870                                                                                      | 1                                                                                          |
| 48                                   | 1-7/8                                  | 67                | 54                | 76               | 950                                                                                      | 1                                                                                          |
| 50                                   | 2"                                     | 70                | 54                | 80               | 1050                                                                                     | 1                                                                                          |
| 52                                   | 2-1/16                                 | 72                | 54                | 80               | 1100                                                                                     | 1                                                                                          |
| 54                                   | 2-1/8                                  | 74                | 57                | 80               | 1150                                                                                     | 1                                                                                          |
| 55                                   | 2-3/16                                 | 75                | 57                | 80               | 1250                                                                                     | 1                                                                                          |
| 57                                   | 2-1/4                                  | 78                | 57                | 80               | 1280                                                                                     | 1                                                                                          |
| 58                                   |                                        | 79                | 57                | 80               | 1300                                                                                     | 1                                                                                          |
| 59                                   | 2-5/16                                 | 80                | 57                | 80               | 1400                                                                                     | 1                                                                                          |
| 60                                   | 2-3/8                                  | 82                | 57                | 84               | 1500                                                                                     | 1                                                                                          |
|                                      | 2-7/16                                 | 84                | 57                | 87               | 1530                                                                                     | 1                                                                                          |
| 63                                   | 2-1/2                                  | 86                | 57                | 87               | 1550                                                                                     | 1                                                                                          |
| 65                                   |                                        | 88                | 57                | 87               | 1600                                                                                     | 1                                                                                          |
| 67                                   | 2-5/8                                  | 90                | 57                | 90               | 1800                                                                                     | 1                                                                                          |
| 70                                   | 2-3/4                                  | 94                | 68                | 93               | 2100                                                                                     | 1                                                                                          |
| 71                                   |                                        | 95                | 68                | 93               | 2150                                                                                     | 1                                                                                          |
|                                      | 2-13/16                                | 97                | 68                | 93               | 2350                                                                                     | 1                                                                                          |
|                                      | 2-15/16                                | 100               | 68                | 97               | 2450                                                                                     | 1                                                                                          |
| 75                                   |                                        | 100               | 68                | 97               | 2500                                                                                     | 1                                                                                          |
| 77                                   | 3"                                     | 102               | 68                | 103              | 2600                                                                                     | 1                                                                                          |
| 80                                   | 3-1/8                                  | 105               | 68                | 103              | 2800                                                                                     | 1                                                                                          |
| 85                                   | 3-3/8                                  | 114               | 86                | 105              | 3700                                                                                     | 1                                                                                          |
| 90                                   | 3-1/2                                  | 120               | 86                | 105              | 4100                                                                                     | 1                                                                                          |
| 95                                   | 3-3/4                                  | 126               | 86                | 105              | 4600                                                                                     | 1                                                                                          |
| 100                                  | 3-15/16                                | 132               | 86                | 105              | 5000                                                                                     | 1                                                                                          |


**6-POINT SOCKET**  
VASOS DE HEXAGONAL  
DOUILLES 6 PANS  
6角套筒

**8400M/ 8400A**






**12-POINT SOCKET**  
VASOS DE 12 CARAS  
DOUILLES 12 PANS  
12角套筒

**8402M/ 8402A**




**8100N**

8100SP

**RATCHET HANDLE**  
 CARRACA REVERSIBLE  
 CLIQUET RÉVERSIBLE  
 棘輪扳手

 L=800mm/32"  =4200g  =1pcs
**8120N**


8120SP

| TYPE           | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------------|-------|-------|-------|------------|
| 8100N<br>8120N | 24    | 70    | 67    | 2515       |


 L=650mm/26"  =4050g  =1 PCS
**8102-40N** 

| TYPE     | TEETH | D(mm) | T(mm) | DIN<br>N.m |
|----------|-------|-------|-------|------------|
| 8102-40N | 24    | 65    | 70    | 2515       |


 L= 630~1015mm  = 4000g  = 1 PCS

**SLIDING "T" HANDLE**  
 MANGO CORREDIZO  
 POIGNÉE COULISSANTE  
 滑桿
**8770**
 L=500mm/20"  =1500g  =1pcs



8770H

|                                                                                             |      |      |      |
|---------------------------------------------------------------------------------------------|------|------|------|
| mm                                                                                          | 550  | 630  | 762  |
| inch                                                                                        | 22   | 25   | 30   |
|  (g)   | 3500 | 3700 | 4350 |
|  (PCS) | 1    | 1    | 1    |


**8700N**
**FLEXIBLE HANDLE**  
 MANGO ARTICULADO  
 POIGNÉE ARTICULÉE  
 活頭扳桿

 L=650mm/26"  =3700g  =1pcs


8700SP

**8700P-40**
 8700P-40 L=1040mm/40"  = 3740g  =1PCS


8700SP-40

**8777**
**L-HANDLE**  
 MANGO ANGULAR  
 POIGNÉE LOUDÉE  
 L型方頭扳手

 L=550mm/22"  =4800g  =1pcs

 L=650mm/26"  =5700g  =1pcs


## UNIVERSAL JOINT

CARDÁN UNIVERSAL  
CARDAN UNIVERSEL  
萬向接頭

**8200**



L=143mm/5-3/4" =1150g = 1PC

## ADAPTOR

ADAPTADORE  
AUGMENTATEUR  
接頭

**8804**

凸 3/4" x 1" 凹



L=70mm/2-3/4" =600g =1PC

## BIT SOCKET

VASOS DESTORNILLADORES HEXAGON  
DOUILLES TOUNERIS VIS 6 PANS  
套筒起子

**8016**



| 8016 | L<br>(mm) | (g)  | (PCS) |
|------|-----------|------|-------|
| 14   | 85        | 1100 | 5     |
| 17   | 85        | 1100 | 5     |
| 19   | 85        | 1300 | 5     |
| 22   | 85        | 1300 | 5     |

**8805**

凸 1-1/2" x 1" 凹



L=80mm/3-3/16" =800g =1PC

## EXTENSION BAR

ALARGADERAS  
RALLONGE  
接桿

**8800**



8800-8 L=200mm/8" =1350g =1PC



8800-16 L=400mm/16" =2480g =1PC

## LOCKING EXTENSION

ALARGADERAS BLOQUEO  
RALLONGES Á VERROUILLAGE  
快鎖快放接桿


**8801**



8801-8 L=200mm/8" =1350g =1PC



8801-16 L=400mm/16" =2480g =1PC



**SOCKET WRENCH SET**

JUEGO DE 13, 16 LLAVES VASO  
COFFRET DOUILLES 13, 16 OUTILS  
套筒扳手組

**8613 / 8616**

8616M



8613M



| 16 PCS                                                                                                                                         | 8616M                                                | 8616A                                                                       | 8613M                                        | 13PCS                                        | 8613MJ |
|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|--------|
| 8402                                                                                                                                           | 35,38,41,46,50,54,55,<br>58,60,63,65<br>11PCS SOCKET | 1-7/16,1-1/2,1-5/8,<br>1-11/16,1-3/4,1-7/8, 2",<br>2-3/16,2-1/4,2-3/8,2-1/2 | 32,36,41,46,50,55,60,<br>65mm 8PCS<br>SOCKET | 35,38,41,46,50,54,58,<br>63mm 8PCS<br>SOCKET |        |
| 8120NH                                                                                                                                         | RATCHET HEAD 165mm                                   | 6-1/2"                                                                      | RATCHET HEAD 165mm                           | RATCHET HEAD 165mm                           |        |
| 8770H                                                                                                                                          | SLIDING HEAD 80mm                                    | 3-1/8"                                                                      | SLIDING HEAD 80mm                            | SLIDING HEAD 80mm                            |        |
| 8120B                                                                                                                                          | UNIVERSAL BAR 500mm                                  | 22"                                                                         | CROSS BAR 500mm                              | CROSS BAR 500mm                              |        |
| 8800-8/16                                                                                                                                      | EXTENSION BAR 200,400mm                              | 8", 16"                                                                     | EXT. BARS 200,400mm                          | EXT. BARS 200,400mm                          |        |
| METAL CASE:660x205x105mm 1SET=28KGS GW=28.5KGS/1SET,  =0.7' |                                                      |                                                                             |                                              |                                              |        |

**SOCKET WRENCH SET**

JUEGO DE 14, 17 LLAVES VASO  
COFFRET DOUILLES 14, 17 OUTILS  
套筒扳手組

**8617 / 8614**

8617M




8614M




| 14 PCS                                | 8614M                                              | 8614A                                                                                                    | 8617M                                                     |              | 17PCS                                                                                                    | 8617MJ       |  |
|---------------------------------------|----------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|--------------|----------------------------------------------------------------------------------------------------------|--------------|--|
| 8402                                  | 36,41,46,50,55,60,65<br>70,75,80mm<br>10PCS SOCKET | 1-7/16, 1-1/2, 1-11/16,<br>1-7/8, 2", 2-1/4, 2-3/8, 2-5/8,<br>2-15/16, 3-1/8, 10PCS                      | 32,36,41,46,50,55,60,65,<br>70,75,80,85mm<br>12PCS SOCKET |              | 35,38,41,46,50,54,58,63,<br>67,71,77,85mm<br>12PCS SOCKET                                                |              |  |
| 8100N                                 | REVERSIBLE RATCHET<br>HANDLE 650mm                 | 26"                                                                                                      | 8120NH                                                    | RATCHET HEAD | 8120NH                                                                                                   | RATCHET HEAD |  |
| 8770                                  | SLIDING "T" HANDLE 550mm                           | 22"                                                                                                      | 8770H                                                     | SLIDING HEAD | 8770H                                                                                                    | SLIDING HEAD |  |
| 8800-8                                | EXTENSION BAR 200mm                                | 8"                                                                                                       | 8120B                                                     | CROSS BAR    | 8120B                                                                                                    | CROSS BAR    |  |
| 8800-16                               | EXTENSION BAR 400mm                                | 16"                                                                                                      | 8800-8/16                                                 | EXT. BARS    | 8800-8/16                                                                                                | EXT. BARS    |  |
| METAL CASE:686x265x108mm 1SET=33.5KGS |                                                    | GW=35KGS/1SET,  =1.2' | GW=39KGS/1SET/1.2'                                        |              | GW=39KGS/1SET/1.2'  |              |  |



**2 WAY TRUCK WRENCH**
 KLUCZE KRZYŻAKOWE DO KOT  
 CLES BEQUILLES DOUBLE FORGEES  
 雙頭大貨車扳手
**1470**19  $\phi$   $\times$  400mm L.

| 1470M<br>(mm) | S1<br>(mm) | D1<br>(mm) | S2<br>(mm) | D2<br>(mm) | L<br>(mm) | $\phi$<br>(mm) | (g)  | (pcs) |
|---------------|------------|------------|------------|------------|-----------|----------------|------|-------|
| 24x27         | 24         | 36         | 27         | 40         | 406       | 22.2           | 2220 | 1     |
| 27x30         | 27         | 40         | 30         | 44         | 406       | 22.2           | 2290 | 1     |
| 27x32         | 27         | 40         | 32         | 46         | 406       | 22.2           | 2260 | 1     |
| 27x33         | 27         | 40         | 33         | 48         | 406       | 22.2           | 2270 | 1     |
| 28x32         | 28         | 41         | 32         | 46         | 406       | 22.2           | 2315 | 1     |
| 28x33         | 28         | 41         | 33         | 45         | 406       | 22.2           | 2310 | 1     |
| 30x32         | 30         | 44         | 32         | 46         | 406       | 22.2           | 2330 | 1     |
| 30x33         | 30         | 44         | 33         | 48         | 406       | 25.4           | 2280 | 1     |
| 32x33         | 32         | 46         | 33         | 48         | 406       | 25.4           | 2770 | 1     |
| 32x38         | 32         | 46         | 38         | 53         | 406       | 25.4           | 2310 | 1     |

25.4  $\phi$   $\times$  600mm L. (g): 2354

| 1470M<br>(mm) | S1<br>(mm) | D1<br>(mm) | S2<br>(mm) | D2<br>(mm) | L<br>(mm) | $\phi$<br>(mm) | (g)  | (pcs) |
|---------------|------------|------------|------------|------------|-----------|----------------|------|-------|
| 35x17         | 35         | 50         | 17         | 38         | 330       | 25.4           | 3900 | 1     |
| 41x21         | 41         | 58         | 21         | 40         | 431       | 25.4           | 4470 | 1     |

**1470SP**25.4  $\phi$   $\times$  600mm L. (g): 235419  $\phi$   $\times$  400mm L. (g): 885**1 WAY LUG WRENCH**
 KLUCZE KRZYŻAKOWE DO KOT  
 CLES A DOUBLE ET TOURNERIS  
 L型輪胎扳手
**14774-4/-5**

| 14774-4<br>(mm) | $\phi$ |      | L<br>(mm) | (g) | (pcs) |
|-----------------|--------|------|-----------|-----|-------|
|                 | (inch) | (mm) |           |     |       |
| 17              | 1/2    | 12.7 | 356       | 360 | 25    |
| 19              | 1/2    | 12.7 | 356       | 375 | 25    |
| 21              | 1/2    | 12.7 | 356       | 380 | 25    |
| 23              | 1/2    | 12.7 | 356       | 400 | 25    |

| 14774-5<br>(mm) | $\phi$ |      | L<br>(mm) | (g) | (pcs) |
|-----------------|--------|------|-----------|-----|-------|
|                 | (inch) | (mm) |           |     |       |
| 17              | 5/8    | 16   | 356       | 540 | 10    |
| 19              | 5/8    | 16   | 356       | 540 | 10    |
| 21              | 5/8    | 16   | 356       | 560 | 10    |
| 23              | 5/8    | 16   | 356       | 575 | 10    |

**TYRE LEVERS**
 DESMONTADORES DE NEUMÁTICOS  
 LEVIER DÉMONTE - PNEUS  
 輪胎扳手
**111L-12/ -16/ -20/ -24**

L=300mm/12"



L=400mm/16"



L=500mm/20"



L=600mm/24"



## 4 WAY LUG WRENCH

LLAVE DE CRUZ PARA TUERCAS DE RUEDAS

CLÉ EN CROIX POUR ÉCROUS DE ROUES

十字扳手

### 1474D/1476D



| ITEM No. | SIZE (mm)       | L (mm/Inch)    | (g)   |
|----------|-----------------|----------------|-------|
| 1474D    | 17x19x21x1/2Dr. | φ 16x400mm/16" | 1400g |
| 1476D    | 24x27x32x3/4Dr. | φ 22x700mm/28" | 4000g |

## 1474/1475/1476/1476-8



HRC44°-48°  
dura-chr v.  
DIN 3119

| ITEM No. | SIZE (mm)   | L (mm/Inch)    | (g)   |
|----------|-------------|----------------|-------|
| 1474     | 17x19x21x23 | φ 16x400mm/16" | 1380g |
| 1475     | 19x22x24x27 | φ 19x550mm/22" | 2700g |
| 1476     | 24x27x30x32 | φ 22x700mm/28" | 4800g |
| 1476-8   | 24x27x32x38 | φ 22x700mm/28" | 4800g |

## HEAVY DUTY 4 WAY LUG WRENCH

### 1474DH-16



1/2"  
17mm



| ITEM No.  | SIZE (mm)     | L (mm/Inch) | (g)  |
|-----------|---------------|-------------|------|
| 1474DH-16 | 17x19x21x22mm | φ 5/8x16"   | 1474 |

### 1474H-16



| ITEM No. | SIZE (mm)     | L (mm/Inch) | (g)  |
|----------|---------------|-------------|------|
| 1474H-16 | 17x19x21x22mm | φ 5/8x16"   | 1450 |



## UNIVERSAL JOINT MULTI-SOCKET WRENCH 3/8" Dr.

LLAVES EN T CON VASO HEXAGONAL ARTICULADO 3/8" DR.



CLÉ À BEQUILLE À CARDAN

萬向多功能 T 型扳手

### 1020M



### 1021M



| 1020 (mm) | D2 (mm) | D (mm) | L (mm) | L1 (mm) | (g) | (PCS) |
|-----------|---------|--------|--------|---------|-----|-------|
| 6         | 9.8     | 10     | 390    | 200     | 390 | 10    |
| 7         | 11.1    | 10     | 390    | 200     | 390 | 10    |
| 8         | 12.3    | 10     | 390    | 200     | 390 | 10    |
| 9         | 12.3    | 10     | 390    | 200     | 390 | 10    |
| 10        | 15      | 10     | 500    | 200     | 460 | 10    |
| 11        | 15.7    | 10     | 500    | 200     | 460 | 10    |
| 12        | 17.1    | 10     | 500    | 200     | 460 | 10    |
| 13        | 17.9    | 10     | 500    | 200     | 460 | 10    |
| 14        | 20      | 10     | 500    | 200     | 480 | 10    |
| 15        | 21.9    | 10     | 500    | 200     | 480 | 10    |
| 16        | 21.9    | 10     | 500    | 200     | 480 | 10    |
| 17        | 23.8    | 10     | 500    | 200     | 500 | 10    |
| 18        | 25.9    | 10     | 500    | 200     | 500 | 10    |
| 19        | 25.9    | 10     | 500    | 200     | 500 | 10    |

| 1021 (mm) | D2 (mm) | D (mm) | L (mm) | L1 (mm) | (g) | (PCS) |
|-----------|---------|--------|--------|---------|-----|-------|
| 6         | 9.8     | 10     | 1000   | 200     | 760 | 15    |
| 7         | 11.1    | 10     | 1000   | 200     | 760 | 15    |
| 8         | 12.3    | 10     | 1000   | 200     | 760 | 15    |
| 9         | 12.3    | 10     | 1000   | 200     | 760 | 15    |
| 10        | 15      | 10     | 1000   | 200     | 760 | 15    |
| 11        | 15.7    | 10     | 1000   | 200     | 760 | 15    |
| 12        | 17.1    | 10     | 1000   | 200     | 760 | 15    |
| 13        | 17.9    | 10     | 1000   | 200     | 760 | 15    |
| 14        | 20      | 10     | 1000   | 200     | 780 | 15    |
| 15        | 21.9    | 10     | 1000   | 200     | 780 | 15    |
| 16        | 21.9    | 10     | 1000   | 200     | 780 | 15    |
| 17        | 23.8    | 10     | 1000   | 200     | 800 | 15    |
| 18        | 25.9    | 10     | 1000   | 200     | 800 | 15    |
| 19        | 25.9    | 10     | 1000   | 200     | 800 | 15    |



**DEEP SOCKET T-WRENCH**

LLAVES EN T CON VASO LARGO HEXAGONAL

CLÉ À BEUILLE

長套筒 T 型扳手

**1310M**

| 1310M<br>(mm) | D<br>(mm) | D2<br>(mm) | $\ell$<br>(mm) | L<br>(mm) | L1<br>(mm) | (g) | (pcs) |
|---------------|-----------|------------|----------------|-----------|------------|-----|-------|
| NEW 6         | 12        | 8          | 52             | 300       | 200        | 230 | 25    |
| NEW 7         | 12        | 8          | 52             | 300       | 200        | 230 | 25    |
| 8             | 12        | 8          | 52             | 300       | 200        | 230 | 25    |
| 9             | 13        | 8          | 52             | 300       | 200        | 230 | 25    |
| 10            | 14.5      | 10         | 52             | 300       | 200        | 330 | 25    |
| 11            | 16        | 10         | 52             | 300       | 200        | 330 | 25    |
| 12            | 17        | 10         | 52             | 300       | 200        | 340 | 25    |
| 13            | 18.5      | 11         | 52             | 300       | 250        | 450 | 25    |
| 14            | 20        | 11         | 52             | 300       | 250        | 460 | 25    |
| 17            | 24        | 13         | 52             | 300       | 300        | 680 | 25    |
| 19            | 26        | 13         | 52             | 300       | 300        | 690 | 25    |


**BALL SWIVEL SOCKET T-WRENCH**

LLAVES EN T CON VASO LARGO HEXAGONAL


ARTICULADO

CLÉ À BEUILLE À CARDAN


球型萬向 T 型套筒扳手

**1420M**

| 1420M<br>(mm) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L1<br>(mm) | (g) | (pcs) |
|---------------|-----------|------------|-----------|------------|-----|-------|
| 8             | 12        | 9          | 330       | 200        | 310 | 15    |
| 9             | 13        | 9          | 330       | 200        | 310 | 15    |
| 10            | 14.5      | 9          | 330       | 200        | 320 | 15    |
| 11            | 16        | 9          | 330       | 200        | 320 | 15    |
| 12            | 17.5      | 9          | 330       | 200        | 330 | 15    |
| 13            | 18.5      | 10         | 330       | 200        | 410 | 15    |
| 14            | 20        | 10         | 330       | 200        | 410 | 15    |
| 17            | 24        | 12         | 350       | 200        | 570 | 15    |
| 19            | 26        | 12         | 350       | 200        | 590 | 15    |

**1400M**

| 1400M<br>(mm) | D<br>(mm) | D2<br>(mm) | $\ell$<br>(mm) | L<br>(mm) | L1<br>(mm) | (g) | (pcs) |
|---------------|-----------|------------|----------------|-----------|------------|-----|-------|
| 8             | 12        | 8          | 26             | 250       | 200        | 210 | 30    |
| 9             | 13        | 8          | 26             | 250       | 200        | 230 | 30    |
| 10            | 14.5      | 10         | 26             | 250       | 200        | 330 | 30    |
| 11            | 16        | 10         | 26             | 250       | 200        | 335 | 25    |
| 12            | 17        | 10         | 30             | 250       | 200        | 340 | 25    |
| 13            | 18.5      | 11         | 32             | 300       | 250        | 420 | 25    |
| 14            | 20        | 11         | 32             | 300       | 250        | 435 | 25    |
| 17            | 24        | 13         | 32             | 360       | 300        | 740 | 15    |
| 19            | 27        | 13         | 32             | 360       | 300        | 760 | 15    |

**1421M**

| 1421M<br>(mm) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L1<br>(mm) | (g) | (pcs) |
|---------------|-----------|------------|-----------|------------|-----|-------|
| 8             | 12        | 9          | 650       | 200        | 480 | 15    |
| 9             | 13        | 9          | 650       | 200        | 480 | 15    |
| 10            | 14.5      | 9          | 650       | 200        | 490 | 15    |
| 11            | 16        | 9          | 650       | 200        | 490 | 15    |
| 12            | 17.5      | 9          | 650       | 200        | 500 | 15    |
| 13            | 18.5      | 10         | 650       | 200        | 600 | 15    |
| 14            | 20        | 10         | 650       | 200        | 600 | 15    |
| 17            | 24        | 12         | 650       | 200        | 840 | 15    |
| 19            | 26        | 12         | 650       | 200        | 860 | 15    |






## MAGNETIC SPARK PLUG T-WRENCH-UNIVERSAL JOINT

LLAVE EN T DE VASOS PARA BUJIAS CON IMAN DE CARD'AN


CLÉ À BEUILLES DE DOUILLES BOUGIE MAGNÉTIQUE

球型萬向，T型磁吸火星塞套筒扳手

1335



1305




| 1335-15M<br>(mm) | 1335-15A<br>(inch) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|------------------|--------------------|-----------|------------|-----------|------------|-----|-------|
| 16               | 5/8                | 22        | 10         | 382       | 200        | 430 | 15    |
| NEW 18           |                    | 25        | 10         | 350       | 180        | 350 | 15    |
| 20.8             | 13/16              | 28        | 12         | 382       | 200        | 630 | 15    |

| 1305-15M<br>(mm) | 1305-15A<br>(inch) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|------------------|--------------------|-----------|------------|-----------|------------|-----|-------|
| 16               | 5/8                | 22        | 10         | 382       | 200        | 410 | 15    |
| NEW 18           |                    | 25        | 10         | 350       | 180        | 350 | 15    |
| 20.8             | 13/16              | 28        | 12         | 382       | 200        | 620 | 15    |


| 1335-22M<br>(mm) | 1335-22A<br>(inch) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|------------------|--------------------|-----------|------------|-----------|------------|-----|-------|
| 16               | 5/8                | 22        | 10         | 560       | 200        | 540 | 15    |
| NEW 18           |                    | 25        | 10         | 630       | 180        | 550 | 15    |
| 20.8             | 13/16              | 28        | 12         | 560       | 200        | 800 | 15    |

| 1305-22M<br>(mm) | 1305-22A<br>(inch) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|------------------|--------------------|-----------|------------|-----------|------------|-----|-------|
| 16               | 5/8                | 22        | 10         | 560       | 200        | 520 | 15    |
| NEW 18           |                    | 25        | 10         | 630       | 180        | 550 | 15    |
| 20.8             | 13/16              | 28        | 12         | 560       | 200        | 780 | 15    |

10335



10305



| 10335M<br>(mm) | 10335A<br>(inch) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|----------------|------------------|-----------|------------|-----------|------------|-----|-------|
| 14             | 9/16             | 18.8      | 10         | 530       | 200        | 440 | 15    |
| 16             | 5/8              | 20.8      | 10         | 530       | 200        | 440 | 15    |
| 18             |                  | 25.7      | 10         | 530       | 200        | 460 | 15    |
| 20.8           | 13/16            | 27.7      | 10         | 530       | 200        | 480 | 15    |

| 10305M<br>(mm) | 10305A<br>(inch) | D<br>(mm) | D2<br>(mm) | L<br>(mm) | L2<br>(mm) | (g) | (pcs) |
|----------------|------------------|-----------|------------|-----------|------------|-----|-------|
| 14             | 9/16             | 18.8      | 10         | 530       | 200        | 440 | 15    |
| 16             | 5/8              | 20.8      | 10         | 530       | 200        | 440 | 15    |
| 18             |                  | 25.7      | 10         | 530       | 200        | 460 | 15    |
| 20.8           | 13/16            | 27.7      | 10         | 530       | 200        | 480 | 15    |

