


# Functional Capacity Evaluation Course

Williamsburg, Virginia September 14, 2000



Part 4
Physical Abilities
Testing (MTM)

# physical abilities



- I. Physical Abilities Testing
- II. Introduction to MTM
- III. Issues in Evaluation and Interpretation

#### WHAT YOUNEED TO KNOW

- what to evaluate
- how to perform the evaluation
- how do you know if the evaluee gave reasonable effort



## I. PHYSICAL ABILITIES TESTING

#### PHYSICAL DEMAND CONDITIONS

The DOT and the CCDO Physical Demand Conditions (PDC) have been established as the physical abilities classification model commonly used in industry, insurance claims management, vocational rehabilitation and occupational medicine.

walk	carry	push/pull	stoop	bend	crouch
crawl	kneel	reach	handle	finger	feel

Unfortunately, these PDC classifications do not have evaluation guides, unlike the DOT/CCDO aptitude classifications, which are assessed by established aptitude test batteries. Hence an established methodology is not dictated, and has typically been left to evaluator clinical judgment.

#### **RELIABILITY AND VALIDITY:**

Clinical judgment of PDC functional tasks has poor inter-rater reliability and only limited content validity. Therefore, a criterion-reference measurement system would be highly desirable to increase the validity of this section of the Functional Capacity Evaluation. The criterion measurement would need to be adaptable to a variety of occupational demands within a discrete PDC classification. A walking test should equally represent a warehouseman's or an office worker's occupational tasks.

A concern is the ability to predict the evaluee's ability to sustain a full day's work from a brief period of testing. Scientific measurement principles are the solution to this dilemma. It is not economical to perform an evaluation throughout multiple 8 hour days, and through all conditions the evaluee might encounter. Hence the criterion-reference measurement system has to be based on an 8 hour day, and have generalizability to varied environmental, postural and frequency conditions.

Dexterity tasks have the benefit of psychomotor tests that have been developed with published norms. The concern with these tests is that the norm-reference validity is limited to the relevance of the norm group to the evaluee.

#### **EFFORT:**

The evaluation of PDC categories has to be sensitive to the effort (or lack thereof) the evaluee might render in the evaluation. PDC functional tasks do not have maximal levels of task performance that could be discounted for sustainability over an 8 hour day. The effort falls within the psychophysical model of testing. The disadvantage of psychophysical testing is the degree of control the evaluee has over effort, and susceptibility to poor effort. A method of evaluating effort is desirable in this testing.

Methods-Time Measurement is a criterion measurement system that facilitates these methodological concerns. The following sections will outline how it has been adapted for physical abilities testing.

#### **DEFINITIONS:**

**Methods-Time Measurement** is a system for measuring and analyzing the components of motion (work methods) in performing work tasks. The purpose is to improve the economy of motion, increase worker efficiency, reduce fatigue, and consequently improve performance.

**Constant** is defined in the DOT as an activity or condition that exists 2/3 or more of the time.

**Frequent** is defined in the DOT as an activity or condition that exists 1/3 to 2/3 or more of the time.

*Occasionally* is defined in the DOT as an activity or condition that exists up to 1/3 or more of the time.

## II. INTRODUCTION TO MTM

#### MOTION TIME STANDARD

Methods-Time Measurement (MTM), the most widely developed and validated motion-time system in the world, was developed in the 1940's. MTM-1 motion standards were first published in the United States in 1948, based on expert rater analysis and standardization of films of industrial tasks performed by qualified operators at many work places (Maynard, Stegemerton, and Schwab, 1948). Since that time the MTM system has continued to be validated in many work sites and production systems (Karger and Bayha, 1987). The MTM Association coordinates world wide development, training and standardization practices (MTM Assoc., 1972, 1990). Studies at Cornell University and Western Michigan University supported the original research (Karger and Bayha, 1987).

#### THE MTM INDUSTRIAL STANDARD

MTM is a criterion reference system, rather than a population based (normative) system. The concept of normal work is the basic premise of the MTM Industrial Standard. The Industrial Standard (IS) is the time it takes the average worker with average skill to perform a task throughout an average 8 hour day, with appropriate rest allowances and without undue stress or fatigue (MTM Assoc., 1972, 1990).

#### VALIDITY

The Industrial Standard is an achievable time for the majority of workers aged 18-65 in good health to perform the task (Karger and Hancock, 1982). At least 95% of all workers can achieve the Industrial Standard (Karger and Hancock, 1982). The statistical mean of workers is 120% of the Industrial Standard, with a range of 84-156% (Karger and Hancock, 1982). The lower 5% of the population that can not achieve Industrial Standard time represent workers who are not competitively employable in the workplace (Karger and Hancock, 1982). Therefore the population is not a normal distribution, as it is skewed curve from 92% to 156% due to the absence of the bottom 5% of people aged 18-65 who are not competitively employable (Karger and Hancock 1982).

#### UNIVERSAL CHARACTERISTICS

MTM motions are 'universal' characteristics demanded by all jobs. Universal characteristics have the greatest predictiveness compared to 'occupationals' (the characteristics required by a specific job), or 'relationals' (the characteristics of a job relative to the environment).

#### RELIABILITY

The MTM system has demonstrated high internal consistency with an 8% standard error of measurement at 95% confidence level. (i.e., if an individual scores at 100% of the IS then the rater can assume the individual would score from 92-108% of the IS 95% of the time (Karger and Bayha, 1987). The original research found only 8% variance between high and low range (Karger and Bayha, 1987). Interobserver agreement studies were published demonstrating a high level of consistency and agreement (Karger and Bayha, 1987). Evaluators using MTM data following a standardized methodology have proven inter-rater reliability. The data can assist in determination of client consistency.

#### **REST ALLOWANCES**

The MTM time standards represent work under ideal conditions (Karger and Bayha, 1987; Karger and Hancock, 1982). Realistic performance requires some adjustment and/or allowance (Karger and Bayha, 1987; Karger and Hancock, 1982). The usual allowances are for personal time, fatigue and minor unavoidable delay (Karger and Bayha, 1987; Karger and Hancock, 1982). The usual allowance for these variables is 10-15% (Karger and Bayha, 1987; Karger and Hancock, 1982).

The International Labor Organization (ILO) has published Relaxation Allowances for MTM data. Physiological validation studies have been performed on these allowances with general agreement found with the ILO allowances (Frievalds and Goldberg, 1969).

Fundamental motions are aggregated to synthesize work activity. Eithing a box weighing 20 pounds from the floor, carrying it 25 feet and placing it on a table involves a MOVE with two hands motion with a 20 lb static lift factor to account for the inertia, an ARISE. FROM STOOP motion with a 20 lb dynamic lift factor, WALK 25 feet, and RELEASE when placing on the table. The MTM time for this task is 6.5 seconds.

#### MTM 'LEVELING' SYSTEM

MTM has accounted for effort since the original research in the 1940's (Lowry, Maynard, Stegemerten, Barnes).

MTM has 6 effort categories that allow an increase or decrease to the observed time:

- ☑ Poor (+15%),
- **☑** Poor to Fair (+10%),
- $\square$  Fair (+5%) Average (+0%),
- ☑ Good (-5%),
- ☑ Excellent (-10%) or
- ☑ Excessive (-15%)

#### LEARNING CURVES

The rate or progress of an individual acquiring skill at a new task can be demonstrated on a learning curve (Woeber). MTM learning curves vary from 88-92% and 90% is commonly used. concepts of learning are used, "threshold" and "reinforcement" learning (Woeber). MTM Industrial Standards presume the individual has average skill to perform the task. Disability evaluation should therefore use tasks that are easily mastered, can be demonstrated and practiced before the timed assessment, effectively eliminating the learning curve for the simple evaluation tasks by attaining "threshold" learning. If an evaluee demonstrates ability to perform the task correctly they have achieved MTM A learning curve analysis of the disability threshold learning. evaluation should be performed for more complicated tasks or work samples.

#### MTM AND PERSONNEL SELECTION

The MTM Association developed a series of personnel selection tests (Poocke, Foulke). A study found little difference between work performance predicted by the selections tests and actual work performance (Anderson and Edstrom). The European MTM Associations collaborated on a Manual Abilities Scanning Test (MAST) that has been used in disabled and non-disabled populations (Wilcock, 1980). MTM data can be used to design work methods and standards or to match workers' abilities to work requirements

#### MTM IN DISABILITY EVALUATION

MTM based evaluations have been used with disability populations for more than 30 years. Birdsong and Chyatte (1970) used an MTM based dexterity test to evaluate treatment effects on hemiplegic patients, to test the effect of L-Dopa on Parkinson's patients, and the effects of a muscle relaxant on patients with central nervous system disorders. Todd, Chyatte and Decker (1979) compared MTM based evaluations of Cerebral Palsy patients with AMA impairment ratings. They conclude that the AMA impairment rating had little or no bearing on specific task function while the MTM based evaluation deals in specific task performance. The authors compared MTM based assessment times to norm based classifications of a work sample and found that the work sample overestimated work performance.

Birdsong (1972) reviewed the successful use of MTM based evaluations as a monitoring and investigative technique at the Emory University School of Medicine. MTM has been used in evaluation of the mentally handicapped and design of their sheltered workshop tasks. The relevance of the MTM data, its appropriateness for matching a worker to a job task and designing job accommodation and modification are discussed by various authors (Brickey; McQuaid and Winkler; Grant, Moores and Whelan; Wilcock, and Mink).

AssessAbility, an MTM based automated FCE system developed by Michael Coupland, C.Psych, has been recognized as a valid and reliable method of assessing functional Capacity (Rucker, Wehman and Kregel).

# III. ISSUES IN EXAMINATION AND INTERPRETATION


#### STANDARDIZATION

Standardization of measurement forms the foundation of the MTM testing protocols. It is critical that the evaluator follow the testing and timing protocol precisely to ensure a reliable comparison to the MTM Industrial Standard. Multi-media HELP files, graphics and computer automated timing devices assist to ensure reliability.

The MTM test protocols evaluate discrete tasks (e.g. Reach) instead of simultaneously assessing multiple functions as in Work Sample testing. MTM allows the evaluator to customize the testing protocols to simulate job requirements and ergonomic solutions. Outcome measurement to document therapeutic interventions is available via repeat testing.

#### **GENERAL INSTRUCTIONS**

- ☑ The Evaluator should demonstrate one cycle then have the evaluee practice one cycle.
- ☑ Indicate to the evaluee that you want him/her to work as fast as they would if they were employed in a job requiring this task.
- ☑ Repeat the cycles according to the number in the prescribed protocol (minimum of 3 to allow Coefficient of Variance).



#### FREQUENCY RATING

A significant issue in the evaluation of physical abilities is based in the vague definitions of Constant, Frequent and Occasional work demands. Evaluee performance at or above the MTM Industrial Standard suggests that the evaluee is able to meet the Constant occupational requirements throughout an 8 hour day.

When the evaluee scores between 70 and 100% of the Industrial Standard they could be considered able to meet Frequent occupational demands. The definition of Frequent is 1/3 to 2/3 of the day. Consequently, this statement is true if the Frequent occupational requirement allows the worker to self pace, or the job is not production or safety sensitive to slower than average pace during task performance.

However, if the task is required at a Industrial Standard pace for safety or production reasons then this statement is not true. The same reasoning exists for the evaluee score falling below 70% of the Industrial Standard being considered able to meet Occasional occupational demands.

A supervisor has to climb a stairs occasionally to check a boiler.

It is not critical the task be performed at

100% Industrial Standard; as the task does not impact
on productivity or safety that cannot be met at an

MTM Occasional rate (less than 70% IS).

A first aid officer has to relieve an assembly line worker occasionally. It is critical that the worker perform at 100% Industrial Standard as the task does impact son productivity. Therefore the MFM.

Occasional rate (less than 70% IS)

would not be valid for this job.

#### **EVALUEE STABILITY**

An issue in evaluation of functional abilities exists with a medically unstable evaluee, such as one presenting with a diagnosis of chronic fatigue syndrome. Measurement science considers that human performance is expected to be consistent within the validated MTM normal fatigue allowances. If the evaluee is not within those normal fatigue and performance limits then greater validity is gained if repeated measures are used. The evaluator should design a test protocol that can measure the variance.

#### PREDICTING 8 HOUR DAY

The prediction of performance over an 8 hour day based on a short test is based on measurement science. With a very valid and reliable MTM dataset the evaluator can answer questions in the most scientifically sound method by applying the wealth of measurement science methodology and by realizing the strengths and limitations of measurement. MTM is a measurement, and as with any testing situation, interpretation must consider any *threats* that may exist to content and testing reliability.

Threats to reliability and validity:

- ☑ Medical stability of the evaluee:
- Reliability of the testing protocols.
- Evaluator training
- ☑ Number of repeated tests

If threats to reliability and validity have been accounted for then the evaluator can proceed with great confidence. If there are threats to reliability or validity then the evaluator should remark on those concerns in the report and qualify their opinions:

- ☑ with reader caution
- ☑ suggested range of scores
- ☑ qualification words such as 'likely', 'probably', 'possible'.

The evaluator always interprets scores with an established standard error of measurement and confidence interval. With MTM scores the evaluator can conclude that if an evaluee scores 100% IS on a given testing event, and there is no clinical or motivational threat to his/her performance, then it is valid to represent that that evaluee would score between 92 and 108% of IS, 95% of the time.

#### **DETECTING SUBMAXIMAL EFFORT**

MTM based testing has a number of methods of considering evaluee consistency and effort. Foremost is the coefficient of variance (CoVar). A study found that poor effort on MTM based tests had a higher variance in scores than evaluees who performed with average effort (Applewhite, Paulhe, and Thompson). MTM Standard Error of Measurement (SEM) is 8%. Although it may be expected that an evaluee will be within 8% CoVar it is suggested that 10% be the minimal cutoff point of concern. Even so, this must be considered within the framework of any reasonable indicator of effort:

- ☑ the evaluation must be on an unimpaired body part to consider a high CoVar as an indicator of poor effort
- ☑ no change in effort was volitionally given (i.e., the evaluator asked for more effort).

Effort rating is available through the MTM leveling system. This requires subjective analysis by the evaluator, and should be used within this regard. It is suggested that the MTM leveled score be presented as a range of scores (from performance score to leveled score) within which the evaluee could likely perform.

Naturalistic testing is based on timed observation of the evaluee while he/she are not in overt testing, i.e. they are on a 'break and walking to the break area, stooping to retrieve drinks from a bottom shelf, reaching etc. The ethics of this testing are established by the evaluator informing the evaluee at the beginning of testing that they are being evaluated during their *entire* time at the evaluation facility.

Alternate forms testing is to perform the same functional test with varying parameters that the program offers. Since the data is always presented as a ratio of the Industrial Standard, the results are comparable.

The evaluator's ability to motivate the evaluee to perform as if they were in an actual work performance situation is critical

MTM testing does not require significant exertion ### .... An unimpaired function should be able to demonstrate 100% IS.

Motivate the evaluee to perform better if they are not at 100% IS and are not constrained by symptoms, pain, biomechanics

If evaluator prompting has led to increased effort CoVar will not

#### INTERPRETATION

Discrete motion analysis allows interpretation of function as it may relate to diagnosis, job accommodation and modification. (Evaluee performs better sitting than standing).

Fingering: (tested 10/18/99)

Trial	Body Side	Position	Plane	Reps	Aime (sec)	% IS	CV (%)	PE	Time Set Completed	
1	Dom.	Standing	Immediate	19/	19.9	79.9	<b>强强能</b>			
2	Dom.	Standing	Immediate	10	18.9	84.2				
3	Dom.	Standing	Immediate/	10	18.5	86.0				
Avg: S1	Dom.	Standing	Immediate	10	19.1	>83.3 ≺	3.1	4	10:42	
1	Dom.	Sitting	Immediate	10	14.4	110.5				
2	Dom.	Sitting	Immediate	10	13.9	114.4				
3	Dom.	Sitting	Immediate	10	13.3	119.6				
Avg: S2	Dom.	Sitting	Immediate	10	13.9	>114.7 <b>〈</b>	3.2	1	10:44	

Evaluee consistency can be interpreted from the coefficient of variance.

Evaluee effort rating can allow a range of score to be considered. (CoVar was high and

poor effort was noted and, therefore MTM leveling was applied).

Climb Stairs: (tested 10/18/99)

Trial	Body Side	Weight	Distance	Reps	Time (sec)	% IS	CV / (%)/	PE	Time Set Completed
1	None	None	8 stairs	1/	5.2	105.9	/,		
2	None	None	8 stairs	1/	6.\$	81.0			
3	None	None	8 stairs	/1	7.1	77.6			
Avg: S1	None	None	8 stairs	1	6.4-15%	>101.8 <	13.1	4	10:37

### Comments for Climb Stairs/by Set (e.g. S1)


S1: Inappropriate Body Mechanics Symptom Complaints or Behaviors
Observed Effort was Poor, -15% Leveling Factor applied. complained that they
did not want to be in assessment, showed poor motivation to step consistently,
had no biomechanical or fitness conditioning impairments, reported perceived
exertion inconsistent with demonstrated ability and heart rate (89 bpm)

Short cycle tests can be repeated throughout an evaluation to allow trend analysis. (Ability declined with time).

Fingering: (tested 10/18/99)

	F - 2 200 - 1 2 2	L. See Janes Weeks		1		The section of the se	Tenam sa	T 777	
Trial	Body Side	Weight	Distance	Reps	Time (sec)	% IS	(%)	ÞΨ	/ Time Set Completed
1	None	None	12 Ft	3	22.6	113.3	/	/-/	5072-50446-403 5072-50446-403
2	None	None	12 Ft	3	23.3	109.9	/ ,	/4/	
3	None	None	12 Ft	3	21.1	121.3	/-/	1/	
Avg: S1	None	None	12 Ft	3	22.3	>114.6 <b>⟨</b>	4.1	1	8:31
1	None	None	12 Ft	3	26.6	96.2	/ 44 /	J. Arkije.	
2	None	None	12 Ft	3	27.9	91.7/	17		1. (iii)
3	None	None	12 Ft	3	28.5	89,8			
Avg: S2	None	None	12 Ft	3	27.7	>92.5 ⟨	2.9	2	10:32
1	None	None	12 Ft	3	39.3	65.1	/		
2	None	None	12 Ft	3	41.1	62.3 /			
3	None	None	12 Ft	3	40.4	63.4/			
Avg: S3	None	None	12 Ft	3	40.3	> 63.6 <	1.8	4	2:17

Evaluee ratio to the MTM Industrial Standard allows interpretation into DOT/CCDO categories of Occasional, Frequent or Constant work.



Outcome measurement is available via analysis of pre and post treatment scores.

Stoop:

(tested 10/19/99)

Trial	Body Side	Weight	Distance	Reps	Time (sec)	% IS	CV (%)	PE	Time Set Completed
1	Dom.	<2 Lb	None	6/	17.9	73.5		类物	
2	Dom.	<2 Lb	None	6	16.8	78.3			
3	Dom.	<2 Lb	None	6	17.2	76.5	12 15 15 15		
Avg: S1	Dom.	<2 Lb	None	6	17.3	76.0 <	2.6	5	09:43

Stoop:

(tested 11/1/99)\*

Trial	Body Side	Weight	Distance	Reps	Time (sec)	% IS	CV (%)	PE	Time Set Completed
1	Dom.	<2 Lb	None	6	12.4	106.1	是体内	· Savet.	
2	Dom.	<2 Lb	None	6	13.1	100.4			
3	Dom.	<2 Lb	None	6	12.7	103.6			
Avg: S1	Dom.	<2 Lb	None	6	12.7	>103.3 <	2.3	2	08:54

# SUMMARY

The learning objective of this section was to:

- ✓ Introduce the physical ability testing
- ✓ Acquaint the evaluator with Methods-Time Measurement
- ✓ Outline the major issues in physical abilities evaluation

#### **LEARNING EXERCISE:**

THE ARCON MTM based functional capacity tests will be demonstrated.

MTM - L.
Reach Side/Across
Reach with Weight
Handling .
Bi-Manual Handling
Fingering
Bj-Manual Fingering
Feeling
Eye-Hand-Foot
Tool Use
Sland/Sit
1000年代の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の

#### **REFERENCES**

- 1. Acker, M. and Thompson, D. A. (1960) "Development of the pre-vocational unit: Stanford Rehabilitation Service". <u>Archives of Physical Medicine and Rehabilitation</u>, 41, 195-198
- Allen, C., & Sax, A., Norms and performance standards for work sample scores.
   Menomonie, Wisconsin: University of Wisconsin Stout, Department of Rehabilitation and Manpower services, Materials Development Center, 1972.
- 3. Althouse, H.A., "Revealing a true profile of musculoskeletal abilities". Occupational Health and Safety May 1980 25-30
- 4. American Medical Association. <u>Guides to the Evaluation of Permanent Impairment</u>, <u>Fourth Edition</u>. Chicago, American Medical Association.
- 5. Anderson, D.S. and Edstrom D.P. "MTM Personnel Selection Tests; Validation at a Northwestern National Life Insurance Company". <u>Journal of Methods-Time</u> Measurement, 15, (3)
- 6. Applewhite, P. B., Paulhe, G. P., and Thompson, D.A. (1965) "Frequency Distribution Shape and Work Output". Perceptual and Motor Skills, 20: 407-8
- 7. Armstrong, T., J., Radwin, R. G., and Hansen, D.J. "Repetitive trauma disorders: job evaluation and design". <u>Human Factors</u> 28 (3) 325-336
- 8. August, P., Industrial engineering for the rehabilitation facility. In J. Cull & R. Hardy (Eds.), <u>Administrative techniques of rehabilitation facility operations</u>. Springfield, Illinois: Charles C. Thomas, Publisher, 1974.
- 9. Birdsong, J.H. "MTM and rehabilitation: A combination for potential profits". <u>Journal</u> of Methods-Time Measurement 17, (4), 3-8
- 10. Birdsong, J.H. and Chyatte, S.B. (1970) "Further medical applications of methods-time measurement". <u>Journal of Methods-Time Measurement</u>, 15, 19-27
- 11. Borg, GAV. (1982) "Psychophysical bases of perceived exertion". Medicine and Science in Sports and Exercise, 14(5) 377-381
- 12. Bostion, W. F., "Development of personal, fatigue and delay (PF&D) allowances". Journal of Methods-Time Measurement 7 (2): 7-28
- 13. Brenner, E; van Damme, WJ; Smeets, JB; "Holding an Object One is Looking at: Kinesthetic Information on the Object's Distance Does Not Improve usual Judgments of Its Size". Percept Psychophys, 59(7):1153-9 1997 Oct.
- 14. Brickey M., "MTM in a Sheltered Workshop". <u>Journal of Methods-Time</u> Measurement, 8, (3) 2-7
- 15. Brigham, C.R. and Roth, H.J. (1994) American College of Occupational and Environmental Medicine Course on Dis/ability Evaluation, Chicago, American College of Occupational and Environmental Medicine.
- 16. Caddick, J., <u>Production improvement in a rehabilitation workshop</u>. San Francisco, California: University of San Francisco, College of Business Administration, Rehabilitation Workshop Administration, 1968.
- 17. Carton, R.L. and Rhodes, E.C. (1985) "A Critical Review of the Literature on Ratings for Perceived Exertion". Sports Medicine. 2: 198-222
- 18. Chaffin, Donald B., "An historical Analysis of the prediction of physical fatigue in industrial operations" <u>Journal of Methods-Time Measurement</u>, 7, (2) 22-26

- 19. Chaffin, Donald B., "Electromyography A method of measuring local muscle fatigue" <u>Journal of Methods-Time Measurement</u>, 14, (2) 29-36
- 20. Chaffin, Donald B., "Physical fatigue: What it is How it is predicted" <u>Journal of Methods-Time Measurement</u>, 14, (3) 20-28
- 21. Chaffin, Donald B., "The prediction of physical fatigue during manual labor" <u>Journal of Methods-Time Measurement</u>, 11, (5) 22-26
- 22. Chyatte, S.B. and Birdsong, J.H. (1972) "Methods time measurement in assessment of motor performance". <u>Archives of Physical Medicine and Rehabilitation</u>, 53, 38-44
- 23. Coupland, M. (1998) "Criterion Referenced Physical Evaluation: Using Methods-Time Measurement in Functional Capacity Evaluation", in publication review.
- 24. Cull. J., & Hardy, R. (Eds.) <u>Vocational evaluation for rehabilitation services</u>. Springfield, Illinois:
- 25. Curtin, K., Work sample dreams industrial reality. Paper presented at International Association of Rehabilitation Facilities Conference, Miami, June 1973.
- 26. Devlin, P (ed). (1997) Functional Capacity Evaluation: AssessAbility. Work Injury, (6) 3 1997
- 27. Drewes, D.W. (1961) "Development and validation of synthetic dexterity tests based on elemental motion analysis". <u>Journal of Applied Psychology</u>, 45, 179-185
- 28. Dudley, N. A., Work Measurement: Some Research Studies. St Martins Press, 1968
- 29. Farrell, J. M., (1993). "Predetermined Motion Time Standards in Rehabilitation". WORK, 3:(2) 56-72
- 30. Farrell, J. M., (1966). "The value of work study in Occupational Therapy". in Proceedings of the fourth international congress of the World Federation of Occupational Therapists (pp 216-22) London: Excerpta Medica.
- 31. Farrell, J. M., (1972) <u>Manual of instruction</u>. <u>Basic motions of work test</u>. Melbourne, Australia: Commonwealth Rehabilitation Service
- 32. Farrell, J. M., (1974). "The combined use of tests and measured workshop performance to determine potential of the disabled to succeed in repetition process work". in <u>Proceedings sixth international congress</u>, World Federation of Occupational <u>Therapists</u> Vancouver, B.C.: WFOT
- 33. Federwisch, A., "Determining a patient's readiness for work requires multiple tools". Nurse Week, Texas Edition 8 (17), 1997
- 34. Foulke, J.A. "Estimating Individual Operator Performance". <u>Journal of Methods-Time</u> Measurement, 15, (1) 18-23
- 35. Frievalds, A., and Goldberg, J.H. (1969) "Specification of Bases for Variable Relaxation Allowances: Standing, Abnormal Positions and Use of Muscular Energy".

  <u>Journal of Methods-Time Measurement</u>. 14, (1): 2-7
- 36. Frievalds, A., and Goldberg, J.H. (1969) "Specification of Bases for Variable Relaxation Allowances: Visual Strain and Low Lighting". Journal of Methods-Time Measurement. 14 (2):, 9-15
- 37. Frievalds, A., and Goldberg, J.H. (1969) "Specification of Bases for Variable Relaxation Allowances: Environmental Conditions". <u>Journal of Methods-Time Measurement</u>. 14 (3):, 16-23
- 38. Garg, A, Saxena U., "Maximum frequency acceptable to female workers for one-handed lifts in the horizontal plane" Ergonomics (25) 9 839-853

- 39. Garg, A. "Review of time standards with reference to work physiology" International Journal of industrial Engineering. 1994 29-36
- 40. Gold, M., "Research on the vocational habilitation of the retarded: The present, the future". In N. Ellis (Ed.), <u>International review of research in mental retardation</u>. New York: Academic Press, 1973, 97-147.
- 41. Gortner, R., "IE's help handicapped workers raise productivity". <u>Industrial</u> Engineering, 1973, 5(4), 10-15.
- 42. Grant, G.W.B., Moores, B. and Whelan, E. (1975) "Applications of Methods-time measurement in training centers for the mentally handicapped". <u>Journal of Methods-Time Measurement</u>, 11, 23-30
- 43. Hasselqvist, O., "The MTM method with special reference to the physically handicapped". Scandinavian Journal of Rehabilitation Medicine, 1972, 4, 157-164.
- 44. Hume, B., "Assessment and objective measurement of work capacity of the severely physically disabled, based on predetermined time standards". In R. Pacinelli (Ed.), Research utilization in rehabilitation facilities. Washington, D.C.: International Association of Rehabilitation Facilities, 1971.
- 45. Hume, B., "The problems of assessment, ergonomics, equipment design and modification and job training of the heavily handicapped". <u>Productivity and the cerebral palsied</u>. Sydney, Australia: In Centre Industries, 1972.
- 46. Issachar, G. "Using an elemental analysis of the motion pattern to assess the work performance of amputees". <u>Human Factors</u>, (24) 4: 427-435
- 47. Iverson, S., <u>Time study techniques</u>. Salt Lake City, Utah: Columbus Community Center, 1978.
- 48. Karger, D.W. and Hancock, W.M. (1982) Advanced work measurement. New York: Industrial Press
- 49. Karger, D.W., and Bayha, F.H. (1987) Engineered work measurement (4th Edition). New York: Industrial Press
- 50. Kiese, Himmel C; H"och J; Liebeck H; "Psychological Measurement of Tactile-kinesthetic Perception in Early Childhood". Prax Kinderpsychol Kinderpsychiatr, 47 (4):217-28 1998 Apr.
- 51. King, PM; "Sensory Function Assessment. A Pilot Comparison Study of Touch Pressure Threshold With Texture and Tactile Discrimination". J Hand Ther, 10(1):24-8 1997 Jan-Mar.
- 52. King, P. Tuckwell, N. and Barrett, T.E. "A Review of Functional Capacity Evaluations". Physical Therapy, 1998; 78: 852-864)
- 53. Lim, Levan: Browder,-Diane-M.; Sigafoos, Jeff "The Role of Response Effort and Motion Study in Functionally Equivalent Task Designs and Alternatives". Journal of Behavioral Education. 1998 Mar; Vol 8(1): 81-102
- 54. Mathiassen, S.E., Winkel, J. (1996) "Physiological comparison of three interventions in light assembly work:reduced work pace, increased break allowance and shortened working days". Int Arch Occup Environ Health. 68(2):94:108
- 55. Maynard, H. B., Stegemerton, G.J., and Schwab, J.L. (1948) Methods-time Measurement, New York: McGraw-Hill.
- 56. Mink, J.A. (1975) "MTM and the Disabled". <u>Journal of Methods-Time Measurement</u>, 11, 23-30

- 57. Mintner, A. L., "The Estimation of Energy Expenditure". <u>Journal of Methods-Time</u> <u>Measurement</u>. 15 (5) 22-28
- 58. McQuaid, M. and Winkler K., "Using PMTS in handicapped workshops". <u>Journal of Methods-Times Measurement</u>, 13, 50-58
- 59. Mink, J.A. "MTM and the Disabled". <u>Journal of Methods-Time Measurement.</u> 11 (2) 23-30
- 60. MTM Association for Standards and Research. (1972, 1990). MTM-1 User Manual, Des Plaines, IL.
- 61. Oswalt, J., & Parker, M., "VR viewed by an industrial engineer". <u>Journal of Rehabilitation</u>, 1971, 37(2), 17-19.
- 62. Paulhe, G., <u>Development of a system of work capacity assessment of the disabled</u>. Stanford: Stanford University School of Medicine, 1965
- 63. Paulhe, G., "Some applications of methods-time-measurement in pre-vocational evaluation". Paper presented to American Personnel and Guidance Association, Stanford, California, April 1965.
- 64. Poock, G. K., <u>Prediction of Elemental Motion Performance Using Personnel Selection</u>
  <u>Tests</u>, University of Michigan", 1967
- Poock, G. K. "Prediction of Elemental Motion Performance Using Personnel Selection Tests". Research Report No. 115, Methods-Time Measurement Association, Fair Lawn, N.J., 1968.
- 66. Quick, J.H., Duncan, J. A., and Malcolm, J. A. (1962) Work factor time standards: Measurement of manual and mental work. New York: McGraw-Hill.
- 67. Rucker, K.S., Wehman, P., and Kregel, J., <u>Analysis of Functional Assessment Instruments for Disability/Rehabilitation Programs</u>. Virginia Commonwealth University Medical College, Richmond, VA
- 68. Safrit, M.J., and Wood, T. M. (ed.) (1989). Measurement Concepts in Physical Education and Exercise Science. Champaign, IL: Human Kinetics Books
- 69. Shinnick M.D. and Gerber, D.L., "A common language for analyzing work". Journal of Systems Management. April 1985
- 70. Soo Hoo, E.R. (1997) "White Paper on Functional Capacity Evaluations", paper presented to ICBC
- 71. Sower, V. (1979). <u>Timestudy for the small business</u>. Auburn, AL: Auburn University, Auburn Technical Assistance Center.
- 72. Stroud, R., <u>Work measurement in rehabilitation workshops</u>. Production-Management Publication Technical Series, Monograph 1, College Park, Maryland: Regional Rehabilitation Research Institute, University of Maryland, 1970.
- 73. Stroud, R, Work measurement in rehabilitation workshops: Time study and predetermined motion time systems. Production-Management Publication Technical Series, Monograph 2, College Park, Maryland: Regional Rehabilitation Research Institute, University of Maryland, 1970.
- 74. Stroud, R., "Industrial engineering in the sheltered workshop". In the U.S. Department of Health, Education and Welfare, <u>Selected papers presented at the National Training</u> Institute for State Rehabilitation Facility Specialists. Washington, D.C.: Author, 1969.
- 75. Thomas, M.U., Hancock, W. M. and Caffin, D. B. "Performance of a combined manual and decision task with discrete uncertainty". <u>International Journal of Production</u>
  <u>Research</u>, (12) 3: 409-425

įį

- 76. Thompson, D., & Pauhle, G., Development of an elemental motion analysis for manwork matching in vocational rehabilitation and placement, <u>Archives of Physical Medicine and Rehabilitation</u>, 1963, <u>44</u>, 545-548.workshop settings". <u>Archives of Physical Medicine and Rehabilitation</u>, 60, 222-226
- 77. Todd, H., Chyatte, S., & Claxton, C. "A comparison of individual performance of severely handicapped persons with that of normal industrial workers as established by predetermined time standards". Unpublished paper, Atlanta, Georgia: Emory University, Department of Physical Medicine, 1975.
- 78. Todd, H., Chyatte, S., & Claxton, C., "The application of predetermined time standards to work sample assessment in vocational evaluation". Paper presented at the National Rehabilitation Association Convention, Cincinnati, Ohio, 1975.
- 79. Todd, H., Chyatte, S., & Claxton, C., "A system for contract bidding in sheltered workshops by application of predetermined time standards". Paper presented at the Georgia Rehabilitation Facility Directors Meeting, Warm springs, Georgia, 1975.
- 80. Todd, H., & Chyatte, S., "A system for contract bidding in sheltered workshops by application of predetermined time standards". Paper presented At the Georgia rehabilitation Facility, Contract Administrators Workshop, Atlanta, Georgia, August, 1976.
- 81. Todd, H., & Chyatte, S., "A system for assessment of work sample norms in rehabilitation facilities by application of predetermined time standards". Paper presented at Georgia Rehabilitation Facility Vocational Evaluation Workshop, Atlanta, Georgia, September. 1976.
- 82. Todd, H.C., Chyatte, S.B. and Decker, R.S. (1979) "Predetermined time standards: Their application in workshop settings". <u>Archives of Physical Medicine and Rehabilitation</u>, 60, 222-226
- 83. Todd, H., & Lieffers, R., Methods-Time-Measurement as applied to the Purdue Pegboard. <u>Vocational Evaluation and Work Adjustment Bulletin</u>, 1977, <u>10</u>(2), 10-19.
- 84. Tomlinson, R.W.. "Ergonomic methods in work study". ". <u>Journal of Methods-Time</u> Measurement, (18) 1: 15-23
- 85. Tomlinson, E., Whelan, E. "Acquisition and performance difference between normal and mentally handicapped adults on a complex assembly task". <u>British Journal of Psychology</u>, 69 (3): 385-391
- 86. Wilcock, R. (1980) "Some new dimensions on manual skills assessment and training in industry". Journal of Methods-Time Measurement, 7, 20-27.
- 87. Wilcock, R. and Mink, J.A. (1982) "The International MTM Directorate Rehabilitation Project". Journal of Methods-Time Measurement, 9 (2), 2-11
- 88. Woeber, W.A. "Application of Learning Curves to MTM Values". <u>Journal of Methods-</u> Time Measurement, 7, (2) 22-28
- 89. Yokomizo, Y. (1985) "Measurement of abilities of older workers", Ergonomics, 28, 843-854