

3300MV

INSULATED-INSULATED SOCKET

AISLADO VASOS HEXAGONALES
ISOLATION DOUILLES 6 PANS
絕緣套筒



VDE 1000V
IEC 60900

3300MV (mm)	D1 (mm)	D2 (mm)	L (mm)	(g)	(pcs)
7	22.8	15.3	71.8	39	10
8	22.8	16.8	71.8	42	10
10	22.8	18.5	71.8	48	10
12	22.8	21.7	71.8	53	10
14	22.8	22.7	71.8	70	10

3021MV

INSULATED-SLOTTED BIT SOCKET

AISLADO VASOS DESTORNILLADORES
ISOLATION DOUILLES TOURNEVIS A FENTE
絕緣一字套筒起子



VDE 1000V
IEC 60900

3021MV (mm)	TxW (mm)	L (mm)	(g)	(pcs)
5	1.0x5.5	66	49	10
6	1.0x6	66	49	10
8	1.0x8	66	49	10

3022 PHV

INSULATED-PHILLIPS BIT SOCKET

AISLADO VASOS DESTORNILLADORES
ISOLATION DOUILLES TOURNEVIS CRUCIFORME PH
絕緣十字套筒起子



VDE 1000V
IEC 60900

3022PHV (No.)	L (mm)	(g)	(pcs)
PH1	66	49	10
PH2	66	49	10
PH3	66	49	10

3023PZV

INSULATED-POZIDRIV BIT SOCKET

AISLADO VASOS DESTORNILLADORES
ISOLATION DOUILLES TOURNEVIS CRUCIFORME PZ
絕緣米字套筒起子



VDE 1000V
IEC 60900

3023PZV (mm)	L (mm)	(g)	(pcs)
PZ1	66	49	10
PZ2	66	49	10
PZ3	66	49	10

3024TV

INSULATED-STAR BIT SOCKET

AISLADO VASOS DESTORNILLADORES
ISOLATION DOUILLES TOURNEVIS SEOILE
絕緣六角星型套筒起子



VDE 1000V
IEC 60900

3024TV	3024		(pcs)
	L (mm)	(g)	
T20	66	48	10
T25	66	48	10
T27	66	48	10
T30	66	48	10
T40	66	48	10
T45	66	49	10
T50	66	49	10
T55	66	49	10

3026MV

INSULATED-HEX BIT SOCKET

AISLADO VASOS DESTORNILLADORES
ISOLATION DOUILLES TOURNEVIS VIS 6 PANS
絕緣六角套筒起子



VDE 1000V
IEC 60900

3026MV (mm)	3026AV (inch)	3026 L (mm)	(g)	(pcs)
4	5/32	66	49	10
5	3/16	66	49	10
	7/32	66	49	10
6	1/4	66	49	10
7		66	49	10
8	5/16	66	49	10

3800-4V

EXTENSION BAR

EXTENSIONES
RALLONGE
絕緣接桿



VDE 1000V
IEC 60900:2004

mm	100
inch	4"
(g)	109
(PCS)	20

3130GQV

QUICK RELEASE RATCHET HANDLE

CHICHARRA DESEMBRAGUE RAPIDO
CLES A CLIQUET REVERSIBLE RAPIDE
絕緣快放棘輪扳手



VDE 1000V
IEC 60900:2004

TYPE	D (mm)	T (mm)	L (mm)	TEETH	(g)
3130GQV	41	56	200	41	400

3608MBV

7PCS SOCKET WRENCH SET

JUEGO DE 7 LLAVES VASO
COFFRET DOUILLES 7 OUTILS
7 件絕緣套筒扳手組



VDE 1000V
IEC 60900:2004

7PCS	3608MBV
3130GQV	3/8" DR RATCHET 200mm
3800-4V	3/8" DR 100mmL
3300MV	3/8" DR 7,8,10,12,14mm

1380V

T-HANDLE

MANGO T ANGULAR
POIGNEE T LOUDEE
絕緣T桿



VDE 1000V
IEC 60900:2004

ITEM No.	D2 (mm)	L (mm)	L1 (mm)	(g)	(PCS)
1380V	17	206	197	400	10

4300MV**INSULATED-INSULATED SOCKET**

AISLADO VASOS HEXAGONALES

ISOLATION DOUILLES 6 PANS

絕緣套筒

VDE 1000V
IEC 60900

4300MV (mm)	D1 (mm)	D2 (mm)	L (mm)	(g)	(pcs)
10	26.7	19.2	94	94	10
12	26.7	21.8	94	94	10
13	26.7	23.0	94	94	10
14	26.7	24.2	94	94	10
17	26.7	27.7	94	94	10
19	26.7	30.3	94	94	10
22	26.7	34.4	94	94	10
24	26.7	36.8	94	94	10

4023PZV**INSULATED-POZIDRIV BIT SOCKET**

AISLADO VASOS DESTORNILLADORES

ISOLATION

DOUILLES TOURNEVIS CRUCIFORME PZ

絕緣米字套筒起子

VDE 1000V
IEC 60900

4023PZV (mm)	L (mm)	(g)	(pcs)
PZ2	92	92	10
PZ3	92	92	10
PZ4	92	93	10

4800-5V**EXTENSION BAR**

EXTENSIONES

RALLONGE

絕緣接桿

VDE 1000V
IEC 60900

mm	125
inch	5"
(g)	222
(pcs)	10

1480V**T-HANDLE**

MANGO T ANGULAR

POIGNEE T LOUEE

絕緣T桿

VDE 1000V
IEC 60900:2004

ITEM No.	D2 (mm)	L (mm)	L1 (mm)	(g)	(PCS)
1480V	21	206	197	700	10

4021MV**INSULATED-SLOTTED BIT SOCKET**

AISLADO VASOS DESTORNILLADORES

ISOLATION DOUILLES TOURNEVIS A FENTE

絕緣一字套筒起子

VDE 1000V
IEC 60900

4021MV (mm)	T×W (mm)	L (mm)	(g)	(pcs)
6	1.0×6	92	92	10
8	1.0×8	92	92	10
10	1.0×10	92	93	10

4024TV**INSULATED-STAR BIT SOCKET**

AISLADO VASOS DESTORNILLADORES

ISOLATION DOUILLES TOURNEVIS SEOILE

絕緣六角星型套筒起子

VDE 1000V
IEC 60900

4024TV	4024		(pcs)
	L (mm)	(g)	
T20	92	92	10
T25	92	92	10
T27	92	92	10
T30	92	92	10
T40	92	92	10
T45	92	93	10
T50	92	93	10
T55	92	93	10

4130GQV**QUICK RELEASE RATCHET HANDLE**

CHICHARRA DESEMBRAGUE RAPIDO

CLES A CLIQUET REVERSIBLE RAPIDE

絕緣快放棘輪扳手

VDE 1000V
IEC 60900:2004

TYPE	D (mm)	T (mm)	L (mm)	TEETH	(g)
4130GQV	43	61	233	45	640

4022 PHV**INSULATED-PHILLIPS BIT SOCKET**

AISLADO VASOS DESTORNILLADORES

ISOLATION

DOUILLES TOURNEVIS CRUCIFORME PH

絕緣十字套筒起子

VDE 1000V
IEC 60900

4022PHV (No.)	L (mm)	(g)	(pcs)
PH2	92	92	10
PH3	92	92	10
PH4	92	93	10

4026MV**INSULATED-HEX BIT SOCKET**

AISLADO VASOS DESTORNILLADORES

ISOLATION

DOUILLES TOURNEVIS VIS 6 PANS

絕緣六角套筒起子

VDE 1000V
IEC 60900

4026MV (mm)	4026AV (inch)	4026 L (mm)	(g)	(pcs)
5	3/16	92	92	10
	7/32	92	92	10
6	1/4	92	92	10
8	5/16	92	92	10
10	3/8	92	93	10

4608MBV**7PCS SOCKET WRENCH SET**

JUEGO DE 7 LLAVES VASO

COFFRET DOUILLES 7 OUTILS

7 件絕緣套筒扳手組

VDE 1000V
IEC 60900:2004

7PCS	4608MBV
4130GQV	1/2" DR RATCHET 233mm
4800-5V	1/2" DR 125mmL
4300MV	1/2" DR 14,17,19,22,24mm

- ※ Fully Insulated Adjustable wrench
- ※ Approved 1,000 v, IEC 60900:2004
- ※ No lose item and micro adjusting nut by turning the knob wheel.

- ※ Thicker handle provides comfortable hand fit.
- ※ High Torque performance.
- ※ Greater Leverage Power

1172VF 8/-10/-12


INSULATED ADJUSTABLE WRENCH

AISLADO LLAVES AJUSTABLES
 ISOLATION CLÉS À MOLETTE
 絕緣活動扳手-標準型

1172VF	L (mm)	L (inch)	(g)	(pcs)
8	200	8"	340	1
10	250	10"	640	1
12	300	12"	1000	1



IEC VDE 1000V




INSULATED ADJUSTABLE WRENCH

AISLADO LLAVES AJUSTABLES
 ISOLATION CLÉS À MOLETTE
 絕緣活動扳手-標準型

1172V	L (mm)	L (inch)	(g)	(pcs)
8	200	8"	340	1
10	250	10"	640	1



VDE 1000V



1172V 8/-10

INSULATED SINGLE OPEN WRENCHES

AISLADO ESCOJA LAS LLAVES ABIERTAS
 ISOLATION CLÉS À FOURCHE
 絕緣單開口扳手

IEC VDE 1000V

1550MV	W (mm)	T (mm)	L (mm)	(g)	(pcs)
7	17.7	10.0	89	20	12
8	20.5	11.6	98.5	26	12
10	25.0	13.6	113.7	40	12
12	29.0	15.3	133.9	61	12
14	33.8	18.1	155	96	12



1550MV

5PCS	165005MV
1550MV	7, 8, 10, 12, 14mm
GW: 18.1KGS/ 48SETS : 1.73'	

165005MV



INSULATED SINGLE RING WRENCHES 75°

AISLADO LAS LLAVES DEL ANILLO 75°
 ISOLATION CLÉS POLYGAONALES EONTRECOUDEES
 絕緣彎度75°單梅扳手

IEC VDE 1000V

1506MV	W (mm)	T (mm)	T1 (mm)	L (mm)	(g)	(pcs)
7	18.6	9.6	6.8	146.5	52	12
8	19.8	10.3	7.6	155.8	62	12
10	21.1	10.4	7.8	166.5	73	12
12	22.5	10.4	8.3	187.5	90	12
14	26.5	11.2	9.7	198.5	135	12



1506MV

5PCS	16066MV
1506MV	7, 8, 10, 12, 14mm
CTN/ GW: 20KGS/ 48SETS : 1.73'	

16066MV



INSULATED SCREWDRIVER-SLOTTED

AISLADO DESTORNILLADORES

ISOLATION TOURNEVIS POUR VIS Á FENTE

一字絕緣避電起子



VDE1000V DIN7437/ISO2380/EN60900					
0818M (mm)					
M2-3	2.5(3/32)	3x75	145	20	12
M3-4	3.0(1/8)	3x100	175	30	12
M4-4	4.0(5/32)	4x100	200	55	12
M5-5	5.5(7/32)	5x125	215	65	12
M6-6	6.5(1/4)	6x150	260	151	12
M8-7	8.0	8x175	297	171	6

INSULATED SCREWDRIVER-PHILLIPS

AISLADO DESTORNILLADORES

ISOLATION TOURNEVIS POUR VIS CRUIFORMES PH

十字絕緣避電起子



VDE1000V DIN7438/ISO8764/EN60900				
0828				
PH 0-2	60	130	20	12
PH 1-3	80	180	55	12
PH 2-4	100	202	91	12
PH 3-6	150	272	165	6

INSULATED SCREWDRIVER-POZIDRIV

AISLADO DESTORNILLADORES

ISOLATION TOURNEVIS POUR VIS CRUIFORMES PZ

米字絕緣避電起子



VDE1000V EN60900				
0838				
PZ 0-2	60	130	20	12
PZ 1-3	80	180	55	12
PZ 2-4	100	202	91	12
PZ 3-6	150	272	165	6

7 PCS INSULATED SCREWDRIVER SET

AMADO JUAGO DE 7 DESTORNILLADORES

JEU DE 7 ISOLATION TOURNEVIS 7-PIECES

7件絕緣避電起子組

06800M/A



7PCS	06800-7M
0818	3x100(4"), 4x100(4"), 5.5x125(5"), 6.5x150(6")
0828	PH0x60(23/8), PH1x80(31/8), PH2x100(4")
1 SET=1.6KGS GW=19.2KGS/12SETS CUFT=2'	

INSULATED SCREWDRIVER-SQUARE

AISLADO DESTORNILLADORES

ISOLATION TOURNEVIS POUR VIS Á FENTE

方型絕緣避電起子



VDE1000V				
0868				
SQ1	150	265	113	12
SQ2	150	265	113	12
SQ3	150	265	113	12

INSULATED NUT DRIVER

AISLADO LLAVES DE VASO CON

MANGO BOCA HEXAGONAL

ISOLATION CLÉ Á DOUILLE EMMANCHÉE

絕緣避電螺帽起子



VDE1000V				
0848M				
5x125mm	125	235	112	12
6x125mm	125	235	116	12
7x125mm	125	235	122	12
8x125mm	125	235	124	12
9x125mm	125	235	124	12
10x125mm	125	235	130	12
11x125mm	125	235	148	12
12x125mm	125	235	150	12
13x125mm	125	235	152	12

8 PCS INSULATED SCREWDRIVER SET

AMADO JUAGO DE 8 DESTORNILLADORES

JEU DE 8 ISOLATION TOURNEVIS 8-PIECES

8件絕緣避電起子組

TT-41



8PCS	TT-41
0818M	2-3, 3-4, 5-5, 6-6
0828	PH0-2, PH1-3, PH2-4
0838	PZ1-3

6PCS INSULATED EXTRA LONG HEX KEY WRENCH SET

JUEGO DE AISLADO LLAVES HEXAGONALES
JEU DE ISOLATIN CLÉS MÂLES COUDEÉS
絕緣六角L型扳手

16762-6MBV



6PCS	16762-6MBV
0874	2.5, 3, 4, 5, 6, 8mm
BLOW CASE: GW=11.5KGS 12SETS/ =1.0'	

6PCS INSULATED HANDLE HEX KEY WRENCH SET

JUEGO DE AISLADO LLAVES HEXAGONALES
JEU DE ISOLATIN CLÉS MÂLES COUDEÉS
絕緣六角L型扳手

16766-6MBV



6PCS	16766-6MBV
0866	2.5mm(100×80mm), 3mm(100×80mm) 4mm(150×100mm), 5mm(150×100mm) 6mm(200×120mm), 8mm(200×120mm)
BLOW CASE: GW=11.5KGS 10SETS/ =2.5'	

7PCS INSULATED HEX WRENCH SET
AISLADO LLAVES DE VASO CON "T" MANGO
BOCA HEXAGONAL
ISOLATIN CLÉ À DOUILLE
T型絕緣螺帽起子

16700-7MBV



7PCS	16700-7MBV
0800	8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm (125×115mm)
BLOW CASE: GW=13KGS 10SETS/ =2.5'	

9PCS INSULATED EXTRA LONG STAR KEY WRENCH SET

JUEGO DE AISLADO LLAVES PARA TORNILLOS-"T"
JEU DE ISOLATIN CLÉS MÂLES COUDEÉS-"T"
絕緣六角L型扳手

16752-9TBV



9PCS	16752-9TBV
0844	T10, T15, T20, T25, T27, T30, T40, T45, T50
BLOW CASE: GW=15KGS 12SETS/ =1.0'	

7PCS INSULATED HANDLE STAR KEY WRENCH SET

JUEGO DE AISLADO LLAVES PARA TORNILLOS-"T"
JEU DE ISOLATIN CLÉS MÂLES COUDEÉS-"T"
絕緣星形T型扳手

16746T-7BV



7PCS	16746T-7BV
0846	T10(100×80mm), T15(100×80mm) T20(100×80mm), T25(150×100mm) T27(150×100mm), T30(150×100mm) T40(200×120mm)
BLOW CASE: GW=11.5KGS 10SETS/ =2.5'	


18PCS INSULATED INTERCHANGEABLE SCREWDRIVER SET

06803-18M



18PCS	06803-18M
VDE INTERCHANGEABLE BLADE X 100mmL	
SLOT: 2.5, 3.5, 4, 5.5 PH1, PH2	
TX: T10, T15, T20 PZ1, PZ2 11PCS	
INTERCHANGEABLE KEY POINT X 47mmL	
SQUARE: 6,8	
TRIANGLE: 9	
PIN: 5.3 4PCS	
INTERCHANGEABLE HANDLE 1PCS	
INTERCHANGEABLE PRECISION SEREWDRIVER 1PCS	
GW=13KGS 20SETS/ =1.6'	

FTQ-1



15PCS INSULATED SCREWDRIVER SET

- 0818M 2-3,3-4,4-4,5-5,6-6,8-7
- 0828 PH0-2,PH1-3,PH2-4,PH3-6
- 0838 PZ0-2,PZ1-3,PZ2-4,PZ3-6
- PVT PROBE VOLTAGE TEST

FTQ-2



12PCS INSULATED HANDLE NUT HEX KEY WRENCH SET

- 0800M 4,5, 5.5,6,7,8,9,10,11,12,13,14mm


FTQ-3



14PCS INSULATED SOCKET & PLIERS SET

- 3300MV 7, 8, 10,12,14mm
- 3800-4V EXTENSION BAR 100mmL/4"
- 3130GQV RATCHET HANDLE 200mmL
- 1380V T-HANDLE 200mmL
- 1828-07 1838-08 1929-06
- 1858-06 1878-06

FTQ-4



18PCS INSULATED SCREWDRIVER SET

- 0868M 2-3,3-4,4-5,5-6,6-7,8-8
- 0848T T6,T7,T8,T9,T10,T15,T20,T25,
T27,T30,T40,T45

9906HQ



570×275×30mm



INSULATED COMBINATION PLIERS

AISLADO ALICATES UNIVERSALES
 ISOLATION PINCE UNIVERSELES
 絕緣避電鋼絲鉗




1828-7/-8



VDE 1000V
DIN-ISO 5746/EN60900

1828	L (mm)	L3 (mm)	W3 (mm)	W4 (mm)	T1 (mm)	(9)	Cutting (mm)	(pcs)
7	180(7")	39	26.4	4.6	10.6	280	1.6 Ø	6
8	200(8")	41.5	28.6	6.6	11.2	360	1.6 Ø	6

=BLISTER



INSULATED LONG NOSE PLIERS

AISLADO ALICATES BOCAS LARGAS
 ISOLATION PINCE À BECS DEMI-ROUNDE LONGS
 絕緣避電尖嘴鉗




1838-6/-8



VDE 1000V
DIN-ISO 5745/EN60900

1838	L (mm)	L3 (mm)	W3 (mm)	W4 (mm)	T1 (mm)	T2 (mm)	(9)	Cutting (mm)	(pcs)
6	160(6")	53.5	16.2	3.2	8.6	2.5	110	1.6 Ø	6
8	200(8")	76	17.2	5.0	9.2	4.0	160	1.6 Ø	6

=BLISTER



INSULATED BENT NOSE PLIERS

AISLADO ALICATES DE BOCAS LARGAS ANGULADO
 ISOLATION PINCE À BECS DEMI-ROUNDE COUDES
 絕緣避電彎嘴鉗




1839-6/-8



VDE 1000V
DIN-ISO 5745/EN60900

1839	L (mm)	W3 (mm)	W4 (mm)	T1 (mm)	(9)	Cutting (mm)	(pcs)
6	160(6")	16.2	3.2	8.6	110	1.6 Ø	6
8	200(8")	17.2	5.0	9.2	160	1.6 Ø	6

=BLISTER



INSULATED DIAGONAL CUTTING NIPPERS

AISLADO CORTANTES DIAGONALES
 ISOLATION PINCE COUPANTE DE DIAGONALE
 絕緣避電斜口鉗




1858-6



VDE 1000V
DIN-ISO 5749/EN60900

1858	L (mm)	L3 (mm)	W3 (mm)	T1 (mm)	(9)	Cutting (mm)	(pcs)
6	160(6")	23	21	11.7	220	1.6 Ø	6

=BLISTER



INSULATED HIGH LEVERAGE COMBINATION PLIERS

AI SLADO ALICATES UNIVERSALES
ISOLATION PINCE UNIVERSELLES
絕緣避電省力型鋼絲鉗




1823-7/-8



VDE 1000V
DIN-ISO 5746/EN60900

1823	L (mm)	L3 (mm)	W3 (mm)	W4 (mm)	T1 (mm)	(g)	Cutting (mm)	(pcs)
7	180	39	27.6	5.6	10.6	220	1.6 Ø	6
8	200	44.5	28.6	6.6	10.6	260	1.6 Ø	6

=BLISTER



INSULATED HIGH LEVERAGE LONG NOSE PLIERS

AI SLADO ALICATES BOCAS LARGAS
ISOLATION PINCE À BECS RONDE- LONGS
絕緣避電省力型尖嘴鉗




1862-6/-8



VDE 1000V
DIN-ISO 5745/EN60900

1862	L (mm)	L3 (mm)	W3 (mm)	W4 (mm)	T1 (mm)	T2 (mm)	(g)	Cutting (mm)	(pcs)
6	160(6")	53.5	17.2	3.2	8.6	2.5	160	1.6 Ø	6
8	200(8")	75	20.6	5.0	9.2	4.0	230	1.6 Ø	6

=BLISTER



INSULATED HIGH LEVERAGE DIAGONAL CUTTING NIPPERS

AI SLADO CORTANTE DIAGONALES
ISOLATION PINCE COUPANTE DE DIAGONALE
絕緣避電省力型斜口鉗




1860-6



VDE 1000V
DIN-ISO 5749/EN60900

1860	L (mm)	L3 (mm)	W3 (mm)	T1 (mm)	(g)	Cutting (mm)	(pcs)
6	160	21.1	20.6	11.7	220	1.6 Ø	6

=BLISTER



INSULATED HIGH LEVERAGE BENT NOSE PLIERS

AI SLADO ALICATES DE BOCAS LARGAS ANGULADO
ISOLATION PINCE À BEC RONDE COUDE
絕緣避電省力型尖彎嘴鉗




1863-6/-8



VDE 1000V
DIN-ISO 5745/EN60900

1863	L (mm)	W3 (mm)	W4 (mm)	T1 (mm)	T2 (mm)	(g)	Cutting (mm)	(pcs)
6	160	17.2	3.2	8.6	2.5	160	1.6 Ø	6
8	200	20.6	5.0	9.2	4.0	230	1.6 Ø	6

=BLISTER



INSULATED DIAGONAL CUTTING NIPPERS

AISLADO DE GRAN EFECTO CON CORTANTES DIAGONALES

ISOLATION PINCE COUPANTE DIAGONALE

絕緣避電強力斜口鉗




1859-6/-7



VDE 1000V
DIN-ISO 5749/EN60900

1859	L (mm)	L3 (mm)	W3 (mm)	T1 (mm)	(g)	Cutting (mm)	(pcs)
6	160(6")	15.5	23.8	10.2	180	1.6 Ø	6
7	180(7")	20	27.6	12	240	1.6 Ø	6

=BLISTER



INSULATED HIGH LEVERAGE DIAGONAL PLIERS

AISLADO CORTANTE DIAGONALES

ISOLATION PINCE COUPANTE DIAGONALE

絕緣避電省力型強力斜口鉗




1861-7/-8



VDE 1000V
DIN-ISO 5749/EN60900

1861	L (mm)	L3 (mm)	W3 (mm)	T1 (mm)	(g)	Cutting (mm)	(pcs)
7	180(7")	21	28.6	12	190	1.8 Ø	6
8	200(8")	23	28.6	10.4	340	2.0 Ø	6

=BLISTER



INSULATED PROFESSIONAL WIRE STRIPPING PLIERS

AISLADO ALICATE PELACABLE

ISOLATION PINCE À DÉNUDER RÉGLABLE

絕緣避電剝線鉗




1878-6



VDE 1000V/ EN60900

1878	L (mm)	L3 (mm)	W3 (mm)	T1 (mm)	(g)	(pcs)
6	160(6")	38.5	16.5	9.5	160	6

=BLISTER



INSULATED WATER PUMP PLIERS

AISLADO ALICATES MUTITOMA REGULABLES

ISOLATION PINCE MULTIPRISES ENTREPASSÉE

絕緣避電水管鉗




1888-10



VDE 1000V
DIN-ISO 8976/EN60900

1888	L (mm)	L3 (mm)	T1 (mm)	G (mm)	(g)	HOLLOW-EYES	(pcs)
10	250(10")	34	7.6	38.5	400	7	6

=BLISTER



INSULATED CABLE CUTTER

AISLADO CORTABORA DE CABLE

ISOLATION COUPE-CÂBLES

絕緣避電電纜剪鉗




1899V-6/-8



VDE 1000V
DIN-ISO 8976/EN60900

1899V	L (mm)	L3 (mm)	W3 (mm)	T1 (mm)	(g)	Cutting (mm)	(pcs)
6	150	27.5	25	11	180	22 ø	6
8	200	33.5	31.5	15	310	38 ø	6

=BLISTER



INSULATED CABLE CUTTER

AISLADO CORTABORA DE CABLE

ISOLATION COUPE-CÂBLES

絕緣避電電纜剪鉗




1899V-10



VDE 1000V
DIN-ISO 8976/EN60900

1899V	L (mm)	L3 (mm)	W3 (mm)	T1 (mm)	(g)	Cutting (mm)	(pcs)
10	240	43.5	44.5	19.5	540	60 ø	6

=BLISTER



3PCS INSULATED PLIER SET

AISLADO JUEGO. DE 3 ALICATES

ISOLATION JEU DE 3 PINCES

3件絕緣鉗子組



16800-3G

3PCS	16800-3G
1828-7	INSULATED COMBINATION PLIERS 7"/180mm
1838-6	INSULATED LONG NOSE PLIERS 6"/160mm
1858-6	INSULATED DIAGONAL CUTTING NIPPERS 6"/160mm
1SET= 1.05KGS GW= 14KGS/ 12SETS =1.8'	



5572V



L : 150mm
 : 145g
 : 12PCS

5573V



L : 150mm
 : 142g
 : 12PCS

5574V



L : 150mm
 : 148g
 : 12PCS

5572V	INSULATED CABLE KNIFE	5573V	INSULATED CABLE KNIFE	5574V	INSULATED DISMANTLING KNIFE
VDE 1000V	STAINLESS KNIFE	VDE 1000V	STAINLESS KNIFE	VDE 1000V	K5 KNIFE