

#### **BASIC TULIKIVI REQUIREMENTS**



#### **SCOPE OF WORK**




**TOP VENT UNIT** 

**BOTTOM VENT UNIT** 




# 1 STEEL SUPPORT (REMODEL)





Foamglas® is a registered trademark of Pittsburgh Corning.


## STEEL SUPPORT (NEW CONSTRUCTION)






Foamglas® is a registered trademark of Pittsburgh Corning.

#### CONCRETE / MASONRY SUPPORT






## OVER GARAGE (REMODEL)





Foamglas® is a registered trademark of Pittsburgh Corning.


## CORNER UNIT (REMODEL)





Foamglas® is a registered trademark of Pittsburgh Corning.

## STEEL PLATE SUPPORT (REMODEL)






Foamglas® is a registered trademark of Pittsburgh Corning.


#### **TIMBER SUPPORT**








#### **SECOND APPLIANCE**




#### **CEILING CONNECTION**



## CORNER UNIT (NEW CONSTRUCTION)

See TTM-1 for clearances and shield details.





## CORNER UNIT (REMODEL)

See TTM-1 for clearances and shield details. Verify position of floor joists, plumbing, electrical, etc. before cutting holes. Foamglas® pad over steel plate. Engineered new footings Engineered steel columns.



in crawl space.

Foamglas® is a registered trademark of Pittsburgh Corning.

